

CATALOG 12

HARDWARE & SUPPLY





IMS ORNAMENTAL STEEL

1425 English Street NW Atlanta, GA 30318


Toll Free Number: (800) 833-9175 Phone Number: (404) 577-5005 Fax Number: (404) 419-3490

Email: inquiry@imsgasteel.com www.imsornamental.com

Stocking a Complete Line of

- Gate Hardware
- Ornamental Metal.
- Paints
- Welding & Shop Supplies

Convenient Will Call Location to Serve You



CONTENTS

	1-3 A	luminum	Castings
--	-------	---------	----------

4 - 22 Decorative Metal Bars | Finials

23 - 26 Shoes, Bases & Collars

27 - 33 Decorative Metal Elements

34 - 84 Scrolls | Panels | Balusters | Posts

85 - 120 Gate & Door Hardware | Hinges | Fasteners

121 - 130 Brackets, Fittings & Channel | Stair Components

131 - 149 Cast Iron

150 - 151 Power Tools

152 - 166 Welding Supplies

167 - 171 Abrasives | Drilling Accessories

172 - 176 Clamp & Vice | Measuring Tools

177 - 180 Hand Tools | Misc Shop Supplies

181 - 185 Paint & Supplies

186 - 190 Index

Alumium Ornamental Castings

Picket Castings



H. 14-5/8" W. 6-7/8" WT. 0.75 lbs. Single Faced

ITEM# AC1 H. 16-7/8" W. 7-3/4" WT. 0.75 lbs. For 1/2" picket Single Faced

ITEM#
AC2

For 3/4" picket Single Faced

ITEM# AC234



(WITH STEEL WELDING TABS)

H. 13-1/4" W. 7-1/4" WT. 0.75 lbs. Single Faced

ITEM# AC3 25

FITS 1/2" PICKETS

H. 14-1/2" W. 7-3/4" WT. 0.75 lbs. Single Faced

ITEM# AC4



H. 13-3/4" W. 7-1/4" WT. 0.75 lbs. Single Faced

> ITEM# AC5



H. 11-7/8" W. 8-3/8" WT. 0.50 lbs. Single Faced

> ITEM# AC6



H. 4-7/8" W. 3-7/8" WT. 0.25 lbs. Double Faced

> ITEM# AC7



H. 3-3/4" W. 3-3/4" WT. 0.25 lbs. Single Faced

ITEM# AC10A

For 3/4" picket Single Faced

ITEM#
AC10A34



H. 6-1/8" W. 7-3/4" WT. 0.50 lbs. Single Faced

> ITEM# AC9



H. 7-1/2" W. 4-5/8" WT. 0.50 lbs. Single Faced

> ITEM# AC11



H. 13" W. 6-3/4" WT. 0.75 lbs. Single Faced

ITEM# AC12



H. 8-1/2" W. 6-3/4" WT. 0.50 lbs. Single Faced

> ITEM# AC13



H. 8-5/8" W. 4-3/4" WT. 1.50 lbs. Double Faced

> ITEM# AC14



H. 15-1/8" W. 5-7/8" WT. 0.50 lbs. Double Faced

> ITEM# AC15



H. 14-1/2" W. 5-1/2" WT. 1.25 lbs. Double Faced

> ITEM# AC16



H. 18-1/4" W. 7" WT. 1.25 lbs. Single Faced

ITEM# AC17



H. 18-1/4" W. 7" WT. 1.50 lbs. Single Faced

ITEM# AC18

Aluminum Ornamental Castings

Picket Castings



FITS 1/2" PICKETS



H. 20-3/8" W. 9" WT. 3.50 lbs. Double Faced

ITEM# AC19



H. 15-5/8" W. 7 " WT. 0.75 lbs. Double Faced

ITEM# AC20



H. 16-1/8" W. 7-7/8" WT. 2.75 lbs. Double Faced

ITEM# AC21



H. 16-1/4" W. 7-1/4" WT. 1.50 lbs. Double Faced

ITEM# AC22



H. 15-5/8" W. 7-1/4" WT. 1.50 lbs. Double Faced

ITEM# AC23N



H. 14-1/2" W. 7-1/2" WT. 2.25 lbs. Double Faced

ITEM# AC24N



H. 11-7/8" W. 8-3/8" WT. 1.50 lbs. Double Faced

ITEM# AC25



H. 15-3/4" W. 8-1/4" WT. 1.75 lbs. Double Faced

ITEM# AC26



H. 9-5/8" W. 8" WT. 0.50 lbs. Double Faced

ITEM# AC27



H. 7-1/2" W. 2-3/8" WT. 0.25 lbs. Double Faced

ITEM# AC28



Limited availability.
Please call to confirm.

H. 4-1/8" W. 6-1/4" WT. 0.25 lbs. Single Faced

ITEM# AC29



H. 14-3/4" W. 8" WT. 1.50 lbs. Single Faced

> ITEM# AC30



H. 13-1/2" W. 7-3/8" WT. 1.50 lbs. Single Faced

ITEM# AC31



H. 15" W. 6-1/2" WT. 0.50 lbs. Single Faced

ITEM# AC33



H. 15-1/2" W. 7-5/8" WT. 1.25 lbs. Single Faced

ITEM#
AC34



H. 20-3/4" W. 6-1/8" WT. 2.50 lbs. Double Faced

ITEM#
AC35

Phone: 800-833-9175

Aluminum Ornamental Castings

Specialty Items



Large Lions H. 30" W. 14-3/4" WT. 16 lbs. PAIR Single Faced



AC1000Y **Sold as Pair**



ITEM# AC672

Limited availability. Please call to confirm.

(THESE PRODUCTS MANUFACTURED WITHOUT WELD TABS)

ALUMINUM COLUMNS AND POSTS



TWO HALVES


H. 3-3/4" W. 5" WT. 1.00 lbs. Single Faced

ITEM# AC993



H. 26" W. 7-1/4" WT. 5.00 lbs. Single Faced ITEM#

AC994





TWO HALVES

H. 5" W. 5-1/2" WT. 0.75 lbs. Single Faced

ITEM# AC998



H. 25-1/4" W. 6" WT. 5.50 lbs. Single Faced

ITEM# AC999




2 1/2"

Hammered Bars

Mechanically Hammered Round Bar

Length of bar 10' Approx.



ITEM#	DIA.	WEIGHT
SF14TB	1/4"	2.0 lbs.
SF12TB	1/2"	5.8 lbs.

ITEM#	DIA.	WEIGHT
SF516TB	5/16"	2.5 lbs.
SF34TB	3/4"	12.8 lbs.

ITEM#	DIA.	WEIGHT
SF38TB	3/8"	4 lbs.
SF78TB	7/8"	18.9 lbs.

Cold Forged Square Bars

- Hammered on four edges the full length of the bars
- 20' Approx. length

ITEM#	SIZE	WEIGHT
SF125F	1/2" sq	13.9 lbs.
SF916F	9/16" sq	17.9 lbs.
SF585F	5/8" sq	26.6 lbs.
SF345F	3/4" sq	41.5 lbs.
SF15F	1" sq	65.0 lbs.

Heavily Hammered Square Bars

- Mechanically hammered on four corners and four sides the full length of the bars
- 10 ft. length

(300		
(Samuel		-
	-	
1		40

ITEM#	SIZE	WEIGHT
SF118A1	1/2" sq	7.5 lbs.
SF118A2	9/16" sq	10.2 lbs.
SF118A3	5/8" sq	13.3 lbs.
SF118A5	3/4" sq	20.8 lbs.

for all the forged round pickets

Good match

Mechanically Hammered Square and Rectangular Bar

Length of bar 10' Approx.2 sides diamond hammered profile



ITEM#	SIZE	WEIGHT
SF6231	1/2" x 1/4"	3.3 lbs.

Grooved Square Long Bars

Length of bar 10' Approx.





ITEM#	SIZE	WEIGHT
SF6253	1/2" sq	4.4 lbs
SF6255	5/8" sq	12.8 lbs
SF6257	3/4" sq	20.2 lbs

Grooved & Hammered Long Bars

• Length of bar 10' Approx



	7, 4	
ITEM#	SIZE	WEIGHT
SF6258	1/2" sq	6.6 lbs.
SF6259	5/8" sq	12.8 lbs.
SF62510	3/4" sq	20.9 lbs.

Collar (Banding) Material

• Bar length approximately 13 ft.

ITEM# SIZE WEIGHT SF1581 9/16" x 5/32" 2.2 lbs.

ITEM# SIZE WEIGHT SF1586 9/16" x 5/32" 3.1 lbs.

SIZE WEIGHT SF1583 9/16" x 5/32" 2.4 lbs.



Pre-Fitted Collars (Bands)

• Ready to wrap around ornamental elements

Just place around bars and squeeze close.

No need for cutting.




ITEM#	FITS	WEIGHT
SF15815	3 bars of 1/2"x1/4"	.06 lbs.
SF15816	4 bars of 1/2"x1/4"	.07 lbs.




ITEM#	FITS	WEIGHT
SF15820	2 bars of 5/16" sq"	.04 lbs.
SF15823	2 bars of 3/8"x3/16"	.04 lbs.
SF15826	2 bars of 1/2"x1/4"	.04 lbs.
SF15827	3 bars of 1/2"x1/4"	.06 lbs.
SF15830	2 bars of 1/2" sq	.07 lbs.


Phone: 800-833-9175

Twisted Bars | Hammered Bars





Hammered Flat Bars 10' Approx. Length.



Custom Twisted Square Bars



Twisted Steel Bars

CUSTOM MANUFACTURED. Other sizes available Please inquire.

ITEM#	MTL	LENGTH	WT.
SF38365	3/8" sq	35 1/2"	1.5 lbs
SF3847	3/8" sq	47"	2 lbs
SF12365	1/2" sq	35 1/2"	2.5 lbs
SF1247	1/2" sq	47"	3.3 lbs
SF58365	5/8" sq	35 1/2"	3.9 lbs
SF5847	5/8" sq	47"	5.2 lbs
SF34365	3/4" sq	35 1/2"	5.6 lbs
SF3447	3/4" sq	47"	7.4 lbs
SF801221	2" sq	39 3/8"	45 lbs
SF801222	2" sq	47 1/4"	53 lbs
SF118H25	1" sq	118"	34 lbs
20	' Long Sto	ck twisted	l Bars
SF38T	3/8" sq	20'	10 lbs
SF12T	1/2" sq	20'	17 lbs
SF58240	5/8" sq	20'	26.5 lbs
SF34240	3/4" sq	20'	38 lbs

A B

These convenient twisted balusters are the perfect match for most of our lines.

1/2" Square **Solid Pickets with** Twist Pattern

• Custom lengths available

A. Double Twist Area

ITEM#	LENGTH	WEIGHT
SF533	35-1/2"	2.5 lbs.
SF533L	47"	2.8 lbs.

B. Single Twist Area

ITEM#	LENGTH	WEIGHT
SF658	35-1/2"	2.5 lbs.
SF658L	47"	2.8 lbs.

Heavy Section Twists



ITEM# SF172414 SF17252 47 1/4"L

Wt. 52 lbs.

ITEM#

47 1/4"L

Wt. 37.4 lbs.

Mtl 2" sq. Mtl 2" sq. ITEM# ITEM# SF172427 SF172451 39 3/8" L 39 3/8" L Wt. 43.3 lbs. Wt. 43.3 lbs.

ITEM# ITEM# SF172428 SF172452 47 1/4"L 47 _{1/4}"L Wt. 52 lbs. Wt. 52 lbs.

Twisted Heavy Bars



ITEM# ITEM# SF18071 Mtl 2" sq. Wt. 132 lbs.

SF180613 Mtl 2" sq. Wt. 132 lbs.



SF180627 Mtl 2 3/8" x 1 3/16" Wt. 93.9 lbs.


ITEM#



Length of bar 10 ft. Approx

> ITEM# SF180713 Mtl 2" sq.

Wt. 132 lbs.



Hot Pierced Bars





• 10 ft. length

ITEM #	SIZE	LENGTH	WEIGHT
SF5991	5/16" Round	10 ft.	2.5 lbs.
SF5992	3/8" Round	10 ft.	4 lbs.
SF5993	1/2" Round	10 ft.	7 lbs.
SF5994	9/16" Round	10 ft.	8 lbs.
SF5995	5/8" Round	10 ft.	11 lbs.
SF5996	11/16" Round	10 ft.	13.5 lbs.
SF5997	3/4" Round	10 ft.	15.9 lbs.
SF5998	7/8" Round	10 ft.	21 lbs.



Tree Bark Style Square Bar

• 10 ft. length

ITEM #	SIZE	LENGTH	WEIGHT
SF6235	1/2" Square	10 ft.	7.5 lbs.
SF6236	9/16" Square	10 ft.	10.2 lbs.
SF6237	5/8" Square	10 ft.	13.3 lbs.
SF6238	11/16" Square	10 ft.	16.8 lbs.
SF6239	3/4" Square	10 ft.	20.7 lbs.

Plain Round **Hot Pierced Bars**



• Insert standard round bar

• Bars with 4-1/2" pitch meet US 4" spacing code

ITEM #	MATERIAL	PITCH	HOLE SIZE	NO. OF HOLES	LENGTH	WEIGHT
SF422US	5/8" Round	4-1/2"	5/8" Round	17	78-3/4"	7 lbs.
SF424	3/4" Round	6-3/4"	3/4" Round	11	78-3/4"	11 lbs.

Plain **Square Hot Pierced Bars**

- Insert standard square bar
- Bars with 4-1/2" pitch meet US 4" spacing code

ITEM #	MATERIAL	PITCH	HOLE SIZE	NO. OF HOLES	LENGTH	WEIGHT
SF429US	5/8" Square	4-1/2"	5/8" Square	17	78-3/4"	8.9 lbs.
SF4210	3/4" Square	6-5/16"	3/4" Square	12	78-3/4"	11 lbs.

Plain **Diamond Hot Pierced Bars**

• Insert standard square bar

ITEM #	MATERIAL	PITCH	HOLE SIZE	NO. OF HOLES	LENGTH	WEIGHT
SF4224	3/4" Square	6-5/16"	11/16" Diamond	12	78-3/4"	11 lbs.

Tree Bark Style



• Insert Tree Bark Style Round Bar

ITEM #	MATERIAL SIZE	PITCH DISTANCE	HOLE SIZE SIZE	NO. HOLES HOLES	MATL. LENGTH	BAR WEIGHT	MATCHING STR. BAR
SF6061	9/16" Rd.	5-1/2"	9/16" Rd.	14	78-3/4"	5.2 lbs.	SF5994
SF6062	5/8" Rd.	5-7/8"	5/8" Rd.	13	78-3/4"	7 lbs.	SF5995
SF6063	11/16" Rd.	6-5/16"	11/16" Rd.	12	78-3/4"	9.3 lbs.	SF5996
SF6064	3/4" Rd.	6-5/8"	3/4" Rd.	11	78-3/4"	11 lbs.	SF5597

Tree Bark Style



• Insert Tree Bark Style Square Bar


ITEM #	MATERIAL SIZE	PITCH DISTANCE	HOLE SIZE SIZE	NO. HOLES HOLES	MATL. LENGTH	BAR WEIGHT	MATCHING STR. BAR
SF6051	9/16" Sq	5-1/2"	9/16" Sq	14	78-3/4"	6.6 lbs.	SF6236
SF6052	5/8" Sq	5-7/8"	5/8" Sq	13	78-3/4"	8.9 lbs.	SF6237
SF6053	11/16" Sq	6-5/16"	11/16" Sq	12	78-3/4"	11 lbs.	SF6238
SF6054	3/4" Sq	6-5/8"	3/4" Sq	11	78-3/4"	13.6 lbs.	SF6239




Fax: 404-419-3490


Steel Handrails & Fittings

Steel Handrail





Steel End Pieces For Handrail



Phone: 800-833-9175

Steel Handrails & Fittings

Steel Tubular Handrail & Fittings

Steel **Tubular** Handrail



• 14 gauge steel

Conforms in shape to conventional 1-3/4"wide molded cover rail combined with 1" channel.

Height: 1" Length: 20 ft. Width: 1-3/4" Weight: 26 lbs. ITEM# MCRMTH1420

For Molded Cover Rail & Tubular Handrail

Height: 3-3/4" Width: 2-1/2"

ITEM# CI654



Cast Iron Straight

Height: 4-3/8" Width: 1-3/4" Length: 2-5/8" Weight: 1.1 lbs.

ITEM#

CI902



Cast Iron Volute

Height: 2-1/2" Width: 1-3/4" Length: 3" Weight: 1.5 Lbs.

ITEM#

CI900



Weight: .5 lbs.



Cast Iron Beveled

Height: 3-1/4" Width: 1-3/4" Length: 3-1/2" Weight: .78 lbs.

ITEM#

CI901

Rail End Plug

Height: 1" Width: 1-3/4" Length: 2-1/8" Weight: .66 lbs.

ITEM# CI7058



Handrail Brackets

Heavy Duty

- 3/16" thick
- 2-3/4" round base
- 4-1/2" overall height • 1/2" wall mounting hole • Two 1/4" rail
- mounting
- holes • 3" from wall
- to rail center Can be used
- for round or square handrail

ITEM # SC35B

- Stamped from 1/8" steel STEEL
- 4" overall height • 2-3/4" round base
- For round pipe handrail
- 3/8" wall mounting hole
- 2-5/8" from wall to rail center
- Two 3/16" rail mounting holes


ITEM # CI3AR

- 2-3/4" round base
- 3-3/4" overall height
- 3/8" wall mounting hole
 Two 3/16" rail mounting holes
- 2-3/8" from wall to rail center
- · Can be used for flat or square handrail

CAST IRON

ITEM #

CI3A



ROUND TUBING

3-3/4" x 3-1/4" Extends 3-1/2" from wall 1.75 lbs

ITEM#

CI3HRB



For square tubing Extension 2-3/8" from wall Weight 1.2 lbs

> ITEM# CI9002

STEEL STEEL

Mtl 6-5/16" x 3-23/32 1.2 lbs

ITEM#

CI94A1

Mtl 3-5/32" 5/16" - 5/8" 0.9 lbs

ITEM# CI14053



STEEL Mtl 3-5/32" 5/16" - 1/2 0.9 lbs


ITEM# CI14052





ITEM# CI14051








Steel Handrails & Fittings





Steel Lamb's Tongue Handrail End

• For straight or angle runs Length: 5-7/8" Height: 13-3/4"

ITEM # H	ANDRAIL	WIDTH	WEIGHT
SF137741	MCR1	1-19/32"	3 lbs.
SF137740	MCR112	2-1/8"	3.8 lbs.

Steel Curled Handrail End

• For straight or angle runs Lenath: 5-7/8"

Phone: 800-833-9175

Height: 11-13/16"

ITEM #	HANDRAIL	WIDTH	WEIGHT
SF81213	MCR1	1-19/32"	3 lbs.
SF81212	MCR112	2-1/8"	3.9 lbs.

Cast Iron Laterals and Channels Left Laterals Right Laterals

• For MCR1
Standard
and
MCR112
Extra-Wide
Steel Handrails

Laterals attach to channels below to create ends for handrail runs. Ductile iron channels can withstand up to 30° cold bend.

ITEM #	HANDRAIL (CHANNEL	MATERIAL
CI55LLS	MCR1	1"	Cast Iron
CI400HL	MCR1	1"	Ductile Iron
CI55LLW	MCR112	1-1/2"	Cast Iron

Left Channels

• For MCR1
Standard
and
MCR112
Extra-Wide
Steel Handrails
Channels attach to laterals above to creat

Channels attach to laterals above to create ends for handrail runs. Ductile iron channels can withstand up to 30° cold bend.

ITEM #	HANDRAIL	CHANNEL	MATERIAL
CI75LCS	MCR1	1"	Cast Iron
CI401HL	MCR1	1"	Ductile Iron
CI75LCW	/ MCR112	1-1/2"	Cast Iron

• For MCR1 Standard and MCR112

Laterals attach to channels below to create ends for handrail runs. Ductile iron channels can withstand up to 30° cold bend.

Extra-Wide Steel Handrails

ITEM #	HANDRAIL (CHANNEL	MATERIAL
CI55RLS	MCR1	1"	Cast Iron
CI400HR	MCR1	1"	Ductile Iron
CI55RLW	/ MCR112	1-1/2"	Cast Iron

Right Channels

For MCR1
Stan-dard and MCR112

Extra-Wide Steel Handrails
Channels attach to laterals above to create

Channels attach to laterals above to create ends for handrail runs. Ductile iron channels can withstand up to 30° cold bend.

ITEM# H	ANDRAIL C	HANNEL	MATERIAL
CI75RCS	MCR1	1"	Cast Iron
CI401HR	MCR1	1"	Ductile Iron
CI75RCW	MCR112	1-1/2"	Cast Iron

Cast Iron Lamb's Tongue Handrail End

• For straight runs

ITEM #	HANDRAIL	CHANNEL	WIDTH
CI5	MCR1	1"	1-19/32"
CI5112	MCR112	1-1/2"	2-1/8"

Cast Iron Lamb's Tongue Handrail End


• For angled runs

ITEM #	HANDRAIL	CHANNEL	WIDTH
CI6	MCR1	1"	1-19/32"
CI6112	MCR112	1-1/2"	2-1/8"

Cast Iron Square Terminal End

Length: 3-1/2" Overall Width: 2-1/8"

ITEM #	HANDRAIL	WIDTH	WEIGHT
CI7053	MCR1	1-19/32"	1 lbs.



Cast Iron Volute Handrail End

For straight or angled runs

ITEM #	HANDRAIL	CHANNEL	WIDTH
CI4X	MCR1	1"	1-19/32"
CI4X112	MCR112	1-1/2"	2-1/8"



1/2"

2 3/4" W 6" H Fits 1/2" Sq.

ITEM# CI66

3/4"

2 3/4" W 6" H Fits 3/4" Sq.

ITEM# CI6634



2 1/2" W 4 1/2" H Fits 1/2" Square

ITEM# CI66XS



3/4"

5 3/4" H 3/4" sq.. Fits 3/4" Square

ITEM#

CI86434



4 1/2" W 6 5/8" H Plugs into 1" square tube.

ITEM#

CI864

1/2"

5-1/4" High 3-3/8" Wide Fits 1/2" Sq.. Wt: 0.5 lbs.

ITEM# CI656

5/8"

5" High 3-1/4" Wide Fits 5/8" Sq.. Wt: 0.4 lbs.

ITEM# CI7065 3/4"

5-1/2" High 3-1/4" Wide Fits 3/4" Sq.. Wt: 0.46 lbs.

ITEM# CI65634YS 3/4"

6-7/8" High 4-1/8" Wide Fits 3/4" Sq.. Wt: 1.0 lbs.

> ITEM# CI65634



Fits 1/2" Square

ITEM# CI656XS



5 3/4" H Fits 5/8" Sq.

ITEM# CI8005



1/2"

2 5/8" W 4 5/8" H Fits over 1/2" sq.. Base 11/4" sq.. OĎ

ITEM# CI8832

.5 lb

3/4"

3 5/8" W 6 1/8" H Fits over 3/4"sq. Base 1-1/4" sq.. OD 1 lb

ITEM# CI8832Y 1"

4 1/2" W 7 5/8" H Fits over 1" sq.. Base 1 1/2" sq., OD 2.25 lbs.

ITEM# CI8832Z 5/8"

3" W 5-1/2" H Fits over 5/8" sq.. .8 lbs.

ITEM#

CI880258

3/4"

5" W 9" H Fits over 3/4" sq.. 3 lbs.

3 lbs.

ITEM# CI880234 1"

5 1/2" W 9 1/2" H Fits over 1" sq..

ITEM# CI8802



1/2"

2-1/2" W 4" H Base 1-1/8" sq.. Fits 1/2" sq.. .5 lbs

ITEM# CI8821 5/8"

3" W 5" H Base 1-3/16" sq.. Fits 5/8" sq.. .75 lbs

ITEM# CI8858 3/4"

3-1/2" W 6" H Base 1-1/2" sq.. Fits 3/4" sq.. 1.25 lbs

ITEM# CI8020 1/2"

4 1/2" High Fits 1/2" Square

ITEM# CI667

4" High Fits 3/4" Square

3/4"

ITEM# CI21834



1/2"

2-3/4" Wide 4-3/4" High Fits 1/2" Square

ITEM# CI7075

quare

3/4"

4" Wide 7" High Fits 3/4" Square

ITEM# CI7095

1/2"

2-1/2" Wide 4-5/8" High Fits 1/2" Square

ITEM#CI7080

3/4"

3-3/4" Wide 6-5/8" High Base 2" round OD

Fits 3/4" Square

ITEM# CI853Y



1/2"

5 1/4" H x 4" W Fits 1/2" Round

ITEM# CI7055



3/4"

6" W x 11" H 3 lbs. Fits over 3/4" sq.. 1/2" deep

ITEM# CI9320



1/2"

2 5/8" W x 3 1/4" H for 1/2" Square -Single faced

ITEM# CIAA



1/2"

3 1/2" W x 6 1/2" H Fits 1/2" Sq.

ITEM# CI655 3/4"

3-3/8" W x 6 1/2" H Fits 3/4" Sq..

ITEM# CI601334



1/2"

2 1/4" W x 4 3/4" H Fits 1/2" Square

ITEM# CI659 5/8"

3 1/4" W x 5 1/4" H Fits 5/8" Square

ITEM# CI7085

3/4"

3" W x 4 3/4" H Fits 3/4" Square

ITEM# CI7090



1/2"

4 7/8" H Fits 1/2" Sq..


ITEM# CI65912S 3/4"


5" H Fits 3/4" Sq..


ITEM# CI65934S




Check
out our
Economical
RUST-FREE
Plastic
Spear
Points









Most Popular

1/2"

4 1/4" High Fits 1/2" Square

ITEM# CI9X

5/8"

4 1/4" High Fits 5/8" Square

ITEM# CI9X58 3/4"

4 1/4" High Fits 3/4" Square

ITEM# CI9X34 3/4"

Extra Large 6" High Fits 3/4" Square

ITEM# CI9Y

1"

8" High Fits over 1" Square

ITEM# CI9Z

6" H x 2" W Base 2 1/8" Square Fits 1 1/4" Square

ITEM# CI9XL114

4" High 1 3/8" W 5/8" Deep shaft Plugs into 1"

ITEM# CI9C



7 1/2" High Base 3 1/4" sq. 3 lbs

ITEM# CI9324



1/2'

4 1/4" High Fits 1/2" Square

ITEM# CI9A



4" High

Fits 1/2" Square

ITEM# CI649

5/8"

4 1/2" High Fits 5/8" Square

ITEM#

CI64958

ITEM# CI649S

3/4"

4 1/2" High

Fits 3/4" Square

3/4"

Extra Large 5 1/2" High Fits 3/4" Square

ITEM# CI64934 1"

3 1/4" Wide 6 1/4" High Fits 1" Square

ITEM# CI8025 1 1/2"

5 3/4" W 9" H Base 2 1/4" Square Fits 1 1/2" Square

ITEM# CI649ZXL



Height 4 1/2". 1" square Plugs into 1"

ITEM# CI649X



2 5/8" W 4 3/4" H Fits over 1/2" sq. Base 1 1/8" sq. OD .5 lbs

ITEM# CI865



3/4"

3 1/2" W 6 3/4" H Base 1 3/16" sq. OD 3/4" sq. ID 1 lbs

ITEM# CI8804

6" W 9 1/4" H Base 4"x4" 5.25 lbs

ITEM# CI8805FB



Cast Iron Finials & Caps





4 1/2" Ball Fits over 1 1/4" dia. 6 1/2" high 3 1/2" width 7 lbs.

ITEM# CI9539

3 3/4" Ball Fits over 1" dia. 5" high 2 3/4" width 4.5 lbs.

ITEM# CI9538

2 3/4" Ball Fits over 3/4" dia. 4" high 2 1/4" width 2 lbs.

ITEM# CI9537 1/2"

2 1/8" Ball Fits over 1/2" dia. 3 1/8" high 1 3/4" width .95 lbs.

ITEM# CI9536



Fits over 4" 7 1/4" high 4 5/8" width 6.25 lbs.

ITEM# CI1404

Fits over 3" 6" high 3 5/8" width 3.25 lbs.

ITEM# CI1403

Fits over 2" 4 5/8" high 2 7/8" width 1.25 lbs.

ITEM# CI1402 1 1/2"

Fits over 1 1/2" 3 1/2" high 2" width .75 lbs.

ITEM# CI1401




4" W x 9 1/2" H Base: 3" dia SOLID

ITEM# CI8621

Cast Iron & Pressed Post Caps

Horse Head Post Caps





Lemon Drop Top Plugs into 1"

square tubing. 2" high.

ITEM#
CI117



1"

Ball Top

1" diameter.
Plugs into 1" square tubing 1 1/2" high.

ITEM# CI7X





Ball Top

1 1/2'' dia. Drives in 1 1/4'' sq.. tubing 3 1/2'' high

ITEM# CI7XL





Ball Top

1 1/2" diameter 1 1/2" square base 2 1/2" tall

ITEM# CI116



Actual dimensions may vary slightly due to variations in manufacturer's production.

Cast Iron Newel Post Balls • Made to fit over square tubing

ITEM# POST SIZE HEIGHT
CI108 1" 2-3/4"

IIEM#	POST SIZE	HEIGHT
CI108	1"	2-3/4"
CI114	1-1/4"	2-3/4"
CI112	1-1/2"	2-3/4"
CI118	2"	2-3/4"
CI121	2-1/2"	4-1/2"
CI120	3"	5"
CI119	4"	5-1/2"
CI125	5"	6-1/2"
CI126	6"	6-1/2"

Pressed Steel, Aluminum and Galvanized Post Caps

 Available in steel, aluminum and galvanized

No welding necessary - can fits tight



No welding necess		
ITEM#	POST SIZE	MATERIAL
SC114	1-1/4"	Steel
SC114A	1-1/4"	Aluminum
SC112	1-1/2"	Steel
SC112A	1-1/2"	Aluminum
SC2	2"	Steel
SC2GAL	2"	Galvanized Steel
SC2A	2"	Aluminum
SC212	2-1/2"	Steel
SC212GAL	2-1/2"	Galvanized Steel
SC3	3"	Steel
SC3GAL	3"	Galvanized Steel
SC3A	3"	Aluminum
SC4	4"	Steel
SC4A	4"	Aluminum
SC5	5"	Steel
SC6	6"	Steel

Cast Iron Newel Post Caps

Made to fit over square tubing



ITEM#	POST SIZE
CI805	1" x 1"
CI804	1-1/4" x 1-1/4"
CI806	1-1/2" x 1-1/2"
CI807	2" x 2"
CI8212	2-1/2" x 2-1/2"
CI808	3" x 3"
CI809	4" x 4"
CI810	5" x 5"
CI811	6" x 6"

Phone: 800-833-9175


Pickets & Decorative Spear Points

Crushed Steel Spear Point Straight Pickets


- 1/2", 3/4", and 1" Square tube x 16 gauge
- Available in plain, galvanized (except 1/2"), or red primed finish
- Two stock lengths and an infinite choice of custom lengths are available



SF7515



ITEM#	SIZE	FINISH
MCC126BLK	1/2 " x 6'	Plain
MCC128BLK	1/2 " x 8'	Plain
MCC346BLK	3/4" x 6'	Plain
MCC346	3/4" x 6'	Red Primed
MCC346GLV	3/4" x 6'	Galvanized
MCC348BLK	3/4" x 8'	Plain
MCC348	3/4" x 8'	Red Primed
MCC348GLV	3/4" x 8'	Galvanized
MCC16BLK	1" x 6'	Plain
MCC16	1" x 6'	Red Primed
MCC16GLV	1" x 6'	Galvanized
MCC18BLK	1" x 8'	Plain
MCC18	1" x 8'	Red Primed
MCC18GLV	1" x 8'	Galvanized



ITEM#	SIZE	FINISH
MCC348BLKARC	3/4" x 92"	Plain
MCC348ARC	3/4" x 92"	Red Primed
MCC348GLVARC	3/4" x 92"	Galvanized


Mtl 1/2" sq..

2 3/4" H

Wt. .3lb

STEEL

STEEL



SF7511

SF1298

SF12912

SF126D1

Steel Finials

Fully Weldable Hand Forged Steel Finials

FORGED STEEL

Base 1" sq.. 6-5/16" H Wt. .75 lb.

ITEM# SF1215



ORGED STEEL

Mtl 5/16" sq.. 5 1/2" W x 6 5/8" H Wt. 1.5 lbs.

ITEM# SF17962



FORGED STEEL

Mtl 1/2" x 1" sq.. 1 1/2" W x 4" H Wt. .2 lbs.

ITEM# SF17961



Base 1-3/8" dia. \(\square\)
7-7/8" H
Wt. 1.4 lbs.

ITEM# SF185510



FORGED STEEL

Base 1-3/8" dia. \(\square\)
7-7/8" H
Wt. 1.1 lbs.

ITEM# SF1202



FORGED STEEL

Base 1-3/16" dia. \(\square\)
6-5/8" H
Wt. .6 lb.

ITEM# SF1203

Fully Weldable Hot Stamped Steel Finials

Base 1/2" dia. \(\)
x 5" H
Wt. .4 lb.

ITEM# SF1241

Base 9/16" dia. 📉 x 6-5/16" Wt. .7 lb.

ITEM# SF1242



Base 1-1/4" dia. A

2-1 Wt.

ITEM# SF138612

x 2-3/8" W

Wt. .5 lb.

Base 1" dia. \(\)
4-5/16" H
x 2-1/8" W
Wt. .4 lb.

STEEL SF138613



Base 5/8" dia Q 2-1/2" x 6-5/8" Wt. 1 lb.

ITEM#SF12613



Base 1" sq.. 2-1/2" W x 4-5/8" H Wt. 6 lb.

> ITEM# SF7279



Base 1-3/8" dia. \(\sqrt{Q}\)
x 7-7/8"
Wt. 1 lb.

ITEM# SF122A1



Base 1-3/8" dia. x 5" Wt. .6 lb.

> ITEM# SF1251



STEEL

Base 5/8" dia. \(\)\(\)\(\)\(\) x 5" high
Round Cast Steel
Wt. .8 lb.

ITEM# SF126C7



STEEL

Base 3/8" dia. \(\square\)
x 5-1/2" high
Wt. .5 lb.

ITEM# SF1261



STEEL

Base 1-3/16" dia. 5" high Wt. .5 lb.

ITEM#SF72711



Phone: 800-833-9175

Cast Iron Rosettes & Medallions



3-1/2" - Single faced

ITEM# CI7027



4" - Double faced

ITEM# CI7005



3-1/8" - Single faced

ITEM# CI7020



CAST IRON

4" - Single faced

ITEM# CI7010



2-1/2" - Single faced

ITEM# CI7025



6" dia, 1/2" thick 1" Center hole, raise star is level with rim. 2.5 lbs.

ITEM# CI8609



ITEM#

CI84





ITEM# CI85R

Brass Decorative Elements



Diameter: 4-1/2" Thickness: 5/32" Single Faced

ITEM # SF14634



Diameter: 3-1/2" Thickness: 5/32" Single Faced


ITEM # SF14633



Diameter: 3-1/2" Thickness: 5/32" Single Faced

ITEM # SF14632





Single Faced

ITEM # SF7072 1-5/8"h x 1-1/2"w SF7074 3-11/16"h x 3-1/8"w

Cast Iron & Brass Finials & Tops



CAST IRON

2-1/4" H 1-1/4" W Base 1" dia Solid 1/2 lb.

ITEM#

CI657XS



CAST IRON

3-1/2" H 2-1/4" W Base is 1-3/4" Round

ITEM# CI8035



CAST IRON

Pineapple 4-3/8" Tall

1-3/4" Round Base

ITEM#

CI657



Pineapple Point





1" W 2" H Fits 1/2" Sq.

ITEM# CI7070 3/4"

2-1/4" H Fits over 3/4" Sq..

ITEM# CI834

1-1/4" W

ITEM# CI8030

1-1/4" W

2-1/2" H

Fits 1" Sq.

1"

CAST IRON

6" H 4" Sq..



ITEM# CI6059

CAST IRON

7-3/4" H Base 2" dia Solid Pineapple-4-1/4" H x 3-1/4" W 8 lbs.

ITEM# CI657M



Forged Steel Finial

FORGED STEEL

3" dia. Wt. 4.6 lbs

ITEM# SF1139



Forged Steel Finial

FORGED STEEL

2-3/4" dia. Wt. 4.9 lbs

ITEM# SF11310 **Forged** Steel Horse Shoe

> 4-5/8" W 5" H

ITEM# SC101H



Brass Finials

Ø 3-1/8" x 5-1/8" Ø Base 1-9/16" dia. threaded hole 1/2" Wt. 1.5 lbs.

ITEM# SF16043



Bottom thread allows for easy installation

Ø 2-9/32" x 4-5/8" Ø Base 1-9/16" threaded hole 1/2" Wt. 1 lb.

ITEM# SF16045



Ø 2-1/8" x 3-1/16" Ø Base 1-9/16" threaded hole 1/2" Wt. .7 lb.

SF16046



Plastic Finials, Scrolls & Post Caps

Plastic Spear Point Finials

Highest Quality!! Check the many advantages:

- Molded from high grade plastics
- Will not rust or deteriorate
- Shipping weight approximately 80% less than cast iron



ITEM#	PICKET SIZE	COLOR
PSM25	1/2"	Black
PSM25BZ	1/2"	Bronze
PSM25W	1/2"	White
PSM2558	5/8"	Black
PSM2534W	/ 3/4"	White
PSM2534	3/4"	Black



ITEM#	PICKET S	IZE COLOF
PSM30	1/2"	Black
PSM30W	1/2"	White
PSM3058	5/8"	Black
PSM34	3/4"	Black
PSM34W	3/4"	White



Black

- Width: 3 3/8"
- Height: 5 1/2"
 Fits 1/2" x 1/2"
- square pickets Also fits into 1" square tubing 16 ga.

ITEM#	
PSM40	



ITEM# PI	CKET SI	ZE COLOR
PSM659B	1/2"	Black
PSM7085B	5/8"	Black



Black

- Width: 1-1/16"Height: 2-1/2"Fits over 1/2"
- square pickets
- Also fits into 1" square tubing 16 ga.

ITEM # PSM50

Plastic Scrolls With Steel Welding Tabs



PLASTIC

Width 6 1/2" Height 12 1/2" Fits 1/2" Pickets

ITEM# PS3



PLASTIC

Width 7 1/2" Height 16 1/2" Fits 1/2" Pickets

ITEM# PS2



PLASTIC

Height 3" Width 4" Fits 1/2" Square

ITEM# PS10A



Plastic Ball Newel Post Caps

- Easy to install • No painting necessary
 - Economically priced

PLASTIC

ITEM #	POST SIZE	COLOR
PS118B	2" x 2"	Black

Plastic Newel Post Caps

 An economical alternative to cast iron

PLASTIC





Alumium Accessories

Aluminum

Aluminum will not rust and is approximately one third the weight of iron.

Aluminum Ball Point Spears

- 3-7/8" Tall
- Four flute design

ITEM#	FITS
AC9XAL	1/2"
AC9X34AL	3/4"



Aluminum Newell Post Balls

ITEM#	SQ SIZE	TYPE
AC118AL	2"	Aluminum
AC120AL	3"	Aluminum
AC119AL	4"	Aluminum



Aluminum Baluster Collars

ITEM#	SQ SIZE	TYPE
AC68312AL	1/2"	Aluminum
AC68358AL	5/8"	Aluminum
AC68334AL	3/4"	Aluminum



Aluminum Spear 4-1/4" Tall

ITEM#	SQ SIZE	TYPE
AC649AL	1/2"	Aluminum
AC64958AL	5/8"	Aluminum
AC649SAL	3/4"	Aluminum



Aluminum Post Caps

SIZE
2" x 2"
3" x 3"
4" x 4"



We Carry an Extensive Selection of Ornamental Steel and Hardware



If You Are Searching for an Item that is not Listed in Our Catalog, Please Contact Us.

We Will be Happy to Special Order It.

22

Phone: 800-833-9175

Cast Iron Shoes & Bases



1" sq. Shank 1" Deep Base 1-1/8" x 2" .25 lb

ITEM# CIXX



3/4'' sq.Collar 1-7/8" Deep Base 2" x 2" .5 lb

ITEM# CIDD34



Fits over 1-1/4" sq. Tubing Collar 1-1/2" Deep Base 3-1/4" x 3-1/4" 1 lb

> ITEM# CI9540



Fits over 1/2" sq. 1-1/4" W 1-1/2" H .25 lbs

> ITEM# CI8523



Fits 1/2" Round Balusters Dia 2-7/8" H 1-1/4" 1/2" hole cast in .5 lb

> ITEM# CI9105



Fits 1" Round Balusters Dia 4-3/4" H 1-3/4" 1" hole cast in

> ITEM# CI9104N



Fits 3/4" Round Balusters Dia 4-3/4" H 1-3/4" 3/4" hole cast in

> ITEM# CI9106N



2" sq. Collar 1" Deep Base 5"x5" 2.5 lbs

> ITEM# CIKK2

Decorative Collars & Bases



Base Fits over 3" round One piece-8 sided 8-1/2" H 6"W 17 lbs

ITEM# CI8397

Base 5-1/2" sq. base 3-1/2" ID 3-1/2" deep 6 lbs

ITEM# CI9103

Collar For 4" Standard Pipe

Cast in halves to fit around new or existing pipe



6-3/4" W 8-1/2" H 4-3/4" ID 10.25 lb

> ITEM# CI9102

Sold in pairs. Two half sections that you weld together.

Column Base

Fits 4" sq..



5-3/8" H 6-1/8" sq. OD at bottom 10 lbs

ITEM# CI8398

Sold in pairs. Two half sections that you weld together.

Cast Iron Shoes

1/2"



Cover Shoe

1/2" hole 5/8" tall 1-5/8" Sq.. Base

ITEM# CICC



1/2" Shoe

Extra tall. H 1 5/16" for 1/2" square.

> ITEM# CISS

1/2"

1/2" flanged,

3/4" deep.

5/8"

3/4"

5/8" sq. Collar 1" Deep

Base 1 3/8" x 2 9/16"

Fits over 3/4" sq. Collar 1" Deep

Base 1 1/2" x 3"

Straight inside wall. For 1" sq. tubing,

1 1/2" H

Shoes have 1/2" x 3/16" tapered mounting holes.

ITEM# CIEE

ITEM# CIEE58 ITEM# CI9534 ITEM# CIMM

1/2"



2 1/2" Sq. Fits 1/2" sq..

ITEM# CI712

1/2"



1" x 1 1/2" W Fits 1/2" Square

ITEM# CI685P

1/2"

1" H x 1 1/2" W Fits 1/2" Square

ITEM# CI7050

1" H x 1 1/2" W Fits 9/16" Square /16 ITEM#

CI7055916

1"



1 3/16" H x 2" W Fits 1" Square

ITEM# CI2511



Slip On Shoe

1" x 1 7/8" deep for 1" sq..

> ITEM# CIDD

1"



Fits 1" Square

ITEM# CI7040 1"



1" Shoe

Straight I.W. for 1" tubing. One ear, 1 3/8" deep.

> ITEM# CILL



Flange Shoe

Tapered I.W. 1-5/16" tall 3-3/4" x 2-9/16" base.

For 1-1/4" sq.. tubing.

ITEM# CIRR

 $1 \times \frac{1}{2}$ "

For 1" Channel

Height 7/8" width 1 3/8". Fits 1" x 1/2"



1 1/2"

ITEM# CIHH

For 1-1/2" Tubing

Collar 2" deep 3 3/4" x 3 3/4"

Cast Iron Baluster Collars



Fits over 1/2" Square 2-9/16" H 1-9/16 W

ITEM# CI212B



1/2"

Fits over 1/2" Round 1 5/8" W 1 3/7 " H

ITEM# CI660XS



Fits 5/8" Round

2 1/4" W 2 1/2" H

ITEM# CI7030



1/2 inch 3/4 collar 1 5/8" W 1 7/8" H

ITEM# CI685V







Grooved for 1/2" square on back side. Completely covers three sides of a 1/2" square picket.



1/2"

Baluster Collar Fits over 1/2" square 1 3/4" W x 2" H

ITEM# CI68312

100 pcs per box

5/8"

Baluster Collar Fits over 5/8" square 2" W x 2" H

ITEM# CI68358

3/4"

Baluster Collar Fits over 3/4" square 2" W x 2" H

ITEM# CI68334

45 pcs per box

1"

Baluster Collar Fits over 1" square 2" W x 2" H

ITEM# CI68310

1 1/2"

Baluster Collar Fits over 1-1/2" square 2-3/4" W x 2-3/4" H

ITEM # CI683112XL



CAST IRON

1/2"

Fits 1/2" Square 1 7/8" W 1 3/4" H

ITEM# CI7035

CAST IRON



Fits 1/2" sq. 4" H 2"W

1/2"

ITEM# CI7924

CAST IRON



1/2"



ITEM# CI8527

CAST IRON



1/2"



ITEM# CI8521

CAST IRON



HOLLOW STEEL

STEEL TUBE BUSHINGS

STEEL

Mtl 1 3/16" x 3 11/32" dia. Hole 1/2" dia. Wt. .2 lb.

> ITEM# SF1551



Mtl 1 3/16" x 2 9/16" dia. Hole 1/2" dia.

> ITEM# SF1552

Wt. .2 lb.

STEEL



Mtl 1 3/16" x 3/4" dia. Hole 1/2" dia. Wt. .2 lb.

> ITEM# SF1553

STEEL



Mtl 1 3/16" x 3/4" dia. Hole 1/2" dia. Wt. .1 lb.

> ITEM# SF1554

STEEL



Mtl 1 3/16" x 2 9/16" dia. Hole 1/2" dia. Wt. .2 lb.

> ITEM# SF1556

STEEL



Mtl 1 3/16" x 5 7/8" dia. Hole 1/2" dia. Wt. .3 lb.

ITEM# SF1542

STEEL BUSHINGS STEEL



With round hole 9/16" dia. Wt. .3 lb. External dia. 1 9/16" 29/32" H

> ITEM# SF1281

STEEL



With square hole 9/16" sq.. Wt. .3 lb. External dia. 1 9/16" 7/8" H

> ITEM# SF1282

Cover Plates & Zinc Shoes



Simshoe™ Plastic Split Knuckle

- For 1/2" pickets
- Satin black finish, or can be

No need to add the knuckles to the pickets before they are set in place. Now add knuck-les/collars anytime! Add a small amount of glue and snap the two sides together for a beautiful permanent installation.

ITEM#	PICKET SIZE	WIDTH	HEIGHT
PS612	1/2"	1-3/8"	1-3/8"

Steel Cover Shoe

For round posts and pickets






Simshoe™ Plastic Split Cover Shoe

- Available in 5 sizes
- Satin black finish, or can be painted
- Durable ABS plastic

No need to add the shoes to the posts before they are set in place. Now add shoes anytime! Add a small amount of glue and snap the two sides together for a beautiful permanent installation.

ITEM#	PICKET SIZE	BASE SIZE
PS0031	1" sq	3" x 3"
PS003114	1-1/4" sq	3" x 3"
PS003112	1-1/2" sq	3" x 3"
PS004112	1-1/2" sq	4" x 4"
PS0042	2" sq	4" x 4"



Cast Iron Shoe Covers

Fits over baseplates for a finished

For 1" Square Tubing

• Fits over 3" baseplate

ITEM #	HEIGHT	WIDTH
CI2341	1-7/8"	3-3/8" sq

For 1-1/2" Square Tubing

• Fits over 3" baseplate

ITEM #	HEIGHT	WIDTH
CI234112	2"	3-5/8" sq

For 2" Square Tubing

Fits over 4" baseplate

ITEM #	HEIGHT	WIDTH
CI2342	2"	4-5/8" sq

Zinc Shoes

 Non weldable, tight fit and will not rust. Note: Prices may change due to instability of raw zinc material pricing.



Two holes for 1/4" Bolt or #10 Wood Screws.

1-1/4" X 1-1/2" For-1/2" Sq.

ITEM# ZI0850

Zinc 1/2" Square Economy Shoe 1-3/8" x 7/8"

Two mounting

ITEM# ZI0855

For 3/4" Square 1-1/8" Height Fits 3/4" Square Two mounting holes

ZI1252

For 1" Square One mounting hole

> ITEM# ZI1651



For 1" Square Tube 2-1/4" Wide Two mounting holes

ITEM# ZI1652



For 1-1/2" Square Tube One mounting

ITEM# ZI1655

For 2" Square Post 4 mounting holes

ITEM# ZI6204



Square Post 4 mounting holes

ITEM# ZI6300204

Decorative Rings



Solid Steel Ring with Hammered Edges

ITEM #	MATERIAL	DIAMETER
SF4919	1/2" x 1/2"	4" OD



ITEM #	MATERIAL	DIAMETER
SF156A6	1/4" x 1/4"	3" OD



ITEM #	MATERIAL	DIAMETER
SF156A1	1/4" x 1/4"	1-1/2" OD
SF156A3	1/4" x 1/4"	2" OD
SF156A4	1/4" x 1/4"	2-1/2" OD
SF156A5	1/4" x 1/4"	3" OD



Aluminum Rings

With steel weld tabs

ITEM #	MATERIAL	O.D. SIZE
ACRI312	1/2" x 1/2"	3-1/2"
ACRI4	1/2" x 1/2"	4"
ACRI412	1/2" x 1/2"	4-1/2"
ACRI514	1/2" x 1/2"	5-1/4"



Cast Iron Rings

ITEM #	MATERIAL	O.D. SIZE
CI514	1/2" x 1/2"	5-1/4"
CI512	1/2" x 1/2"	5-1/2"

WE APPRECIATE OUR CUSTOMERS





Solid Steel Rings

- Made from solid square bar
- Exposed seam

ITEM #	MATERIAL	O.D. SIZE
SRST312	1/2" x 1/2"	3-1/2"
SRST4	1/2" x 1/2"	4"
SRST412	1/2" x 1/2"	4-1/2"
SRST5	1/2" x 1/2"	5"
SRST514	1/2" x 1/2"	5-1/4"
SRST512	1/2" x 1/2"	5-1/2"



Steel Tube Rings

Made from square tubing

ITEM #	MATERIAL	O.D. SIZE
SR312	1/2" x 1/2"	3-1/2"
SR4	1/2" x 1/2"	4"
SR412	1/2" x 1/2"	4-1/2"
SR5	1/2" x 1/2"	5"
SR514	1/2" x 1/2"	5-1/4"
SR512	1/2" x 1/2"	5-1/2"
SR6	1/2" x 1/2"	6"
SR8	1/2" x 1/2"	8"
SR10	1/2" x 1/2"	10"

Solid Steel Oval Ring

ITEM #	MATERIAL	SIZE
SF15716	1/2" x 1/4"	4-1/2" x 6-5/16"



Accessories

Aluminum X

With steel weld tabs

Complete with tapered corners for easy installation.

- 1/2" wide legs.
- Available in quantity without steel weld tabs by special order



Steel Curtain Hanger Rings

STEEL

1-7/8" O.D.

CICD880112

2-3/8" O.D. ITEM#

CICD8802

ITEM#

CAST IRON

CAST IRON



Cast Iron Stars

SIZE

CAST IRON

8-3/4"

Single faced

ITEM #

CI74

ITEM #	SIZE	DESCRIPTION
AC312XAL	3-1/2"	Alum. X with Weld Tab

Decorative Chain

- Complies with 4" code
- Chain length: 33 ft.
- Chain weight: 9.4 lbs.

Approximate Dimensions:

- Material: 3/16" twisted square bar
- Overall length: 2-1/2"
- Overall height: 1"
- Inside length: 2-5/32"
- Inside height: 5/8"

Note: This is a decorative, non-load bearing chain. Links are not welded.

STEEL

ITEM# SF156A10

Decorative Baluster with Star

With five-point forged star

Dimensions:

- Material: 1/2" square bar
- Height: 39-1/2"
- Width: 3-15/16"
- Weight: 2.7 lbs.

STEEL

ITEM# SF13255



Star

Dia. 12-1/4" Thick. 1-1/4" 3.75 lbs Single Faced

> ITEM# AC672



Single faced

Single faced

ITEM #	SIZE
CI76	2-3/4"
CI82	3-1/2"
CI83	4-3/8"

Single faced

ITEM #

C178

• 7/16" center hole

SIZE

6-1/4"

0-1/4	
CAST IRON	

Single faced

SIZE
3-3/8"
4-3/8"

Forged Steel Spheres & Baskets



Smooth, round finish

ITEM #	DIAMETER	WEIGHT
SF116F1	3/4"	0.1 lbs.
SF116F2	1"	0.1 lbs.
SF116F3	1-3/16"	0.3 lbs.
SF116F4	1-9/16"	0.6 lbs.
SF116F5	2"	1.3 lbs.
SF116F6	2-3/8"	1.9 lbs.
SF116F8	3-1/8"	3.3 lbs.
SF116F10	3-15/16"	8.8 lbs.

Forged Steel Baskets

Four filaments

Made from steel square bar



ITEM #	FITS	DIA.	HT.	WT.
SF1591	3/8" Sq	1-3/8"	3-9/16"	0.1 lbs.
SF1593	1/2" Sq	2-3/8"	5-1/8"	0.5 lbs.
SF1594	9/16" Sq	2-3/8"	5-1/8"	0.7 lbs.
SF1595	5/8" Sq	2-9/16"	5-3/4"	0.9 lbs.
SF1596	3/4" Sq	3-1/8"	6-1/2"	1.5 lbs.
SF1597	1" Sq	3-3/4"	7-1/16"	2.7 lbs.



Solid Brass Basket

 Four filaments Mtl: 1/2" sq.. Dia: 2-3/4" Ht: 5-7/8" Wt: 0.5 lb. BRASS)

TIEM #	
SF160L1	



• Faceted, forged finish

ITEM #	DIAMETER	WEIGHT
SF1172	3/4"	0.1 lbs.
SF1174	1-3/16"	0.3 lbs.
SF1176	1-9/16"	0.5 lbs.
SF1177	2"	1.1 lbs.
SF1178	2-3/8"	2.0 lbs.
SF1179	2-3/4"	3.1 lbs.

Forged Steel Narrow Basket

 Four filaments Mtl: 1/2" sq..

Dia: 1-9/16" Ht: 4-15/16"

Wt: 0.5 lb.

ITEM #



Forged Steel Basket

Four round filaments

Mtl: 1/4" dia. Mtl: 9/32" dia. Dia: 9/16" Dia: 21/32" Base: 1/2" Base: 9/16" Ht: 4-15/16" Ht: 4-15/16" Wt: 0.4 lb. Wt: 0.5 lb.



ITEM # SF11633 ITEM # SF11634





Hollow Steel Spheres

Smooth, weldable finish

ITEM #	DIAMETER	WEIGHT
SFB4	4"	0.5 lbs.
SFB6	6"	3.0 lbs.

Forged Steel Basket

Nine filaments

Mtl: 1/2" sq.. Dia: 2-1/8" Ht: 5-1/8"

Wt: 0.4 lb.

ITEM # SF158B1



Forged Sphere Baskets

Six swirled filaments

Mtl: 1/4" sq.. Dia: 2-3/4"

Wt: 0.5 lb.

ITEM # SF158B7



ITEM #

SF158B6

Four swirled filaments Mtl: 1/4" sq.. Dia: 2-3/4" Wt: 0.5 lb.

Six straight filaments

Mtl: 1/4" sq.. Dia: 3-9/16" Wt: 0.4 lb.

ITEM # SF116312





Pressed Steel Elements

Light Gauge Stamped Steel



Mtl 5/64" 3 15/32" dia. H 3 1/8" Wt. .1 lb. ITEM#

SF1383



3 9/16" dia. 3 1/2" Wt. .1lb. ITEM#

SF1384



Mtl 0.0197" 3/4"Wx3 11/32"H Wt. 03 lb. ITEM# SF13810



2 15/16" Wx2 3/4" H 3 3/4"Wx4 1/8"H Wt. 03 lb. ITEM# SF13811



Mtl 0.0197 Wt. 04 lb. ITEM# SF13812



Mtl 0.0197" 1/2"W x 7 5/8"H Wt. 07 lb. ITEM# SF13813



Mtl 0.0197" 7/16"Wx4 5/16"H Wt. .1 lb. ITEM#

SF7021



2 1/16"Wx2 9/16"H Wt. .1 lb. ITEM# SF7022



Mtl 0.0197" 3 1/8" W x7 7/8" Wt. .1 lb. ITEM# SF7023



Thickness 5/64" 1 1/4"Wx1 3/4"H Wt. .1 lb. ITEM#

SF60411



Stem 1/8" 11/4"Wx3 1/8"H 1 Wt. .1 lb. ITEM# SF60412



Mtl 0.0118" /16"dia.x 19/32"H Wt. .01 lb. SF1406



Mtl 0.0118" 15/16"dia.x1/2"H Wt. .09 lb. ITEM# SF1407



Mtl 0.0118" 1 17/32"dia.x 3/8"H Wt. .08 lb. ITEM# SF1408



Wt. .01 lb. ITEM#

SF1391



1 5/32"Wx2 9/16"H 1 39/64"Wx3 9/16"H Wt. .03 lb. ITEM#

SF1392



Mtl 0.0118" 1 3/16" W x 3 11/32"H Wt. .04 lb.





Mtl 0.0118" 2 33/64 Wx77/8"H Wt. .07 lb.

ITEM#



Mtl 0.0118"

ITEM# SF1395



Mtl 5/64" Wt. .03 lb.

ITEM# SF1396



Mtl 0.0118" 13/16"Wx311/32"H Wt. .2 lb.



Mtl 0.0118" 1 3/16"Wx311/32"H Wt. .2 lb.

SF1387





Mtl 0.0197" 3/4" W x 2 1/8" H Wt. .6 lb.





Mtl 0.0118" 1 5/32" Wx2 7/16"H Wt. .8 lb.

ITEM# SF1402



SF1394



Mtl 0.0118" 1 29/64" Wx3 1/8"H Wt. .2 lb.

ITEM# SF1403



1 3/8"Wx315/16"H Wt. .04 lb.



Mtl 0.0118" 1 3/8" Wx3 15/16"H Wt. .2 lb.

ITEM# SF1404



1 3/32"Wx23/4"H



Mtl 0.0197" 2 3/8"dia.x2 23/32"H Wt. .8 lb.



ITEM# SF1405



ITEM#

SF13816



Mtl 0.0197" 2 9/16" dia.x1 3/16" H Wt. .5 lb.

ITEM# SF1365



Mtl 0.0197" 2 1/8" dia.x1 19/64" H 1 1/2" dia.x 1 9/16"H Wt. .7 lb.

ITEM#

SF1366



Mtl 0.0197" Wt. .5 lb.

ITEM# SF1367



Mtl 0.0118" 1 21/32" dia. H 11/16" Wt. .2 lb. ITEM#

SF1368



Mtl 0.0118" 1 7/8" dia. H 19/32" Wt. .1 lb.

ITEM# SF1369



Mtl 0.0197" 2 3/8" W x 5 1/8" H Wt. .1 lb.

ITEM# SF1377



Mtl 0.0197" 2" W x 3 9/16" H Wt. .1 lb.

SF1378

ITEM#



Mtl 0.0197" 4 5/16" W x 2 9/16" H Wt. .1 lb. ITEM#

SF1379





Mtl 0.0197" 6 7/8" W x 4 15/16" H Wt. .1 lb.

ITEM# SF13710

Forged & Stamped Steel Elements

Heavy Gauge Forged Leaves



3 1/2" x 4 1/2" Wt. .2 lbs.

> ITEM# SF67512



1/8" Mtl 3 1/2" x 4 1/2" Wt. .2 lbs.

ITEM# SF67513



1/8" Mtl 2 1/2" x 3 1/2" Wt. .1 lbs.

ITEM# SF6758



1/8" Mtl 2 1/2" x 3 1/2" Wt. .1 lbs.

> ITEM# SF6759

Forged Floral Elements



4 1/8" dia. 5/32" Mtl Wt. .4 lb ITEM#

SF94B5



4 15/16" dia. 5/32" Mtl Wt. .4 lb ITEM#

SF94B6



3 1/8" H x 3 1/8" W 5/32" Mtl Wt. .3 lb

> ITEM# SF6951



3 11/32" H x 3 11/32" W 5/32" Mtl Wt. .3 lb

> ITEM# SF6952



4 5/16" H x 4 5/16" W 5/32" Mtl Wt. .3 lb

> ITEM# SF6953



2 3/8" H x 2 3/8" W 5/32" Mtl Wt. .2 lb

> ITEM# SF6954



2 3/8" H x 2 3/8" W 5/32" Mtl Wt. .1 lb

> ITEM# SF6955

Heavy Gauge Floral Elements



2 9/16" dia. Mtl 5/16" Wt. .3 lb hole 19/32" dia.

> ITEM# SF11635



3 3/4" dia. Mtl 1/8" Wt. .4 lb

SF116A3



2 11/16" dia. Mtl 1/8" Wt. .2 lb

ITEM# SF116A4



3 3/4" dia. Mtl 1/8" Wt. .6 lb

ITEM# SF116A5



2 3/8" dia. Mtl 5/64" Wt. .1 lb

ITEM# SF1382



2 3/8" dia. Mtl 5/64" Wt. .2 lbs

ITEM# SF13815



3 1/8" dia. Thick 5/32" Wt. .3 lb

ITEM# SF1263



3 3/4" dia. Mtl 1/8" Wt. .5 lb

ITEM# SF6973 2 9/16" dia. Mtl 1/8" Wt. .2 lb

ITEM# SF6974

Heavy Gauge Stamped Steel Leaves



Wt. .2 lb.

ITEM# SF1361

Mtl 1/8" 1 9/16" W 4 5/16" H left hand Wt. .2 lb.

ITEM# SF1362



6 5/16" H right hand Wt. .3 lb.

ITEM# SF13610 Mtl 1/8" 2 3/4" W x 6 5/16" H left hand Wt. .3 lb.

ITEM# SF13611

Mtl 1/8" 2 3/4" W x 2 3/8" H left hand Wt. .2 lb. ITEM#

SF1364

Mtl 1/8" 2 3/4" W x 2 3/8" H right hand Wt. .2 lb.

> ITEM# SF1363

Solid Brass

2 3/4" W 2 3/8" H Mtl 1/8" Wt. .2 lb.

ITEM# SF146314

2 3/4" W 2 3/8" H Mtl 1/8" Wt. .2 lb.

ITEM# SF146315

4 5/16" W

x 1 9/16" H Mtl 1/8" Wt. .2 lb. ITEM#

SF146316

4 5/16" W x 1 9/16 H Mtl 1/8" Wt. .2 lb.

ITEM# SF146317

Hand Forged Grape Clusters

Small Grape



Bunch 3 9/16" x 6 5/8" Wt. 2 lbs ITEM# SF140H2

Tendril Mtl 1/4" dia. H 5 7/8" Wt. .2 lb ITEM# SF6733

Extra Heavy Leaf Mtl 3/16" 3 9/16" x 4 15/16" Wt. .4 lb ITEM# SF140H3

31 $\bigcirc\bigcirc\bigcirc$

Weldable Cast Steel Leaves



1/2" dia. 6 5/16" W x 3 15/16" H x 3/16" Mtl Wt. .7 lb.

ITEM# SF6897



1/2" dia. 6 5/16" W x 3 15/16"H x 3/16" Mtl Wt. .7 lb.

ITEM# SF6898



1/2" dia. 7 7/8" W x 5 7/8" H x 3/16" Mtl Wt. 1 lb.

ITEM# SF6899



1/2" dia. 7 7/8" W x 5 7/8" H x 3/16" Mtl Wt. 1 lb.

ITEM# SF68910



1/2" dia. 6 5/16" W x 3 15/16" H x 3/16" Mtl Wt. .5 lb.

ITEM# SF6912



1/2" dia. 6 5/16" W x 3 15/16" H x 3/16" Mtl Wt. .5 lb.

ITEM# SF6911



1/2" dia. 2-3/4" W x 4-3/4" H x 3/16" Mtl

Wt. .2 lb. ITEM#



1/2" dia. 2-3/4" W x 4-3/4" H x 3/16" Mtl Wt. .2 lb.

ITEM# SF6914



1/2" dia. x 3/16" Mtl

Wt. .2 lb. ITEM# SF6916



1/2" dia. 3 1/8" W x 3 15/16"H 3 1/8" W x 3 15/16" H x 3/16" Mtl Wt. .2 lb.

ITEM# SF6917



4 3/4" H x 3 11/32" W x 5/32" Mtl 3 11/32" W x 5/32" Mtl

Wt. .3 lb.



4 3/4" H x Wt. .3 lb.

ITEM# SF94B9 ITEM# SF94B10



SF6913

7 1/16" H x 5 1/8" W x 5/32" Mtl Wt. .7 lb.

ITEM# SF94B11



7 1/16" H x 5 1/8" W x 5/32" Mtl Wt. .7 lb.

ITEM# SF94B12



4 3/4" W x 8 1/4" H x 1/4" Mtl Wt. .7 lb.

ITEM# SF69412



4 3/4" W x 8 1/4" H x 1/4" Mtl Wt. .7 lb.

ITEM# SF69413



4 5/16" W x13" H x 5/32" Mtl Wt. 2.1 lbs.

ITEM# SF6928



8 5/8" H x 4 1/2" W x 5/32" Mtl Wt. .6 lb.

ITEM# SF94B3



9 7/8" H x 3 1/8" W x 5/32" Mtl Wt. .5 lb.

ITEM# SF94B4



3 3/4" W x 6 5/8" H x 3/16" Mtl Wt. .6 lb.

ITEM# SF6924



3 1/8" W x 6 5/16" H x 3/16" Mtl Wt. .3 lb.

ITEM# SF6926



2" W x 7 1/16" H x 5/32" Mtl Wt. .6 lb.

ITEM# SF6929

Fully Weldable Leaves & Flowers

WELDABLE CAST STEEL



Mtl 5/8" x 5/16" 5 1/2" W x 6 1/8" H

Mtl 5/8" x 5/16" 5 1/2" W x 6 1/8" H Wt. .6 lb. Wt. .6 lb.

ITEM# SF6611 ITEM# SF6612



Mtl 1/2" dia. 4 1/2" W x 7 1/16" H Wt. .4 lb.

ITEM# SF6635

Mtl 1/2" dia. 4 1/2" W x 7 1/16" H Wt. .4 lb.

> ITEM# SF6636



Mtl 5/16" dia. 4 5/16" W x 6 1/8" H Wt. .7 lb.

> ITEM# SF6613

Mtl 5/16" dia. 3" W x 4 15/16" H Wt. .3 lb.

> ITEM# SF6614





Mtl 1/2" dia. 2 9/16" W x 5 1/8" H Wt. .3 lb.

> ITEM# SF6623



Mtl 1/2" dia. 2 9/16" W x 5 1/8" H Wt. .3 lb.

> ITEM# SF6624



Mtl 1/2" dia. 6 5/16" W x 7 1/2" H Wt. .9 lb.

> ITEM# SF6637

Mtl 1/2" dia. 6 5/16" W x 7 1/2" H Wt. .9 lb.

> ITEM# SF6638



Mtl 5/8" x 1/4" 4 5/16" W x 5 1/2" H Wt. .9 lb.

> ITEM# SF6631



Mtl 5/8" x 1/4" 4 5/16" W x 5 1/2" H Wt. .9 lb.

> ITEM# SF6632



Mtl 1/2" dia. 2 3/4" W x 3 9/16" H Wt. .3 lb.

> ITEM# SF6633



Mtl 1/2" dia. 2 3/4" W x 3 9/16" H Wt. .3 lb.

> ITEM# SF6634



With leaves

SF14063

Material: 1-9/16" Width: 5-1/2" Diameter

DESCRIPTION ITEM #

Small Stamped Steel Rose

With leaves

Weight: .18 lbs.

Weight: .15 lbs.

Large Stamped Rose

Material: 13/16" Width: 3-15/16" Diameter

ITEM # DESCRIPTION SF14069 Small Stamped Rose



Forged Steel **Flower**

On stem

Material: 5/16" Dia. Width: 5-1/2" Height: 17-3/4" 1.0 lbs. Weight:

ITEM #

SF13291



On stem

Material: 5/16" Dia. Width: 5-1/8" 19-11/16" 1.5 lbs. Height: Weight:

ITEM #

SF13296



Forged Steel Scrolls



Mtl 1/2" sq.. 4 1/8" W x 8 5/8" H Wt. 1.2 lbs.

> ITEM# SF94P1

Heavy 1/2" Thick Scrolls



Mtl 1/2" sq.. 4 1/3" W x 6 1/3" H Wt. .9 lbs.

> ITEM# SF10466



Mtl 1/2" sq.. 3 3/4" W x 6" H Wt. 1 lbs.

> ITEM# SF94Q5



Wt. 1.5 lbs.

SF94Q1



Mtl 5/16" x 5/16" 4 5/16"W x 11 13/16"H Wt. 1 lbs.

> ITEM# SF731




Mtl 5/16" x 5/16" 4 5/16" W x 9 1/16" H Wt. .6 lb.

> ITEM# SF732



Mtl 5/16" x 5/16" 3 9/16" W x 7 1/16" H

ITEM#



ITEM# SF6514



Mtl 1/2" sq.. Tube

5 5/16" W x 14 1/8" H Wt. .6 lbs. ITEM#

SF6513



Mtl 5/16" x 5/16" 4 3/4" W x 13 3/4" H Wt. .9lbs

> ITEM# SF7533



Wt. .5 lb.

SF733

Hand Forged Scrolls



4 5/16" W x 17 3/4" H Wt. 1.9 lbs.

> ITEM# SF13091



Wt. 1.9 lbs.

ITEM#

SF13092

Hammered

Mtl 1/2" sq.. 4 5/16" W x 17 3/4" H Wt. 2.5 lbs.

ITEM# SF13093



Mtl 1/2" sq.. 4 5/16" W x 17 3/4"H Wt. 3 lbs.

ITEM# SF13094



Wt. 4.1 lbs.

ITEM# SF13095



Phone: 800-833-9175

Forged Steel Scrolls

Round Bar Scrolls



Made from 1/2" round bar

Hammered Mtl 1/2" dia. Rd. 2 3/4" W x 4 5/16" H Wt. 1.2 lbs.

ITEM#SF129613



Hammered Mtl 1/2" dia. Rd. 3 9/16" W x 5 5/16" H Wt. .8 lb.

ITEM#SF129612





Mtl 1/2" dia. Rd. 3 9/16" W x 7 1/16" H Wt. 1.2 lbs.

> ITEM# SF12956



Mtl 1/2" dia. Rd. 2 3/8"W x 4 1/2" H Wt. .7 lb.

ITEM# SF12957









Mtl 1/2" dia. Rd. 4 3/4" W x 8 5/8" H Wt. 1.4 lbs.

ITEM# SF12954



Mtl 1/2" dia. Rd. 4 1/2" W x 8 7/8" H Wt. 1.8 lbs.

ITEM#SF12955

Square Grooved Material



Mtl 1/2" x 1/2" 4 15/16" W x 17 3/4" H Wt. 2 lbs.

> ITEM# SF6351



Mtl 1/2" x 1/2" 6 1/8" W x 15 3/4" H Wt. 2 lbs.

> ITEM# SF6352




Mtl 1/2" x 1/2" 4 5/16" W x 14 1/2" H Wt. 1.8 lbs.

> ITEM# SF6353



Mtl 1/2" x 1/2" 3 3/4" W x 11 7/16" H Wt. 1.4 lbs.



Forged Steel Scrolls

Scrolls With Leaves



Mtl 1/2" x 1/4" 7 7/8" W x 17 3/4" H Wt. 1.7 lbs.

ITEM# SF933



Mtl 1/2" x 1/4" 12 5/8" W x 17 3/4" H Wt. 1.8 lbs.

> ITEM# SF931



Mtl 1/2" x 1/4" 9 1/6" W x 13 3/4" H Wt. 1.4 lbs.

> ITEM# SF934



Mtl 1/2" x 1/4" 5 7/8" W x 7 7/8" H Wt. .8 lb.

> ITEM# SF943



Mtl 1/2" x 1/4" 6 5/16" W x 9 7/8" H Wt. 1.5 lbs.

> ITEM# SF92B4



Mtl 1/2" x 1/4" 3 _{1/8}" W x 13 _{3/4}" H Wt. .8 lb.

ITEM# SF92B3



Mtl 1/2" x 1/4" 4 3/4" W x 11 13/16" H Wt. 1.2 lbs.

> ITEM# SF52H3



6 5/8" H x 4 5/16" W 3/8" dia. Wt. .6 lb

> ITEM# SF94C3



6 5/8" H x 4 5/16" W 3/8" dia. Wt. .6 lb

> ITEM# SF94C4

Scrolls- Flared

Hammered



Mtl 1/2" x 1/4" 4 1/8" W x 5 7/8" H Wt. .5 lb.

ITEM# SF64G3



Mtl 1/2" x 1/4" 2 3/8" W x 4 1/8" H Wt. .3 lb.

> ITEM# SF64G5



Mtl 1/2" x 1/4" 2 3/8" W x 4 1/8" H Wt. .3 lb.

> ITEM# SF64G4



Mtl 1/2" x1/4" 2" W x 9 1/16" H Wt. .5 lb.

> ITEM# SF64G6



10 5/8" H x 7 1/2" W 3/8" dia. Wt. 1 lb

ITEM# SF94C5



10 5/8" H x 7 1/2" W 3/8" dia. Wt. 1 lb

ITEM# SF94C6



Forged Steel Scrolls

Forged Tip Scrolls



Mtl 1/2" x 1/4" Wt. .75 lb.

ITEM# SF80A1

Mtl 1/2" x 1/4"

3 3/4" W x 5 1/2" H

Wt. .5 lb.

ITEM#

SF80A10



Mtl 1/2" x 1/4" Wt. .3 lb.

ITEM# SF80A3



Mtl 1/2" x 1/4" 2-3/4" W x 4-1/8" H Wt. .4 lb.

ITEM# SF80A9



Mtl 1/2" sq.. 9 7/16" W 17 1/8" H Wt. 4.1 lbs

ITEM# SF10463



Mtl 1/2" sq.. 7 9/32" W 12 5/8" H Wt. 2.5 lbs

ITEM# SF10464



Mtl 1/2" x 1/4" 2 9/16" W x 5 7/8" H Wt. .4 lb.

> ITEM# SF80A11



Mtl 1/2" x 1/4" 2 3/4" W x 7 1/2" H Wt. .5 lb.

ITEM# SF80A12


Mtl 3/4" x 1/4"

Wt. 1.6 lbs.

ITEM#



SF10465



match for

Mtl 1/2" sq.. Hammered 4 5/16" W 35 7/16" H Wt. 3.0 lbs

> ITEM# SF4791

Mtl 5/16" x 5/16" 4 1/2" W x 4 15/16" H Wt. .5 lb.

ITEM# SF892



Mtl. 1" x 1/2" 10 1/4" W x 25 3/16" H Wt. 7.9 lbs.

> ITEM# SF13151



Mtl. 1/2" x 1/4" 4 3/4" W x 14 11/64" H Wt. 1.1 lbs.

> ITEM# SF742



Mtl. 1/2" x 1/4" 4 3/4" W x 14 11/64" H Wt. 1.3 lbs.


> ITEM# SF748

Mtl 9/16" dia. round 6 5/16" W x 8 7/8" H Wt. 1.6 lbs.




ITEM#

SF6348



SF847

Stair Panels & Scrolls



High-Quality Forged Flower Panels



Mtl 1/2" dia. Rd. 4 3/4" W x 6 5/8" H Wt. 1.3 lbs.



Mtl 1/2" dia. Rd. 4 3/4" W x 6 5/8" H Wt. 1.3 lbs.

SF6876





5 1/8" W x 3 15/16" H 5/32" Mtl Wt. .2 lb.

ITEM# SF94C1



6 5/8" W x 5 1/2" H 5/32" Mtl Wt. .2 lb.

ITEM# SF94C2



ITEM# SF6873



18 1/8" H x 17 5/16" W 1/2" dia. Rd. Wt. 4.9 lbs

ITEM# SF94E1



18 1/8" H x 17 5/16" W 1/2" dia. Rd. Wt. 4.9 lbs

ITEM# SF94E2



14 1/2" H x 13" W 1/2" dia. Rd. Wt. 3.5 lbs

ITEM# SF94C11



14 _{1/2}" H x 13" W 1/2" dia. Rd. Wt. 3.5 lbs

ITEM# SF94C12



24 13/32" H x 16 1/8" W 1/2" dia. Rd. Wt. 4.4 lbs

ITEM# SF94E5



24 13/32" H x 16 1/8" W 1/2" dia. Rd. Wt. 4.4 lbs

ITEM#

SF94E6




21 1/4" H x 12 1/4" W 1/2" dia. Rd. Wt. 3 lbs

> ITEM# SF94E3

> > 21 1/4" H x 12 1/4" W 1/2" dia. Rd. Wt. 3 lbs

> > > ITEM# SF94E4



38 3/16" H x 16 1/2" W 1/2" dia. Rd. Wt. 6 lbs

> ITEM# SF94F5



38 3/16" H x 16 1/2" W 1/2" dia. Rd. Wt. 6 lbs ITEM#

SF94F6




Mtl 5/8" x 5/16" 10 5/8" W 23 5/8" H Wt. 7.2 lbs

> ITEM# SF6811

> > Mtl 5/8" x 5/16" 10 5/8" W 23 5/8" H Wt. 7.2 lbs ITEM#

SF6812






NEW PANELS!


Mtl 1/2" SQ. W 29-1/2" H 38-3/8"

ITEM# SFGD3002



Mtl 5/16" x 5/8" W 16-1/16" H 39-3/8"

> ITEM# SFGD3033




Mtl 1/2" SQ. W 34-1/16" H 39-3/8" Wt. 7 lbs.

ITEM# SFGD2912

Phone: 800-833-9175







ITEM# SFG1641



Mtl 9/16" x 5/16" H 40" W 15" Wt. 14.1 lbs.

> ITEM# SFG1642





Mtl 9/16" x 5/16" H 40" W 19-11/16" Wt. 20.9 lbs.

ITEM# SFG2222




Mtl 9/16" x 5/16" H 40" W 10-27/32" Wt. 12.3 lbs.





ITEM#
SFG2061



Mtl $9/16" \times 5/16"$ H 40" W $17_{11/32}"$ Wt. 13.2 lbs.

ITEM# SFG2091





> ITEM# SFG2062

Phone: 800-833-9175



Mtl 9/16" x 5/16" H 40" W 9 1/2" Wt. 11.2 lbs.


42












SFG2361

Mtl 9/16" x 5/16" Height: 46-3/4" Width: 39-1/2" Weight: 55.1 lbs. Rosettes on front and back.




Mtl: 1/2" sq. Scrolls: 9/16" x 5/16" H: 40" W: 25-7/32" Wt.: 20.5 lbs.

> ITEM# SFG2421



> ITEM# SFG2432







Mtl 9/16" x 5/16" H 40" W 15 9/16" Wt. 17.8 lbs.

SFG2202





















Mtl 5/8" x 5/16" sq. 24 1/64" W 36 39/64" H Wt. 36.8 lbs.

> ITEM# SFGD0012

Mtl 5/8" x 5/16" sq. 28 47/64" W 30 5/16" H Wt. 34.2 lbs.

> ITEM# SFG007





Mtl 5/8" x 5/16" sq. 25 _{13/64}" W 37 _{7/16}" H Wt. 37.5 lbs.







1/2" sq. Mtl. 16-1/2" W 39-3/8" H Weight: 21.6 lbs.

ITEM #

SFG2121



1/2" x 5/16" Mtl. 7-1/2" W 38-3/8" H Weight: 8.6 lbs.

ITEM #

SFG1891



1/2" x 5/16" Mtl. 13-3/8" W 39-3/8" H Weight: 16.8 lbs.

ITEM # SFG1892

1/2" x 5/16" Mtl. 21-1/16" W 39-3/8" H Weight: 19.2 lbs.

ITEM #

SFG2263



1/2" x 5/16" Mtl. 4-5/16" W 39-3/8" H Weight: 2.6 lbs.

ITEM #


SFG2264



1/2" x 5/16" Mtl. 4-5/16" W 39-3/8" H Weight: 2.2 lbs.

ITEM #

SFG2262







9/16" x 5/16" Rect. 13" 39-3/8" Material: Width: Height: Weight: 14.3 lbs.

ITEM # **DESCRIPTION** SFGD2452 Angled Scroll Panel



Scroll Panel

Material: 9/16" x 5/16" Rect. 13" 39-3/8" Width: Height: Weight: 13.6 lbs.

ITEM# DESCRIPTION SFGD2451 Scroll Panel





Small Art Deco Panel

• Matches large art deco panel SFGD761

Material: 1" Square Height: 27-9/16" Width: 19-11/16" Weight: 15.4 lbs.

ITEM # DESCRIPTION SFGD762 Small Art Deco Panel





 Matches small art deco panel SFGD762


Material: 1" Square Width: 19-11/16" 39-3/8" Height: Weight: 23.1 lbs.

ITEM # **DESCRIPTION** SFGD761 Large Art Deco Panel




Phone: 800-833-9175

Decorative Forged Steel Scrolls



These Large Scrolls Are Great As Gate-Tops!



Stair & Rail Balusters



Mtl 5/16" sq. 5 3/4" W x 35 7/16" H Wt. 3.2 lbs.

ITEM# SF4691



Mtl 1/2" sq. 10 1/4" W x 35 7/16" H Wt. 5 lbs.

SF64A2



Mtl 1/2" sq. 8 5/8" W x 35 7/16" H Wt. 4 lbs.

SF64A3



Mtl 1/2" sq. 8 5/8" W x 35 7/16" H Wt. 4.4 lbs.

ITEM# SF64B2



Note for SF521: If necessary, matching "c" scrolls are available and can easily be added to meet local code requirements.



Mtl 1/2" sq. 9 1/4" W x 35 7/16" H Wt. 5.5 lbs.

ITEM# SF522



Mtl 1/2" sq. 6 5/8" W x 35 7/16" H Wt. 3.5 lbs.

ITEM# SF52A3



Mtl 1/2" sq. 9 1/4" W x 35 7/16" H Wt. 5.1 lbs.

ITEM# SF531




Mtl 1/2" x 1/4" 13 3/4" W x 34 1/4" H Wt. 5.5 lbs.

> ITEM# SF521




Mtl 1/2" x 1/4" 13 3/4" W x 34 1/4" H Wt. 7.3 lbs.

Decorative Steel Forgings




Unbreakable Steel Scrolls for 1/2" Bar or Tube

Steel Scrolls add elegance and style even to the simplest design. They won't break like



Forged Steel Rosettes



Mtl 1/2" sq. 18 5/16" dia. Wt. 8.3 lbs.

ITEM# SF10101



Mtl 1/2" sq. 17 1/2" dia. Wt. 6.6 lbs.

ITEM# SF10102



Mtl 1/2" sq. 11 7/16" dia. Wt. 4.4 lbs.

ITEM# SF10103



Mtl 3/8" sq. 17 5/16" dia. Wt. 5.7 lbs.

ITEM# SF10111




Wt. 10.8 lbs.

ITEM# SF10113



Mtl 1/2" round. 22 1/32" dia. Wt. 11.4 lbs.

ITEM# SF10121



Mtl 1/2" sq. 23 5/8" dia. Wt. 13.5 lbs.

ITEM# SF10122



Mtl 1/2" sq. 9 7/16" dia. Wt. 2.1 lbs.

ITEM# SF10192



Mtl 1/2" round. 10 5/8" dia. Wt. 3.31 lbs.

ITEM# SF10142



Wt. 10.1 lbs.


ITEM# SF10112



Mtl 1/2" sq. 11 5/8" dia. Wt. 6.6 lbs.

ITEM# SF10132





Forged Steel Rosettes



Mtl 5/16" 9 7/8"H Wt. 2 lbs.

ITEM# SF171




Mtl 5/16" 9 7/8"H Wt. 2 lbs.

ITEM# SF172




Mtl $3/8" \times 3/16" - 9 \frac{7}{8}"$ dia. Wt. 1.7 lbs.

ITEM# SF231




Mtl 3/8" x 3/16" 15" dia. Wt. 3.3 lbs.

ITTEM# SF242



Mtl 1/2" 23 5/8"H Wt. 13 lbs.

ITEM# SF243



Mtl 1/2" 16-5/8" W 20-5/8" H Wt. 10 lbs.

ITEM# SF26C1



Mtl 3/4" x 5/32" 9 7/8" dia. Wt. 2.3 lbs.

ITEM# SF232



Mtl 1/2" x 1/4" 18 1/8" dia. Wt. 4.4 lbs.

ITEM# SF24B1




Mtl 9/16" Round 24 1/2" H. Wt. 14.1 lbs.

ITEM# SF4471



Mtl 5/16" 22 5/8" dia. Wt. 6.4 lbs.

ITEM# SF4511







Mtl 9/16" Round 22 1/4"H Wt. 12.5 lbs.


ITEM# SF4464



Mtl 1/2" x 1/4" 14 $_{3/16}$ " dia. Wt. 2.7 lbs.



Forged Grills & Floral Elements




Forged Flower Panels & Rosettes



Mtl 9/16" 20 9/32" W X 26 3/8" H Wt. 15 lbs.

ITEM# SF7191



Mtl 1/2" X 1/4" 16 5/16" H Wt. 5.7 lbs.

ITEM# SF7202




Mtl 9/16" 20 9/32" W X 26 3/8" H Wt. 15.4 lbs.

ITEM# SF7201

5/8" x 5/16" Mtl. 22-5/8" H 15-3/4" W Weight: 8.8 lbs.


ITEM #

SF16574




Mtl 1/2" X 1/4" 25 1/2" dia. Wt. 14.3 lbs.

ITEM# SF16421



Mtl 5/8" x 5/16" 22 7/8" x 17 5/8" Wt. 8.8 lbs.

ITEM# SF91041



Scroll Panel

Material: 5/8" x 5/16" Rect. Width: 16-9/16" Height: 39-3/8" Weight: 22.9 lbs.

ITEM #

SFGD991





Mtl 1/2" X 1/4" 9 7/8" dia. Wt. 1.6 lbs.

> ITEM# SF91046





Mtl 9/16" sq. 20-_{25/32}" W X 42-_{1/2}" H Plain - Wt. 18.7 lbs.

ITEM#SF10381



Mtl 9/16" sq. 20-25/32" W X 22-1/32" H Plain - Wt. 9.2 lbs.

ITEM# SF10382



Mtl 9/16" sq. 22-7/16" W X 30" H Wt. 18.7 lbs.

ITEM# SF10391






Forged Scroll Rosettes & Panels








Forged Rosette

9/16" x 5/16" Rect. Material: 23-1/4" 12.1 lbs. Overall Diameter: Weight:

ITEM

SF16672



Forged Rosette

9/16" Square 28-15/16" 28.6 lbs. Material: Overall Diameter: Weight:

Phone: 800-833-9175

ITEM

SF7181



Forged Rosette

9/16" x 5/16" Rect. leter: 20-11/16" Material: Overall Diameter: Weight: 11.2 lbs.

ITEM

SF16682



Forged Panel

 Matches SFGD1511 pickets 9/16" x 5/16" Rect. Material: 30-5/16" Width: 21-21/32" Height: Weight: 17.8 lbs.

ITEM

SFGD1512



Forged Rosette

 Double sided with stamped flower embellishments

9/16" x 5/16" Rect. Material: Overall Diameter: 19.8 lbs. Weight:

ITEM

SF16673



Material: 5/8" x 5/16" Rect. Width: 11-13/16" 41-3/4" Height: Weight: 10.18 lbs.

DESCRIPTION ITEM # SFGD0047 Scroll Panel



Material: 9/16" Dia. Round Width: 10" 34-5/8" Height: 10.8 ĺbs. Weight:

ITEM # **DESCRIPTION** SFGD0045 Scroll Panel



Material: 5/8" x 5/16" Rect. Width: 11-13/16" 37-13/16" Height: 9.41 lbs. Weight:

DESCRIPTION ITEM # SFGD0043 Scroll Panel



Material: 9/16" Dia. Round 10" 31-7/8" Width: Height: 9.9 lbs. Weight:

ITEM # DESCRIPTION SFGD0046 Scroll Panel



Art Deco Balusters





9/16" sq. Mtl. 7-7/8" W 39-3/8" H Weight: 7.9 lbs.

ITEM #

SFG1761



9/16" sq. Mtl. 7-7/8" W 39-3/8" H Weight: 9 lbs.

ITEM #

SFG1763



9/16" sq. Mtl. 4-23/32" W 39-3/8" H Weight: 3.9 lbs.

ITEM #


SFG231



9/16" sq. Mtl. 4-23/32" W 39-3/8" H Weight: 4.5 lbs.

ITEM #

SFG251



1/2" dia. Rd. Mtl. 5-1/8" W 39-3/8" H Weight: 5.7 lbs.

ITEM #

SFG1923



5/16" x 1/2" Mtl. 7-1/2" W 39-1/2" H Weight: 7.5 lbs

ITEM# SF16802

1/2" dia. Rd. Mtl. 5-1/8" W 39-3/8" H Weight: 6 lbs.

ITEM #

SFG1931



Forged Stair & Rail Balusters



Mtl 1 3/16" x 5/16" 11 1/32" W x 31 7/8" H Wt. 10 lbs.

ITEM# SF116E6



Mtl 3/4" x 1/4" 9 1/4" W x 28 3/8" H Wt. 3.3 lbs.

ITEM# SF88C2



Mtl 3/4" x 1/4" 9 1/4" W x 28 3/8" H Wt. 5.2 lbs.

ITEM# SF621

These curved balusters can be combined with any of our handrails and posts. From two simple scrolls, joined at the center, a beautiful pattern is developed.





1/2" dia. Rd. Mtl. 9-7/8" W 28-3/8" H Wt. 3.4 lbs.

ITEM#

SF5401

ITEM# SF5402



9/16" dia. Rd. Matl. 10-1/4" W x 39-1/2" H Wt. 8.4 lbs.

SF10491



1/2" dia. Rd. Mtl. 9-7/8" W

28-3/8" H Wt. 5 lbs.

9/16" dia. Rd. Matl. 14-1/2" W 35-7/16" H Wt. 12 lbs.

ITEM#

SF5412

Square



3/8" sq. Mtl. 9-5/8" W 28-3/8" H Weight: 3.7 lbs.

ITEM # SF10502

9/16" sq. Mtl. 10-7/16" W 28-3/8" H Weight: 4.4 lbs.

ITEM # SF10503





Mtl 1/2" x 1/4" sq. 7 9/32" W x 39 1/2" H Wt. 4 lbs.

ITEM# SF52A4S



Mtl 1/2" sq. 5 7/8" W x 39 1/2" H Wt. 4 lbs.

ITEM# SF10512



Mtl 1/2" sq. 5 7/8" W x 39 1/2" H Wt. 4 lbs.

ITEM# SF10513



Mtl 1/2" x 1/4" 5 7/8" W x 15 3/4" H Wt. 2.2 lbs.

> ITEM# SF10514



Mtl 1/2" x 1/4" 7 9/32" W x 25 5/8" H Wt. 3.5 lbs.

> ITEM# SF10515

Phone: 800-833-9175

Forged Scroll Valances & Panels

0000000000

Mtl: 1/2" x 1/4"

Width: 94-1/2" Height: 3-15/16"

ITEM # SFGD0048

CKOKOKOKOKOKOKOKO

Mtl: 1/2" Dia.

Width: 94-1/2" Height: 5-1/8" ITEM # SFGD0049

040404040404060

Mtl: 9/16" x 1/4"

Width: 96-7/16" Height: 5-7/8" ITEM # SFGD0050

ommonomo

Mtl: 1/2" Sq.

Width: 99-3/16" Height: 3-15/16"

ITEM # SFGD0051



Scroll Panel

Material: 5/8" x 1/4" Rect. Width: 10-1/4" Height: 20-9/32" Weight: 6.3 lbs.

ITEM # DESCRIPTION
SFN0009 Scroll Panel



Scroll Panel

Material: 5/8" x 1/4" Rect. Width: 10-1/4" Height: 20-9/32" Weight: 6.6 lbs.

ITEM # DESCRIPTION
SFN0010 Scroll Panel



Scroll Panel

Material: 5/8" x 1/4" Rect. Width: 6-29/32" Height: 20-3/32" Weight: 3.52 lbs.

ITEM # DESCRIPTION
SFN0016 Scroll Panel



Forged Scroll Picket


 Matches SFGD1512 large scroll rosette

Material: 9/16" Sq. Width: 8-3/32" Height: 39-3/8" Weight: 8.5 lbs.

ITEM # SFGD1511



Pickets with Baskets



Mtl 1/2" sq. 35-7/16" H Wt. 2.5 lbs

ITEM# SF173318




Mtl 5/8" sq. 35 7/16" H Wt. 2 lbs.


ITEM# SF4621



Mtl 5/8" sq. 35 7/16" H Wt. 2.5 lbs.

ITEM# SF4622





35-7/16" H

Wt. 2.6 lbs.

SF173317


ITEM#

Hammered Hammered

Mtl 9/16" sq. Mtl 9/16" sq. 35 7/16" H 35 7/16" H Wt. 4 lbs. Wt. 4 lbs.

ITEM# ITEM# SF64I5 SF64I4

Phone: 800-833-9175



Mtl 1/2" sq.

35 7/16" H


Wt. 2.6 lbs.

ITEM#

SF481

Hammered 4 filaments basket Hammered 4 filaments basket Also available in 47" High. Mtl 1/2" sq.

Mtl 1/2" sq. 35 7/16" H 35 7/16" H Wt. 2.6 lbs. Wt. 2.4 lbs. ITEM# SF484



ITEM#

SF483

Mtl 1/2" sq.

35 7/16" H


Wt. 2.4 lbs.


ITEM#

SF482


Also available in 47" High.


Twisted Balusters






Balcony Balusters











Art Deco Balusters





ITEM# SF80272





Mtl 9/16" sq. 39 1/2" H Wt. 3.4 lbs

ITEM# SF80276



Newel Post



ON THE OFFICE AND THE OFFICE OF THE OFFICE O

Mtl 9/16" sq. 39 _{1/2}" H Wt. 3.6 lbs

ITEM#SF80278





Mtl 1" sq. 47 1/4" H Wt. 13 lbs

ITEM#SF80279





Mtl 9/16" sq. 39 1/2" H Wt. 3.4 lbs

ITEM# SF802711





Mtl 9/16" sq. 39 _{1/2}" H Wt. 3.4 lbs

ITEM# SF802715

Newel Post





Mtl 1" sq. 47 1/4" H Wt. 13 lbs



Balcony Balusters



These curved components give a balcony "depth", where a straight baluster might present a "flatter" look.



Mtl 1 9/16" x 5/16" 39 1/2" H Wt. 7.7 lbs.

ITEM# SF4412



Mtl 9/16" sq. 35 7/16" H Wt. 3.4 lbs.

ITEM# SF70D5



Mtl 9/16" sq. 2-1/8" W Basket 35-7/16" H 6-11/32" D Wt. 3.3 lbs.

> ITEM# SF4711



Mtl 9/16" sq. 35 7/16" H Wt. 3 lbs.

ITEM# SF4710



Mtl 3/16" x 1 3/4" 32" H Wt. 3.1 lbs.

ITEM# SF5895



Mtl 3/16" x 2" 38" H 8" Depth Wt. 4.7 lbs.

> ITEM# SF4521



Mtl 3/16" x 2" 38" H 10" Depth Wt. 6.7 lbs.

ITEM# SF4513




Mtl 3/16" x 1 _{1/4}" 32" H 6" Depth Wt. 2.6 lbs.


ITEM#SF12761




Mtl 1/2" sq 8 1/4" W 12" H Wt. 7.3 lbs.



Balcony Balusters








SF802722



SF91211


Hammered Stair & Rail Balusters

The 64F series (and other matching components) is one of our most popular lines. The bars are first hammered on all four edges, then the pattern is added to both sides. Scrolls, flowers and baskets are then added.




Mtl 9/16" sq.

ITEM# SF64F3 ITEM# SF64F5



Mtl 9/16" sq. 5 1/2" W x 35 7/16" H Wt. 3.4 lbs.

ITEM# SF64F7



Mtl 9/16" sq. 4 5/16" W x 35 7/16" H Wt. 4.1 lbs.

ITEM# SF64F9



Hammered

available in 47" High.

Also

ITEM#

SF5622

Mtl 9/16" sq. Mtl 9/16" sq. 35 7/16" H 8 1/4" W Wt. 3.1 lbs. x 35 7/16" H Wt. 4.2 lbs.

> ITEM# SF5616







Mtl 9/16" dia. rd. 7 1/2" W x 39 1/2" H Wt. 3.7 lbs.

> ITEM# SF11361



Mtl 9/16" dia. rd. 7 7/8" W x 39 1/2" H Wt. 4.6 lbs.

> ITEM# SF11362



Mtl 9/16" sq. 8 7/8" W x 35 7/16" H Wt. 5.2 lbs.

ITEM# SF64G2

Forged Steel Balusters








ITEM# SFGD1581



Mtl 9/16" x 5/16" 6 19/64" W 39 1/2" H Wt. 6.2 lbs.

ITEM# SFGD1582





Wt. 2.9 lbs.

ITEM#

SF10544

Mtl 1/2" dia. Round 8 9/32" W 39 3/8" H Wt. 2.9 lbs.

> ITEM# SF10545

Mtl 1/2" dia. Round 4 5/16" W 39 3/8" H Wt. 2.5 lbs.

> ITEM# SF10546



9/16" x 5/16" Mtl. 3-5/32" W 39-3/8" H Weight: 2.9 lbs.


ITEM #

SFG1561

9/16" x 5/16" Mtl. 6-5/8" W 39-3/8" H Weight: 4.8 lbs.

Forged Stair & Rail Balusters





ITEM#


SF64I2


2-9/16" W


35 7/16" H


Wt.2.2 lbs.

SF134G3









Tube bushing

6 7/8" W

x 39 1/2" H

Wt. 5.1 lbs.

SF10684




SF70D1


SF5973

SF11329


Hammered Stair & Rail Balusters







Stair & Rail Balusters



ITEM#

SF10971

Mtl 1/2" sq. 4 1/8" W 39 1/2" H Wt. 3.1 lbs.

ITEM# SF10973



Mtl 1/2" sq. 9 7/16" W 39 _{1/2}" H Wt. 6.1 lbs.

ITEM# SF11111



Mtl 1/2" sq. 8 1/6" W 39 _{1/2}" H Wt. 6.0 lbs

ITEM# SF11112



Mtl 1/2" sq. 4 1/8" W 39 1/2" H Wt. 2.6 lbs.

ITEM# SF11151




ITEM# SF11152

Mtl 1/2" sq.

4 1/8" W

39 _{1/2}" H

Wt. 2.8 lbs



Mtl 1/2" dia. rd. 39 3/8" H

Mtl 1/2" dia. rd. 39 3/8" H x 4 5/16" W Wt. 3.7 lbs.

ITEM# SF10713



Mtl 1/2" x 1/4" 10 5/8" W x 39 1/2" H Wt. 5.2 lbs. ITEM#

The column shape (and the search for symmetry) is to be considered a basic topic in designing and producing Wrought Iron elements.

SF11201

x 4 5/16" W

Wt. 2.8 lbs.

ITEM#

SF10715

Stair & Rail Balusters





Mtl 9/16" x 5/16" 11-1/32" W 39-3/8" H Weight: 10.3 lbs.

ITEM # SFG1631



Mtl 9/16" x 5/16" 11-1/32" W 39-3/8" H Weight: 10.3 lbs.

ITEM # SFG1632




Mtl 9/16" x 5/16" 11-1/32" W 39-3/8" H Weight: 8 lbs.

ITEM # SFG1591



Mtl 9/16" x 5/16" 11-1/32" W 39-3/8" H Weight: 6.2 lbs.

ITEM #
SFG1592



Mtl 1/2" sq. 5-5/16" W 39-1/2" H Wt. 3.5 lbs.

ITEM# SF10911 Mtl 1/2" sq. 5-5/16" W 39 1/2" H Wt. 4.4 lbs.

ITEM# SF10912

Mtl 1/2" sq. 3-9/16" W 39-1/2" H Wt. 3.1 lbs.


ITEM# SF10903 Mtl 1/2" sq. 3-9/16" W 39-1/2" H Wt. 3.8 lbs.

ITEM# SF10904



Mtl 1/2" sq. 3-15/16" W 39-1/2" H Wt. 2.7 lbs.

ITEM#SF13255



Balusters & Stair Panels



Mtl 1/2" sq. 9 1/16" W x 35 7/16" H Wt. 7.2 lbs.

> ITEM# SFN4642



Mtl 1/2" sq. 9 1/16" W x 35 7/16" H Wt. 6.7 lbs.

> ITEM# SFN4641



Mtl 1/2" sq. 9 1/16" W x 35 7/16" H Wt. 7.2 lbs.

> ITEM# SFN4644



Mtl 1/2" sq. 9 1/16" W x 35 7/16" H Wt. 6.7 lbs.

> ITEM# SFN4643





Tube 2 3/8" sq. 47 _{1/4}" H Wt. 23.5 lbs.

ITEM# SF12461



Tube 3" dia. rd. 47 1/4" Wt. 21.6 lbs.

ITEM# SF12471




Mtl 1/2" dia. rd. 39 3/8" H Wt. 2.5 lbs.


ITEM# SF11671


Mtl 1/2" dia. rd. 39 3/8" H Wt. 2.3 lbs. ITEM# SF11672





Rail Balusters












Weight:

ITEM # SF4902

SF91335






1/2" Dia. 39-3/8" 2.4 lbs.

Height:

Weight:

ITEM #

SFGD2514



Large Panels



Mtl 1/2" sq. 15" W x 32 1/2" H Wt. 10 lbs.

> ITEM# SF4751



Mtl 1/2" sq. 15 1/8" W x 35 7/16" H Wt. 10 lbs.


> ITEM# SF4792




Mtl 1/2" sq. 15" W x 35 7/16" H Wt. 12 lbs.

> ITEM# SF4752









Mtl 1/2" sq. 26" W x 26" H Wt. 23 lbs.

> ITEM# SF4801



1/2" x 1/4" Matl. 9-9/16" W - approx. 39-3/8" H - approx. Weight: 7.5 lbs.

ITEM # SFG0015





5/8" x 5/16" Matl. 9-9/16" W approx. 29-5/16" H approx. Weight: 12.6 lbs.

ITEM # SFG009 5/8" x 5/16" Matl. 9-9/16" W approx. 37-7/16" H approx. Weight: 12.1 lbs.


ITEM # SFG008

Stair & Rail Balusters





Art Deco Balusters





Mtl: 1/2" sq. Wd: 4-29/32" Ht: 39-3/8" Wt: 2.3 lbs.

ITEM# SF10561





Mtl: 5/16" x 9/16" Wd: 4-23/32" Ht: 35-1/2" Wt: 4 lbs.

ITEM# SF5443




Mtl: 1/2" sq. Wt: 7-3/32" Ht: 35-7/16" Wt: 2.6 lbs. ITEM# SF469




Phone: 800-833-9175


Hand Forged Balusters




Balusters with Bushings




Hand Forged Balusters





Tubular Steel Balusters



ITEM# SF1481





ITEM#

SF1482

9/16"

Mtl 1 3/16" dia. rd.
x 35 7/16" H
Wt. 2.1 lbs.

Mtl 1 3/16" dia. rd.

x H 35 7/16"

Wt. 2.2 lbs.

ITEM#


SF1443

SF5251

ITEM#


SF1491

Special Length Steel Balusters 47"







Special Length Steel Balusters 47"





Forged Steel Newel Posts





Forged Steel Newel Posts





Phone: 800-833-9175

Mtl 1" sq.

47" H

Wt. 13 lbs.

SF91472

Decorative Locksets

Kwikset



Iron Black Finish

Commonwealth® Passage Lever

- Fully reversible lever fits both right and left handed doors
- Lifetime mechanical and finish warranty
- ANSI/BHMA Grade 2

Beautifully simple, Commonwealth's clean, curved lines combine elegance with versatility. Features a fully adjustable latch to fit all standard door preparations. Non-locking.

ITEM # DESCRIPTION

KW720C514 Passage Leverset



Economy Standard Duty Double Cylinder Deadbolt

- With concealed mounting screws
- Polished and antique brass
- Keyed on both sides Full 1" bolt throw
- Solid brass cylinder 5 Pin Kwikset keyway
- Standard 2-3/8" backset
- Up to 12 available keyed alike

ITEM #	DESCRIPTION
MCLBL19	Polished Brass Deadbolt
MCLBL20	Antique Brass Deadbolt

Iron Black Finish Hancock® Passage

 Lifetime mechanical and finish warranty

Kwikset

ANSI/BHMA Grade 2

Elegance meets durability in the traditional Hancock. Its look, as well as its workmanship is designed to last. Features a fully adjustable latch to fit all standard door preparations. Non-locking.

ITEM # DESCRIPTION
KW720H514 Passage Door Knob



Economy Line Passage Knob and Lever

- Non-locking
- · All steel and brass construction
- Fits our standard and thin lock boxes
- 2-3/8" standard backset

ITEM # DESCRIPTION

MCL114T300 Polished Brass Passage Knob

KWSL1000GV3 Polished Brass Lever Handle

Kvvikset



Iron Black Finish




Kwikset Signature Series 980 Deadbolts

- BHMA/ANSI Grade 1 certified
- Available in single and double cylinder
- Features SmartKey[®] re-key technology

Features a fully adjustable latch and deadbolt to fit all standard door preparations. Lifetime mechanical and finish warranty. SmartKey cylinders feature a stainless steel side locking bar, racks and pins for increased strength and security. Patented


side locking bar technology offers improved security by protecting against lock bumping. Order up to 6 deadbolts keyed alike.






Economy Line Double Cylinder Deadbolt

- Polished brass finish
- Keved on both sides
- Kwikset Keyway
- Fits all of our lockbox styles
- Full 1" bolt
- ANSI/BHMA Grade 3 security rating





Deadbolts & Locking Leversets



Keyed on both sides

Double

Cylinder

Uses key from exterior or interior to retract deadbolt. Full 1" bolt. Standard 2-3/8" backset. Order up to 6 deadbolts keyed alike.

ITEM #	DESCRIPTION
KW6653	Polished Brass
KW6655A	Antique Brass
KW66526D	Satin Chrome
KW66515A	Antique Nickel

Weldable Steel and Aluminum Lockboxes

Available in a variety of sizes and styles






- Keyed on one side
- Thumbturn on one side

Deadbolt is locked or unlocked with a key from the exterior. Turn piece from the interior. Full 1" bolt. Up to 6 available keyed alike. Standard 2 3/8" backset.

ITEM #	DESCRIPTION
KW6603	Polished Brass
KW6605A	Antique Brass
KW66015	Antique Nickel

Polished Brass





Double Cylinder Deadbolt

Keyed on both sides

SMART KEY,



Uses key from the exterior or interior to retract deadbolt. Complete with Cylinder Guard and reinforcing plates. Extra heavy 1" bolt. Available keyed alike. Adjustable backset 2-3/8" or 2-3/4".

ITEM #	DESCRIPTION
KW7853	Polished Brass
KW78526	Satin Chrome
KW78515	Antique Nickel

Also available in single cylinder (keyed on one, side thumbturn on the other side)

KW7803 Polished Brass

KwiksetLido Entry Set

- All steel latch
- Popular scroll design
- Available in three finishes




Easy to operate lever design provides maximum security at maximum value. ANSI/BHMA A156.2 Grade 2 Security. Keyed on one side, thumbturn on other and available keyed alike. Lifetime mechanical and five year finish warranty.

ITEM #	DESCRIPTION
KW400L3	Polished Brass
KW400L5A	Antique Brass
KW400L15	Antique Nickel



Phone: 800-833-9175

Door Knobs & Levers



Plain knob on both sides with no locking mechanism. Turning either knob retracts latch. All steel latch.

ITEM #	DESCRIPTION
KW200P3	Polished Brass
KW200P5A	Antique Brass
KW200P15	Antique Nickel




Non-locking

Turning either lever will retract latch. Plain lever on both sides. Does not lock.


ITEM #	DESCRIPTION
KW200DR3	Polished Brass
KW200DR5A	Antique Brass

Left/Right Door Swing Guide



Hinge is on the left.
Door is Left Hand (LH).


Hinge is on the right.
Door is Right Hand (RH)



• Non-locking

Plain knob on both sides with no locking mechanism. Turning either knob retracts latch. All steel latch.

ITEM #	DESCRIPTION
KW200T3	Polished Brass
KW200T5A	Antique Brass
KW200T26D	Satin Chrome




Delta Lever Handle

Non-locking

Plain lever on both sides. Turning either lever will retract latch. Reversible. Contemporary style non-handed lever. Lifetime mechanical and five year finish warranty.


ITEM #	DESCRIPTION
KW200D3	Polished Brass
KW200D5A	Antique Brass
KW200D26D	Satin Chrome



design is keyed on one side with a thumbturn on the other. ANSI/BHMA Grade 3 security features. Protected by a lifetime mechanical

ITEM #	DESCRIPTION
and five year finish warranty.	

ITEM # DESCRIPTION KW400T3 Polished Brass KW400T5 Antique Brass



Lido Lever Handle

Non-Locking

Plain lever on both sides. Turning either lever will retract latch. Classic style lever design is easy to operate and install. Lifetime mechanical and five year finish warranty.

ITEM #	DESCRIPTION
KW200L3	Polished Brass
KW200L5A	Antique Brass
KW200L15	Antique Nickel



Weldable Lock Boxes

Steel **Extra Thin** Double Style

- 1" Wide
- Two 2-1/8" Holes
- Height 7-1/2" x 4-3/8" Wide
- 2-3/8" backset
- Special design fits flush on 1" frame
- Crimped slam guard
- 20 pieces per box



ITEM #	DESCRIPTION
LB218DT	Extra Thin Double Lockbox

Steel Extra Thin Single Style

- 1" Wide
- 2-1/8" Hole
- Height 4-1/4" x 4-1/2" Wide
- Special design fits flush on 1" frame
- 2-3/8" backset
- 40 pieces per box



ITEM #	DESCRIPTION
LB218T	Extra Thin Single Lockbox

Steel 2-3/4" Backset

Single Style

- 1-1/2" wide • 2-1/8" hole
- 3-5/16" high
- 4-5/16" width with 1" gate stop extension
- 2-3/4" backset



ITEM #	DESCRIPTION
LB218234	Commercial Single Lockbox

Aluminum Double Style

- 1-1/2" wide
- 2-1/8" hole
- 2-3/8" backset 4-1/4" wide x 6-3/4" height



ITEM #	DESCRIPTION
LBAC218DT	Alum. Double Style

Steel Standard Double Style

- 1-5/16" Wide
- Two 2 1/8" Holes
- Height 6-3/4" x 4-1/4" Wide
- 2-3/8" backset
- 20 pieces per box



ITEM #	DESCRIPTION
LB218D	Standard Double Lockbox

Steel Standard Single Style

- 1-5/16" Wide
- 2-1/8" Hole
- Height 4-1/4" x 3-1/2" Wide
- 2-3/8" backset
- 40 pieces per box



ITEM #	DESCRIPTION
LB218	Standard Single Lockbox

Mortise Lock Box

- Height 7-1/4" x 4" x 1" deep
- Available in right or left hand operation
- Perfect fit for Double Cylinder Ornamental Iron Mortise Lockset, Item # MCLGMW23AC



ITEM #	DESCRIPTION
LB9200L	Left Handed Mortise Lockbox
LB9200R	Right Handed Mortise Lockbox

Aluminum Single Style

- 1-1/2" wide
- 2-1/8" hole
- 2-3/8" backset
- 4-1/4" wide x 4-1/4" height



ITEM # **DESCRIPTION** LBAC218T Alum. Single Style

Steel **Extra Wide Double** Style

- 1-1/2" Wide
- Height 6-3/4" x 4-1/4" Wide
- Two 2-1/8" Holes
- 2-3/8" backset
- 20 pieces per box



ITEM #	DESCRIPTION
LB218DXW	Extra Wide Double Lockbox

Steel Extra Wide Single

Style

- 1-1/2" Wide Height 4-1/4"
- x 3-1/2" Wide • Single 2-1/8'
- Hole
- 2-3/8" backset



ITEM #	DESCRIPTION
LB218XW	Extra Wide Single Lockbox

Lockbox for SlimLine Locks

- 84" height, can be trimmed to 79-1/4" by installer
- · Pre-punched • 2" x 1" tube
- Perfect fit for Slim-Line Mortise Lockset, Item # MCLH123

ITEM # LB123





Locks & Supplies

Double Cylinder Ornamental Iron Mortise Lockset

Low-Cost, High-Quality Lockset

Features:

- · Polished brass finish
- 1" holt throw
- Easily reversible
- Kwikset
- keyway
 2-1/4" diameter with 2 set screws

Lock Op-

eration: Knobs open latch from either side unless exterior is locked by stop button in front plate. Key operates latch and deadbolt from both sides. Latch deadlocks when deadbolt is thrown. Please specify Left or Right Hand. Lock box not included. Fits Lockbox Item # LB9200 on previous page.

ITEM #	DESCRIPTION
TIEM #	DESCRIPTION

MCLGMW23AC Dbl. Cyl. Mortise Lockset

Door Lock Installation Kit



FEATURES

- Drill perfect holes for your door's lockset in three easy steps
 • Fits 2-3/8" backset
- doors

INCLUDES:

- GuideRight[®] template for perfect hole alignment
- 2-1/8" bi-metal hole saw for door face bore
- 1" bi-metal hole saw for door edge bore
- 3/8" mandrel for hole saws



ITEM #	DESCRIPTION
PA17104	Installation Kit

Keyless Push-Button Release

- Easy quick installation.
- Only one small 5/16" bore through the wall
- Weatherproofed
- · Tamperproof for added reliability
- For exterior mounted window guards only

ITEM #	DESCRIPTION
MCLEM100	Push Button Release

Slim-Line **Mortise Lockset FEATURES**

• Mortise lock with 5/8" deadbolt 1/2" Latch

Kwikset keyway Double solid

brass rekeyable cvlinders Solid brass deco-


rative lever with trim Reversible

· Polished brass finish

 Fits Lockbox Item # LB123 on previous page

ITEM #	DESC.
MCLH123	Slim Lockset

Keyless Lever Window Guard **Emergency Release**



Requires only 1/2" hole through wall. Spring loaded. (Spring remains in cylinder head when window quard is opened). Full adjust-

ment for all wall thicknesses.

ITEM #	SIZE	DESCRIPTION
MCLEM200	11"	Emergency Release




"Speed Latch" **Keyless** Release

- Does not require drilling through wall
- · Quick and easy operations
- · For inside mount guard
- Fast installation

ITEM #	DESCRIPTION
MCLEM300L	Left Operation
MCLEM300R	Right Operation

Decorative window and door guard with an added safety feature. Easily installed anywhere.



Hook Lock

- Key on both sides.
- Ideal for sliding doors and double doors
- Includes black painted steel lock box
- Available keyed alike (Kwikset Keyway)
- Width: 1-7/8"
- Height: 7-1/8"
- Depth: 1-3/4"

Note: This unit is not rekeyable.



Weldable Gate Lock



All steel construction

- Reversible
- · Available keyed alike
- Slide knob on bottom
- · Plated steel bolt
- · Great for in-between doors where clearance is limited

ITEM #	DESCRIPTION
MCLSL2	Weldable Gate Lock



Kwikset/ Rekeying

 Includes everything needed to rekey Kwikset locks

Great for apartment owners,

hardware stores and a must for locksmiths. Includes carrying case and new anti-pick pins and low profile deadbolt spring cover. Pins are color-coded. Contains: Master Pins, Plug Retainers, Control Lugs, Springs, Cylinder Removal Tool, Plug Follower Key Gauge, PK Balls, Spring Covers, and Bottom Pins.

ITEM #	DESCRIPTION
KW272	Rekeying Kit



Mechanical Locksets

Kaba Ilco Simplex Mechanical Push Button Locks

The 1000 family offers a tried and true way to protect your assets. These heavy-duty locks are dependable, reliable, and flexible enough to fit any security need in airports, apartment buildings, college dorms, or manufacturing plants. Backed by three-year warranty.



Latch and backset: 5/8" throw latch (carriers UL/UL 3-hour fire rating for "A" labeled doors) with floating front; 2-3/4" backset

Installation: ASA 161 door preparation with additional feature holes

Weight: 7 lb.

ITEM # **DESCRIPTION** MCLU1011 Single-Sided Mech.



Weldable Lock **Boxes for This Entry Set**

ITEM # LB1000



Construction: Heavy- duty cylindrical lock housing conforms to ANSI 156.2 Grade 1; cast housing; fixed cast or wrought brass knobs; brass unified trim plate.

Latch and backset: 5/8" throw latch (carriers UL/UL 3-hour fire rating for "A" labeled doors) with floating front; 2-3/4" backset

Installation: ASA 161 door preparation with additional feature holes

Weight: 10-1/4 lb.

ITEM # DESCRIPTION MCLU1011EE Double-Sided Mech.



Weldable Lock **Boxes for This** Entry Set

less

fin-

ish

ITEM # LB1000EE



Keyed To Quality And Locked And Into Service SM



Field reversible latch; invert the lock for right hand doors; roman numerals are easily read in either orientation. Satin chrome finish. 1-year warranty.

Locking Device Options: Deadbolt: 1" throw, manual relock. Deadlocking latch: 5/8" throw, with automatic relock.

Operation Mode Options: Single credential access: Latch holdback-keeps latch retracted to allow access with combination.

ITEM #	DESCRIPTION
MCLU900	Single-Sided Mech.



Weldable Lock **Boxes for This Entry Set**

ITEM # LB900

L1000 Series Single Sided Keypad Lever Entry

• Satin chrome finish • Single access code Lock is easily programmed via keypad without removing lock from the door. Highly weather resistant. 3-year warranty. **Construction:** Heavy -duty cylindrical lock housing; conforms

to ANSI 156.2 Grade 1; fixed cast or wrought ADA- compliant levels; brass unified trim plate. Latch & Backset: 5/8" throw latch (carriers UL/UL 3-hour fire


rating for "A" labeled doors) with floating front; 2-3/4" backset Installation: ASA 161 door preparation with additional fea-

Door Handing: Factory handed; not field reversible.

Weight: 8-1/4" lbs.


ture holes

Specify left handed or right handed.



L1000 Door Handing

You must specify the handing of your door for the L1000 Séries Single Sided Keypad Lever Entry. Lock is not field reversible. Look at the door in its closed position from the exterior (push button side), and use the corresponding diagram.





Weldable Lock **Boxes for This Entry Set**

ITEM #	
LB1000	



Push-Button Locksets





Lockey® Mechanical Latch Code Lock

• 2-3/8 or 2-3/4" backset for residential or commercial use

Lever handle mechanical code locks with passage function is right or left handed. Available in single and double handle models.

SPECIFICATIONS

- Dimensions: 5-1/2" h x 1-5/8" w x 2-1/4" d
- Total Coverage w/Trim: 6-1/2" x 2-1/2" w
- 4" w x 1" h ADA Lever Size:

FEATURES

- Satin Chrome Finish
- Passage Function
- Easy Installation
- Weather Resistant
- Easy changeable combination
- For right or left hand door handing
- 2-3/8" or 2-3/4" deadlocking spring latch
- · Easy code change as often as required
- Mechanical Reliability
- Lifetime guarantee on the mechanics

ITEM #	DESCRIPTION
MCLL2835	Single-Sided Latch Silver
MCLL2835BK	Single-Sided Latch Black
MCLL2835DS	Double-Sided Latch Silver
MCLL2835DSBK	Double-Sided Latch Black

MCLL238	Replacement Strike
LB2835	Weldable Lockbox

Lockey® Mechanical Deadbolt Code Lock

- Satin chrome finish
- Easy installation

The built in deadbolt head has a free-spinning stainless steel core shaft that cannot be cut with a hacksaw.

DIMENSIONS

- 5-5/8" H x 1-5/8" W x 1-5/8" D
- Total Coverage w/Trim: 6-1/2" x 2-1/2"
- Easy changeable combination
- For right or left handed doors, changeable
- Single or double combination available
- Adjustable deadbolt length
- Easy code change as often as required
- Different or same codes on each side of double sided units
- Covers 2-1/8" hole

ITEM #	DESCRIPTION
MCLL2210	Single Sided Deadbolt Knob
MCLL2210DS	Double Sided Deadbolt Knob
LB2835	Weldable Lockbox





Weldable Steel Lockbox

• For Lockey Mechanical Code Locks

ITEM #	DESCRIPTION
LB2835	Lockbox of Lockey Code Locks

- 4-3/4" wide x 7-5/8" tall x 1-3/4" deep
- 2-3/8" backset
- 1-7/16" x 1-3/4" square hole for mechanicals. 7/16" hole at top

Medium Duty Push Button Mechanical Lockset

 Push button motise latch with lever handle

- Outside lever handle retracts the latch after correct code is entered
- Spring-loaded latch bolt locks automatically when door is closed
- Internal and external doors
- Mechanical Codelock
- Medium duty tubular mortise latch
- Lever handle lock for doors hung on the left or right



TEM #	DESCRIPTION
MCLC400	Single-Sided Latch BLACK
MCLC400DS	Double-Sided Latch BLACK
LB2835	Weldable Lockbox



Locks & Supplies

Kwikset

Kwikset Deadlocking Gate Latches

- Available in single cylinder (key/ thumbturn) and double cylinder (key/key) configurations
- · Extra heavy duty construction
- Fits standard 2-1/8" hole lock box
- 5 pin solid brass cylinder
- Polished brass finish or brushed chrome
- Automatically springs back and locks
- Can be used with electric strike hardware



ITEM #	FINISH	DESCRIPTION
KW5883	Polished Brass	Single Cylinder Deadbolt
KW5893	Polished Brass	Double Cylinder Deadbolt
KW58926D	Brushed Chrome	Double Cylinder Deadbolt

Residential TRIME **Electric Strikes**

KW589326D. See above.



Style A

- 1-3/8" wide
- 3-1/2" tall 2-3/4" deep
- Fail secure

Style B

- 8-16 Volt
- 1-1/4" wide 5-7/8" tall
- 1-9/16" deep

	• Fall secure	
ITEM #	DESCRIPTION	
ER005	Style A Electric Strike	
ER001	Style B Electric Strike	
LBES	Weldable Lockbox for A	

TRIME Dual Relav Wireless August



- 300 foot range
- Operates at 315 MHz

Dimensions: 5-5/8"H x 4-1/4"W x 1-1/2"D

ITEM #	DESCRIPTION
GTA17TDC3	Dual Relay Receiver
	- I · · ·



Dual Button Wireless Transmitter

• 315 MHz

DESCRIPTION ITEM # **GTA182 Dual Button Transmitter**

Dimensions: 2-1/2"H x 1-1/2"W x 3/4"D



Trine Push Button

 Silver rim with pearl center

5/8" body diameter. Not recommended for use on systems which exceed 30 volts.



ITEM # DESCRIPTION ER450 **Push Button**



Trine Transformer

Lock Nut Type

Clamp on type equipped with screw-bracket mounting clamp for standard 1/2" knockouts. 120 volt primary. Dual output: 16 VAC and 24 VAC.

DESCRIPTION ITEM # ER122B Transformer



Satin Chrome **Finish**

Light **Commercial Keyed Storeroom** Lockset

Lever or Knob

- · Can be used with electric strike hardware
- Outside unlocked only while key is turned
- · Inside always free
- 2-3/8" std. backset

ITEM #	DESCRIPTION
XLK14S32D	Knob Storeroom Lockset
KW462KN26D	Lever Storeroom Lockset

Outdoor Rated Electric Strike



- Fail secure/safe field reversible
- Stainless steel
- 1,000,000 life cycles
- 2000 lbs. holding force
- Left or right handing Cavity dimensions:7/8"
- D, 1-1/2" H, 3/4" W • Mortise type backset 11/16" D

ITEM #	DESCRIPTION
ER400	Outdoor Strike

ANSI Type Commercial Electric Strike

• ANSI type 4-7/8" faceplate with 3-3/8" aux ramp • Fail secure

• 16-24 AC/DC · Use on commercial doors


DESCRIPTION ITEM # ER2012 ANSI Type Strike



Mortise Type Commercial **Electric Strike**

- Mortise type 6-7/8" radius corner face plate
- Fail secure
- 16-24 AC/DC
- · Use on commercial doors

ITEM # DESCRIPTION Mortise Type Strike





Exit Devices

Commercial Heavy Duty Exit Device



- QED100 Series
- Heavy duty, architectural grade and exceed ANSI Gr. 1
- Non-handed, for left or right For institutional, commercial uses.

PERFORMANCE FEATURES

- Tested/certified to exceed 1,000,000 cycles
- Dampening device for quiet operation
- Thru-bolted trim design for security

- Door Thickness 1-3/4" std.
 36" door size, field sizeable to 32" door
- Latchbolt stainless steel 3/4"
- Stile Width 4-1/4" Minimum
- Dogging Hex key dogging and cylinder dogging available
- Standard Backset: 2-7/16"
- Rim cylinder is not included

ITEM #	DESCRIPTION
GTMF18RE	AL Heavy Duty Pushbar
GTA1301	Door Pull/Rim Cylinder Housing
GTA4032	Rim Cylinder with Keys

Commercial Standard Duty Pushbar





 Non-handed, for left or right

For multi-family/tenant uses.

PERFORMANCE FEATURES

- Tested to exceed the 500,000 cycles required for Grade 1 certification
- Field sizeable: 36" device to 32"
- Thru-bolted trim design for security

PRODUCT SPECIFICATIONS

- Door Thickness 1-3/4" standard
 Strike Stainless steel body with plated steel roller standard (Rim Only)
- Latchbolt 1/2" throw top; 3/8" bottom
 Stile width 3-7/8" (98mm)
- Dogging Hex key dogging and cylinder dogging available
- Rim cylinder is not included

ITEM #	DESCRIPTION
GTM19RBA	Standard Duty Pushbar
GTA1955	Door Pull/Rim Cylinder Housing
GTA4032	Rim Cylinder with Keys



Push Bar **Exit** Device Strike

- Use with surface mounted rim exit devices with up to 1" throw
- Automatic voltage sensing 11 to 28 volts DC
- 4 sizes included

Strike is 1/2" thick and

comes with spacers to allow for width adjustment: 1/2", 5/8", 3/4", and 7/8". For use in wood or metal frames.

Features


- · Satin stainless steel finish
- Patented 6 pin anchoring system
- Fail secure/fail safe: field reversible
- Holding Force: 1500 lbs.
- Durable: 1,000,000 life cycles

ITEM #	DESCRIPTION
ER4800	Push Bar Exit Strike



Exit Control Hardware

ECL-230D Series



Non-handed, for left or right doors

When armed, pressing the exit bar retracts the deadbolt and sounds the alarm to allow exit. A key simultaneously projects the bolt, secures the door and resets the alarm.

 Code-compliant, battery alarmed, rugged panic hardware with deadbolt provides managed security

for secondary exits

- Exceeds life safety requirements U.L. listed panic hardware
- Withstands over 2200 lbs. static load
- Time tested construction resists attack

FEATURES:

- 1" throw bolt resists crowbar attacks
- Rugged housing with key lock, saw-resistant bolt and corrosion resistant alloy lock body
- •100dB alarm commands attention
- Powered by one 9 volt battery.
- Accepts 5-pin through 7-pin standard and interchangeable core rim cylinders - CYLINDERS NOT INCLUDED



ITEM #	DESCRIPTION
GTDECL230DPH	ECL-230D Exit Device
GTA4032	Rim Cylinder with Key

SECO-LARM Push-to-Exit Bar

• New design! Easier to install!

Designed to allow egress from inside an area normally locked by an electric lock or electromagnetic lock, and/or to disarm (shunt) or trigger an alarm when the door is opened.

Features

· Rugged, heavy-duty construction.

 Pushing the bar at any point sends a signal to release the lock and/or sound an alarm.



• For 36"doors (actual length is 34.5").

• Includes 2 built-in non-latching (momentary), dual-contact switches (NO/COM/NC), rated 5A@125VAC.

Attractive brushed-aluminum bar with black base and trim.

- Includes SECO-LARM Armored Door Cord, and mounting hardware (for mounting in wood or metal doors).
- Designed for easy cutting in field to match width of non-standardsized doors.

ITEM #	DESCRIPTION
GTMSD961A	Push-to-Exit Bar



Door Hardware



- Size 9" and 12"
- Black finish
- All steel construction
- · Mounting screws not included

ITEM #	SIZE	DESCRIPTION	
HA9S	9"	Gate Spring	
HA12S	12"	Gate Spring	

Standard Duty Door Closer

- For interior or exterior doors
- Statuary bronze finish
- Up to 100 lb. door capacity
- · Complete with mounting hardware



Standard **Pneumatic** Door Closer

· Complete with mounting hardware



TB400 Hydraulic Gate Closer





An economical and reliable automatic gate closer that is unlike normal closing springs. The TB400 does not slam gates shut; rather it firmly pushes the gate closed. The closing speed is pre-set to provide a controlled close of approximately 6 seconds, depending on the weight of the gate and quality of the hinges.

• Gate Capacity: Weight: 75-175 LBS Width: 40-64"

Max. Opening Angle: 110°

• Opening Pressure Appx.: 6-12 lbs

• Type of Gate Material: Vinyl, Steel, Wood

ITEM #	DESCRIPTION
HALTB400	Medium-Duty Door Closer

SURE**Close*** READY**Fit**

Hinge and Closer External Mount

Power-Packed Hinge and Closer in One

This hinge and closer in one is hydraulic, compact, and heavy-duty. The perfect design for commercial, industrial, and estate gates.

- Easy install No special tools or holes in
- Gap variance of 1/2" to 1 3/8" (12-35mm)
- All mounting brackets and fasteners included
- · Quick alignment legs

- Safety gate models available
- Improved snap action (all 108 models)
- New non-removable adjustment nozzles
- Designed for new and existing gates

Self-Closing (180°) Swing Gate Non-Rated

	lf-Closing te Weight
HA74108315 & HA7400131 (1 of Each)	5 180 LBS
HA74108315 & HA7410831 (1 of Each)	⁵ 260 LBS

SureClose ReadyFit Hinge



Adjustable Self-Closing Speed & Final Snap-Close Action

Self-Closing (90°) Swing Gate Suitable for Child and Pool Safety

	lf-Closing te Weight
HA74108325 & HA7400131 (1 of Each)	⁵ 180 LBS
HA74108325 & HA7410832 (1 of Each)	⁵ 260 LBS

ITEM #	DESCRIPTION
HA74108315	ReadyFit Hinge/Closer
	for 180° Swing
HA74108325	ReadyFit Hinge/Closer for 90° Swing
HA74001315	ReadyFit Hinge Only





Phone: 800-833-9175

Door Hardware

Kant Slam Gate Closer

Closes Gates Up to 150 LBS Made in the USA

Excellent for any self-closing indoor or outdoor gate/door and can be used on virtually any type of fencing material. Kant-Slam mounts on the opening side of the gate or door and pushes it to a closed position.

A special feature found only in the Kant-Slam is that the closing pressure is self-contained within the unit and is transmitted through components of the closer to the mounting bracket on the frame. The result is no more pressure on the gate or door than from closing by hand.



Features:

- Self-contained unit to protect gate or door from strain or pressure
- · Installs on side, top, middle or bottom of right or left-hand gate or door
- Can be used for indoor or outdoor gates
- Patent pending cylinder design regulates closing speed
- Hydraulic action gives ample closing force at latching point while keeping movement
- No noise or tremendous bang upon impact
- · Adjusting top screw regulates closing speed
- · Holds gate open when wanted

ITEM # DESCRIPTION Kant Slam Gate Closer



Locinox Verticlose **Gate Closer**

- For Aluminum, Vinyl, **Chain Link or Wood Gates**
- For Gates Up to 48" Wide, 8 FT Tall and Weighing Up to 175 LBS

Manufactured with stainless steel components. Easy to install with no welding required.

Features

- Adjustable closing speed/force
- Weather resistant rain and frost-proof
- Works with 90° or 180° hinges
- · Right or left closing gates and doors
- Complies with pool gate legislation

ITEM #	GATE WEIGHT
LKV1	Up to 175 lbs.



- Hydraulic Gate Closer and **Bearing Hinge All in One**
- One Closer to Fit All Gates
- Strong Rhino Hinge Included
- For Gates Up to 330 LBS

Features

- Simple installation with QUICK-FIX fasteners (5/8" holes)
- · Specially designed for exterior use; hydraulic, temperature-independent closing
- · Closing speed and final snap are individually adjustable
- Vertically and horizontally adjustable 3/4"

ITEM # DESCRIPTION

Self-Closing Hinge Set

Samson Adjustable Gate Closers

Adjustable Closing Force Up to 180 LBS

Features

- Adjustable closing speed & closing pressure
- · Closing speed unaffected by humidity and temperature changes
- Adjustable freerun for perfect closing
- Especially designed for exterior use: rustproof materials; rain & frost-proof
- Min. opening angle 90° (depending on the mounting situation)
- · Fixing: Anti-theft & vandalism proof
- Fast and easy fixing: Quick-Fix
- For left & right turning gates

The Self-Closing Hinge Set A **ALL STEEL** CONSTRUCTION

Get the benefits of the best heavy-duty


gate hinges and a reliable closer in one package. The closer is built into the hinge! Easy to install, this set is ideal for panic bar installations.

SPECIFICATIONS:

- Set includes self-closing hinge and one non self-closing hinge
- 5 tension adjustments
- Round or flat post compatibility
- · Adjustable yoke
- Maintenance-free bearings
- · Load rating: 2000 lbs.
- Limited lifetime warranty



ITEM #	DESCRIPTION
HI3850	Self-Closing Hinge Set



Walk Gate Closer

- Gate Capacity: to 120 LBS and 54" **Features**
- · Black powder-coated finish
- Mounting screws included
- · For metal, wood or vinyl gates or doors
- Complies with most pool gate legislations

ITEM #	DESCRIPTION
HAD200	Walk Gate Closer



HASAM2 More than 125 lbs. 100-180 lbs.

ITEM # GATE WEIGHT

HASAM1 Less than 125 lbs.

CLOSING FORCE

45-70 lbs.

Mailboxes, Handles, & Latches



Weldable Gate and **Door Catches**

Weldable spring loaded catch in two sizes. 3/4" finger hole and solid, heavy duty latch. Large - 7/16" thick latch and 1-1/2" x 1-1/2" weldable base.

Medium - 5/16" thick latch and 1-3/16" x 1-3/16" weldable base.

ITEM #	DESCRIPTION
HAC640	Large Size Weldable Catch
HAC635	Medium Size Weldable Catch

Strike Plates for Catches

- Weldable, heavy duty
- For above catches



HAC645



Small Slide Bolt

HAC650

Weldable

Weldable slide bolt has plated

finish and 3/4" x 1-1/4" x 1/4" thick slide with hardened knob. Also includes 1-9/16" x 1-3/4" weldable latch plate.

ITEM #	DESCRIPTION
HAC673	Small Slide Bol

Locking Flush Mount Latches

- Electrogalvanized
- Zinc bolts
- Stainless steel springs
- Suggested hole 2.75" x 3.81"

ITEM #	DESCRIPTION
HA23	Locking Flush Mount Latch
HA24	Non-Locking Flush Mount Latch

Weldable Steel Mailbox

- Black powdercoated
- Made in the USA **Overall Dimensions:**

12" back height 11" front height 14-1/2" wide 4-1/2" deep 6" top

Mail Slot Dimensions:

11-1/2" wide x 2-3/4" high Use HABR13MSF Brass Mailbox Slot below.

IIEM#	DESCRIPTION
HAAC1200	Weldable Steel Mailbox




Polished Brass Mail Slot

Available in two sizes

Brass screws included.

ITEM #		MAIL SLOT	OVERALL SIZE
GLMS1	1-1	/2" x 7-1/2"	3" x 10"
HABR13M	SF	2" x 11"	3-3/4" x 13"



Medium Recessed Handle

- .063" CRS
- .313" dia. wire
- Zinc plated
- Spring loaded
- Black rubber grip
- .625" deep

ITEM #	DESCRIPTION
HA700	Medium Recessed Handle

Dee Ring Handle

- Steel, Zincplated
- .140" thick wire holder



ITEM# DESCRIPTION HA701 Dee Ring Handle



Weldable Steel **Security Mailbox**

- With back panel hinged access door with lock slot
- Made in the USA


Overall Dimensions:

14" height x 14-1/2" wide x 6" deep 3-1/2" top overhang

Mail Slot Dimensions:

14-1/2" wide x 3" high

ITEM #	DESCRIPTION
HAAC1201	Weldable Steel Security Mailbox



Cylindrical Weldable Slide Bolt

- 1/2" round bolt
- Weldable all steel construction
- Can be used on vertical or horizontal applications

ITEM #	LENGTH	
HAC737150	6"	
HAC737300	12"	
HAC737800	31.5"	




Heavy Duty Weldable Slide Bolt

- 9-3/4" Length
- 2" Throw
- 3/4" Wide bolt
- Zinc Finish

ITEM # HAC745









Locks



Master Master Laminated Steel **Padlocks**

 Available keved alike specify when ordering

- Laminated steel body for superior strength
- Hardened boron alloy shackle for superior cut resistance
- 4 or 5-pin cylinder helps prevent picking
- Dual locking levers provide extra pry resistance
- Thousands of key changes for key integrity
- Proprietary rust-proofing for longer life

ITEM #	SIZE
MA3	1-1/2" Wide Case
MA1	1-3/4" Wide Case
MA5	2" Wide Case
MA15	2-1/2" Wide Case



Brass Trailer Hitch Coupler Latch Lock

- Solid brass body
- Case hardened steel shackle

Lock design protects shackle from cutting and sawing. Precision pin tumbler mechanism resists picking

ITEM #	SIZE
MA605	2" Wide Case

Truck Bed U-Lock

- Fits late model, full size Chevrolet, Dodge, Ford and Toyota pick up trucks
- No drill installation lock fits into stake hole pocket or tie down locations in truck bed
- Hardened steel shackle and lock body resist cutting
- Keyway cover protects cylinder from corrosion
- Cylinder can be re-keved to match other Master Lock products
- Lock cannot be removed from the truck when mounted

ITEM #	DESCRIPTION
MA8287	Truck Bed U-Lock

Chrome Steel **Padlock**

• 5-pin cylinder for maximum pick resistance


Chrome plated solid steel body is strong, durable and

resists rust and corrosion. Dual ball locking for added protection from prying and hammering. Hardened steel shackles for added protection from cutting and sawing.



Master Lock Stainless Steel **Discus** Lock





- 2-3/4" wide stainless steel body
- 4-pin cylinder helps prevent picking
- Double deadbolt locking
- · Key retaining feature ensures padlock is not left unlocked
- Fully shielded design minimizes shackle exposure

ITEM #	SIZE
MA40	2-3/4" Wide Case



Keyed Alike Maste **Padlocks**

- Same key opens all 4 locks
- 1-9/16" wide laminated steel body

Dual locking levers provide pry resistance and 4-pin cylinder helps prevent picking. Hardened steel shackles for cut resistance.

ITEM #	DESCRIPTION
MA3008	Four Keyed Alike Padlocks



Hidden Shackle Padlock/Hasp

- Rekeyable 6-pin cylinder
- 2-7/8" dia. x 1-1/2" thick lock
- 3/8" dia. hidden shackle
- 3-3/4" x 4-1/2" zinc plated hasp

Solid die-cast padlock reinforced with antisaw pins with high security shrouded steel

ITEM #	DESCRIPTION
MA800	Hidden Shackle Padlock

Master Mini Me **U-lock**

• 3-11/16" wide steel lock body

 Double locking shackle for maximum pry resistance

Hardened steel shackle resists cutting. Vinyl-cov-

ered to prevent scratching. 7-pin tumbler for extreme pick resistance.

ITEM #	SIZE
MA8118	3-11/16" Wide Body



Rekeyable wafer cylinder for maximum pick resistance. Can be keyed-alike to any standard M1 key cut. Rust resistant lock and vinvl coated cable for superior weather and scratch resistance.

ITEM #	DESCRIPTION
MA8413	Adjustable Locking Cable



Cane Bolts

Economy Cane Bolts

- Plated round bar
- For wood or metal fences



ITEM#	SIZE	LGTH
HA12	1/2"	12"
HA18	1/2"	18"
HA24CB	5/8"	24"

(LOCINOX)

Self-Locking Drop Bolt

NO KEY OR PADLOCK REQUIRED!

- Double gate
- Locks between the leaves to prevent opening
- 4" adjustable height
- Aluminium pin
- Aluminium head block
- Throw: 5-1/2"

Fast and easy attachment with Locinox Quick-fix fasteners.

ITEM #	LENGTH
LKVSAOFBL	7-3/4"

Enclosed Automatic Cane Bolt Lock Pin

- Automatically locks gate when it closes
- For slide or swing gates

Made of heavy steel and brass and can be bolted or welded on.

Specifications

Height: Open: 7-1/8" Closed: 8-3/8" Open Depth: Closed Depth: Width:

Mounting Holes:

Pin:

1-3/16" 9/16" 3/8" x 1/2" 1/4"

2-1/8"

ITEM #	LENGTH
HAC7110	7-1/8"

Automatic Cane Bolt Lock Pin

- Automatically locks gate when it closes
- For slide or swing gates

Made of coated steel and brass. Studs included for easy installation.

Specifications

Op. Ht.: 12-1/4" Cl. Height:13-1/4" Op. Depth: 2-1/2" Cl. Depth: 1-1/4" Width: 9/16" Pin: 1/2" dia. Mntg. Studs: 1"

ITEM #	LENGTH
HAC7100	13-1/4"

Extra Heavy Duty Cane Bolt

- Universal mounting left or right
- Overall length 20"
- 3/4" diameter bolt
- Heavy duty welded construction

ITEM #	LENGTH
HAGH12320	20"

Mechanical Locking Cane Bolt

- 1/2" diameter
- Mill Finish
- Overall length22"
- Can be used with standard padlock



ITEM #	LENGTH
HA19CB	22"

LokkBolt Lockable Cane Bolt

- Ideal for double-drive gates
- Key-lockable and re-keyable

Quick and simple to install on all gate and fence materials. Clever bolt retention grooves mean this cane-bolt will never drop, drag, bend or grind across driveways!

An optional Base Plate offers added strength to the securing ground hole.

LENGTH

HALB124BXKS 24" HALBBPBG Base Plate



- Made
 from high
 grade
 stainless
 steel,
 polished
 then
 powder-coated
- Padlockable
- Limited lifetime warranty

Features include: lock storage, bolt retention to prevent the rod from dropping. The Q-Bolt comes in 24" and 40" lengths with mounting brackets. Include alignment legs for ease of installation and added strength. Padlock not included.

ITEM #	LENGTH
HAQB124	24"
HAQB140	40"



Slide Bolts & Latches





Extra-Heavy Safety Hasp

Our most substantial safety hasp. Furnished with fixed plate staple, plus a square hole which allows installation with a carriage bolt, if desired. All steel construction.

Dimensions: 7-1/4" Straight bar

ITEM #	DESCRIPTION
HA26	Extra-Heavy Safety Hasp



ITEM #	DESCRIPTION
HA1	Heavy Duty Slide Bolt



Weldable Light Duty Slide Bolt

• 7" x 2-7/8" overall size • 3/8" Bolt

ITEM #	DESCRIPTION
HA6	Light Duty Slide Bolt



Safety Chest Hasp


For chests, sliding doors, and other "around-the-corner" installations. Furnished with fixed plate staple. All steel construction.



Size, Length of Slotted Part: 4-1/2"
Length of Hinge: 2-1/2"
Length of Pad: 2"

• Width of Joint: 1-1/2"

ITEM #DESCRIPTIONHA25Safety Chest Hasp



Slidebolt

- For use with padlock
- 8-5/8" Total length
- 7/16" heavy duty bolt with keeper
- Rust resistant finish

ITEM #		DESCRIPTION
HAC760		Padlockable Slidebolt
•	2.38	93
1 0		
1.62	CORNE	1.13 1.62 1.13
	3.03	64

Heavy Duty Barrel Bolt Latch

Thickness: .071Bolt diameter: .394

ITEM #	DESCRIPTION
HA704	Heavy Duty Barrel Bolt Latch



ITEM # DESCRIPTION
HA57 Fancy Gate Latch




ITEM #	DESCRIPTION
HA4	No Holes - Weldable
HA4WH	With Screw Mounting Holes



Decorative Gate Latch

Width: 5-3/8"
Height: 3-3/8" H
Weight: .23 lb.
Screws not included

ITEM # DESCRIPTION
SF170B5 Decorative Gate Latch



• All steel construction

Easy to install for single-acting gates closing flush with a square post up to $6" \times 6"$ (nominal). Strike bar installs on "pull" side of gate. "Self-locating" latch case installs on post with slot in latch lever up or down. Parts are reversible for right-hand or left-hand gates. Latch operates from either side of gate and may be padlocked. Requires minimum 5/8" gap between gate and post.

ITEM #	DESCRIPTION
HA15	Post Latch



Gate Hinges & Latches

LOKK-LATCH /PRO-

security of a 'selflocking' function - when the latch closes it will lock automatically. Sturdy KwikŚet 6-pin security lock can be re-keyed. Designed to fit



ITEM #	COLOR	DESCRIPTION
HAMLLP1S	Black	For Metal or Wood
HAMLLP2S	Black	For Vinyl

LOKK•LATCH" **Delu**

LokkLatch DELUXE

A more compact version of the PRO-SL. Tough, 100% rust-free construction is suitable for installation on metal, wood and vinyl gates. 6-pin security lock can also be re-keyed to most household doors or keyed-alike. With the included External

Access Kit, it can be easily locked and operated from both sides of a gate. Fits posts up to 6" deep.

ITEM #	COLOR	DESCRIPTION
HAMI I DAB	Black	For Metal/Wood/Vinvl

LokkLatch Series 2

Reshaped latch body and striker housing offers a higher degree of versatility. Up to 1/2" of vertical adjustment available any time during or after installation to ensure reliable operation. With adaptor plates



square post gate and fencing materials, as well as left or right hinged gates. An optional external access kit allows the main latch to be operated from outside the fence.

ITEM #	COLOR	DESCRIPTION
НА9М3	Black	LokkLatch Only
HA9M4	Black	Latch w/Access Kit





LokkLatch® Gravity Latches

- Adjusts vertically and horizon-
- 316 stainless steel components

Made from super-strong polymers and stainless steel components that won't rust and cause unsightly staining your fence/gate material. All LokkLatch models come with key-lockable convenience. Backed by a lifetime warranty.

Tru-**Close®** Round **Post** Hinges

 Ideal for chain link fences

Gate frames diameters of 1-3/8" to 2" and fence posts diameters of 1-7/8" to 2", 2-3/8" & 2-7/8".

Self-closing hinge for round post

gates with hinge gaps of up to 2". Fits to mid-weight metal and chain link gates. Tough, molded construction with stainless steel torsion spring. All fasteners included.

Reagular Duty: Maximum load: 375 lbs. Gate weight: 55 lbs.


Dimensions: HITCAMA2RND: 4" x 3-3/4".

Heavy Duty: Maximum load: 700 lbs. Gate Weight: 132 lbs.

Dimensions: HITCHDRND1: 4-1/8" x 5" and HITCHDRND2: 4-3/4" x 5".

GATE FRAME ITEM # **DUTY** HITCAMA2RND Regular 1-3/8" to 1-5/8' HITCHDRND1 Heavy 1-3/8" to 1-5/8" HITCHDRND2 Heavy 1-7/8" to 2"

Hinges Sold in Pairs!



Tru-Close® Heavy **Duty Adjustable, Self-**Closing Gate Hinges

Quality gate hinges made to last

Hinges are injection-molded from superstrong, UV-stabilized glass-fiber reinforced

materials for many years of reliable and rust-free performance. The unique, springloaded adjustor allows quick, incremental tension adjustment using only a screwdriver. Fasteners not included.

- Molded, reinforced polymer construction - will not rust, sag or stain
- Unique, patented tension adjustment
- Internal stainless steel spring closer
- Weather-resistant, and self-lubricating
- Regular and heavy duty hinge ranges
- Alignment legs (for extra fitting strength) • Tested to 75,000 cycles (Reg.), 200,000 (HD)

Heavy Duty TCHD1A-MK2

The ideal self-closing hinge for heavier or high-traffic metal gates especially

those with narrow frames around




commercial areas, homes and childcare centers. Available quick-fit alignment legs for added fitting strength. No fasteners included. Maximum load: 700 lbs, 1000 lbs. with legs. Gate weight: 132 lbs.

ITEM #	COLOR	LEGS	DIMENSIONS
HIT1	Black	None	3-1/2" x 5"
HIT2	Black	Two	3-1/2" x 5"

Hinges Sold in Pairs!



Magnetic Gate Latches & Locks



Magna-Latch® **Safety Gate** Latches

- The world's #1 child safety latch
- Magnetic latching, key lockable, veritcal/horizontal adjustment

Designed specifically for securing gates around swimming pools, home yards and child care centers, they use patented magnetic technology and super-strong 'Permanent Magnets' to eliminate the possibility of mechanical jamming. Made from hi-tech polymers and stainless steel componentry, offering reliability, safety and child resistance, and are suitable for mounting on gates of almost any material. Designed to last, guaranteed rust-free with a Lifetime Warranty.

Side Pull Magnetic Safety **Gate Latch**

 New improved design!

An inexpensive, general-purpose, magnetic gate latch that offers simple,



gates. With a new sleek design, it offers horizontal and vertical adjustment of up to 5/16" for quick installation and extends the life of a gate by allowing accommodation of gate sagging and movement. Also available as a Glass Gate Hardware Kit, specifically designed to fit glass pool gates and 2" round posts.

ITEM #	COLOR	DESCRIPTION
HAMLSP	Black	2-3/8" Side Pull

Vertical Pull Magnetic Safety Gate Latch

 Safety and security for children and pets

Same as the Top Pull in a smaller, more compact body. It is suitable for mounting on taller pool gates where it will still be out of reach of children, as well as on garden or household gates to provide a safety barrier for pets. Like the Top Pull Model, the Pet Latch offers easy adjustment, is key-lockable for added security and won't disengage from shaking or pulling.

ITEM #	COLOR	DESCRIPTION
HA9M2	Black	10-1/4" Vertical Pull
HAMLVPW	White	10-1/4" Vertical Pull

LokkLatch Magnetic

LokkLatch Magnetic is an "industry first" unique push/pull action magnetic latching

- Patented magnetic self-latching
 - No mechanical jamming during closure
- Ergonomic handle
 - Provides for unique push/pull action
- Dual, 6-pin re-keyable locks
 - Eliminates the need to carry extra keys
- Vertically & horizontally adjustable
 - Overcomes ground movement and gate sag
- No visible fasteners
 - Provides a modern, stylish look
- Fits 1-1/2" 6" posts
 - Fits any metal, wood or vinyl square gate post



It's a lock. It's a latch. It's all you need.

ITEM#	DESCRIPTION
HALLMBT	LokkLatch Magnetic


Top Pull Magnetic Safety Gate Latch

 The Ultimate Pool Safety Gate Latch

Designed especially for swimming pool gates but can be installed on any gate where child safety is important. It is designed to extend above the height of the fence to keep the release knob out of reach of children, and is also keylockable for added safety. Tested to over 400,000 cycles, and independently verified to meet stringent international safety codes. 'Lost Motion Technology' stops the latch from disengaging due to shaking or moving the gate. Installation is simple, with vertical and horizontal adjustment of up to 1-7/16" allowing for quick and easy alignment on the gate as well as fine-tuning at any time to accommodate for gate sagging or movement over time.



ITEM #	COLOR	DESCRIPTION
HA9M1	Black	20-1/2" Top Pull
HAMLTPW	White	20-1/2" Top Pull
HAMLKEY		Spare Key



Round Post Adaptor Kit

 For mounting Top Pull and Vertical Pull Magna-Latches to gates and fences with round posts

Kit includes adaptor brackets and shiims to fit most common chain link and railing post diameters. For gaps up to 2".

ITEM #	COLOR	DESCRIPTION
HAMLRPAK	Black	Round Post Adaptor Kit





Self-Closing Gate Hinges

ADJUSTABLE, SELF-CLOSING GATE HINGES

REINFORCING **RIBS**


Molded ribs provide superior torsional and lateral leaf strength.

STYLISH "FLAT" **FINISH**

Textured black or white finish gives a stylish, modern look.

STRENGTH AND STYLE

Subtle design features such as radiused corners provides strength and style.



PATENTED ADJUSTOR

Depress for tension. Rises back into sleeve to retain tension.

INTERNAL STAINLESS STEEL SPRING

Provides even closing tension for gates.

MOLDED HINGE BODY

Strong & rust-free. UV-stabilized polymers with glass-fiber reinforcement.

Tru-Close[®] Adjustable, Self-Closing Gate Hinges

Quality gate hinges made to last

Hinges are injection-molded from super-strong, UV-stabilized glass-fiber reinforced materials for many years of reliable and rust-free performance. Gates of different sizes and weights incur different loads, so the ability to adjust tension quickly is critical, especially in child safety areas. The unique, spring-loaded adjustor allows quick, incremental tension adjustment using only a screwdriver. Features a variety of sizes and designs. Fasteners not included.

- · Molded, reinforced polymer construction will not rust, sag or stain
- Unique, patented tension adjustment
- Internal stainless steel spring closer
- Weather-resistant, and self-lubricating
- Regular and heavy duty hinge ranges
- Alignment legs (for extra fitting strength) • Tested to 75,000 cycles (Reg.), 200,000 (HD)

Regular Duty TCA1-MK2

ty gates around pools, homes and gardens. Available with quick-fit alignment

legs for



addded fitting strength. Maximum load: 450 lbs, 550 lbs. with legs. Gate weight: 55 lbs.

ITEM #	COLOR	LEGS	DIMENSIONS
HITCA1	Black	None	2-1/2" x 3-13/16"
HITCA1L2	Black	Two	2-1/2" x 3-13/16"

Hinges Sold in Pairs!

Phone: 800-833-9175

Regular Duty TCA2-MK2

For midweight metal and/or wood gates around homes and gardens.



alignment legs for added fitting strength. Maximum load: 450 lbs, 550 lbs. with legs. Gate weight: 55 lbs.

ITEM #	COLOR	LEGS	DIMENSIONS
HITCA2	Black	None	3-7/8" x 3-3/4"
HITCA2L2	Black	Two	3-7/8" x 3-3/4"

Hinges Sold in Pairs!

Polymer Gate Handle

- Designed to fit all types of gates and gate materials
- For left and right opening gates
- Color is black

It features strong polymer construction, modern ergonomic design and is guaranteed against rusting and staining. Height is 5". Handle base is 1-3/4" wide, side is 1-1/2" wide.




ITEM #

HIGHMLLH Polymer Gate Handle



PATENTED TENSION ADJUSTMENT!


- Remove endcap
 - Depress and turn internal adjustor as required
 - No adjustor pins required!





Gate Rolling Guides

Premium Heavy Duty Cantilever Gate Rollers



- Includes heavy duty ABS cover to protect rollers and bearings in all weather conditions
- Includes strong magnets to help position the roller when mounting
- New, improved heavy design
- Extreme weather resistance
- Includes heavy duty covers
- Quick mount magnetic base

Galvanized metal components for long lasting performance. Machined 7" diameter nylon roller provides smooth operation. Also feature 1-1/8" axles and heavy duty bearings. Heavy duty ABS covers can be mounted on top or bottom.



Square Nylon Gate Roller

• For 2" square gate frame and 4" square post

ITEM ID	GATE FRAME	POST SIZE
HA51	2" Square	4" Square



Round Nylon Gate Roller

• For 2-3/8" round gate frame and 4" round post

ITEM ID	GATE FRAME	POST SIZE
HA52	2-3/8" Round	4" Round



Cast Iron Industrial Mini Cantilever Roller

- For 1-5/8" O.D. gate frame
- 2-1/2" O.D. post
- Includes U-bolts for round post

ITEM #	GATE FRAME	FOR POST SIZE
HA31	1-5/8" OD Round	2-1/2" Round





Industrial Ductile Iron Cantilever Gate Roller

- For 3" round O.D. & 4" round O.D
- 6" wheel and bracket

ITEM #	GATE FRAME	FOR POST SIZE
HA32	2-3/8" OD	3" Round O.D.
HA33	2-3/8" OD	4" Round O.D.

General Duty Steel Gate Roller

- 5" wheel
- For 1-5/8" O.D. pipe

ITEM #	FOR POST SIZE
HA20	1-5/8" OD Pipe



Nylon Cantilever Gate Rollers for Round Tube Gate Frame

- Fits 2-3/8" O.D. gate frame
- 6" diameter wheel
- Includes u-bolts for round post

ITEM #	GATE FRAME	FOR POST SIZE
HA55R	2-3/8" OD	3" Round
HA59	2-3/8" OD	4" Round



All metal construction Gate roller not included.

ITEM #	FOR POST SIZE
HA56C	4" Round
4	

Square U-Bolt Set

- **Used to mount rollers on square** or round posts
- **Includes two square U-bolts,** washers and nuts

For Cantilever Gate Rollers.

ITEM #	FOR POST SIZE
HA54SQ	4" Square
HA54RD	4" Round

Premium V-Groove Track & Wheels




Premium 5-1/2" Steel **V-Groove Wheels**

- Double sealed bearings
- 1-3/4" width
- 5/8" bolt and nut included
- Plated finish

Recommended or use with Steel V-Groove Track HAC293


DESCRIPTION

HAC305V140 5-1/2" Steel V-Groove Wheel




Galvanized Steel V-Groove Track

- 2" width low profile
- 236" long
- Galvanized finish
- Can be used with 4" and wheels on this page



ITEM #	DESCRIPTION
HAC293	Steel V-Groove Track

Have Questions? Give Us a Call



Premium 4" Steel V-Groove Wheels

- Double sealed bearings
- 1-3/8" width
- 9/16" bolt and nut included
- · Plated finish

Recommended or use with Steel V-Groove Track HAC293

ITEM #	DESCRIPTION
HAC305V100	4" Steel V-Groove Wheel


Box For Premium 4" Steel V-Groove

Wheels

Weldable








4" Steel V-Groove Wheels

- With mounting bracket
- · Heavy duty double sealed bearings
- Mounts on 1" or wider tube frame
- · Plated finish

Recommended or use with Steel V-Groove Track HAC293

ITEM #	DESCRIPTION
HAC326V100	4" Steel V-Groove Wheel




Light Duty 2" Steel V-Groove Wheels

- 3/8" bolt and nut included
- · Plated finish

Recommended or use with Steel V-Groove Track HAC293

ITEM #	DESCRIPTION
HAC300D50	2" Steel V-Groove Wheel





4" Steel V-Groove Wheels

- With mounting plates
- Double sealed bearing construction
- Weldable plates allow for easy insertion into 2" wide tube frame
- 1" wide wheel
- 2" total frame width

Recommended or use with Steel V-Groove Track HAC293

ITEM #	DESCRIPTION
HAC333D100	4" Steel V-Groove Wheel



Casters, Wheels & Track



Boxes For "V" Groove Wheels


- All steel construction for easy welding
- 4" box: 2-1/4" wide x 5-1/4" long x 3" Tall
- 6" box: 2-3/4" wide x 7" long x 4-1/8" Tall
- Note: 6" box will only fit 6" cast iron wheel

ITEM #	DESCRIPTION
HA21B	4" Wheel Box
HA22B	6" Wheel Box

If You Need a Product that is not Listed Please Contact Us.

800-833-9175

We Appreciate Your Business



Cast Iron "V" Groove Wheels

- Cast iron body
- Grease fitting for easy lubrication
- Roller bearings for easy operation
- Rolls smoothly on ordinary angle iron
- Complete with 1/2" dia. mounting bolt and

ITEM #	DESCRIPTION
HA21	4" dia. Cast Iron V-Groove Wheel
HA22	6" dia. Cast Iron V-Groove Wheel





Steel "V" Groove Wheels

- All steel construction
- 4" dia. x 1-3/4" wide
- 6" dia. x 1-3/4" wide
- Sealed bearings (no grease fittings)
- 4" wheels have 3000 lbs. capacity
- 6" wheels have 5000 lbs. capacity
- 4" model includes 1/2" bolt and nut
- 6" model includes 5/8" bolt and nut
- Gold/zinc plating
- Maintenance free

ITEM #	DESCRIPTION
HA40	4" dia. Steel V-Groove Wheel
HA41	6" dia. Steel V-Groove Wheel

Slide Gate "V" Groove Track

- Fits V-groove wheels on this page
- 7/8" H x 4" W
- 14 ga. galvanized steel
- 20 ft. length



ITEM #	DESCRIPTION
HA21TR4	V-Groove Track





Multi-Purpose Casters

- Driveway Gates Moving Dollie Tool Carts
- Equipment Racks Portable Conveyors

			•	
ITEM #	WHEEL DIA.	LOAD CAP.	WHEEL MTL.	TOP PLATE
HA2SM	2"	125 lbs.	Metal	Swivel
HA3SM	3″	250 lbs.	Metal	Swivel
HA4SM	4"	350 lbs.	Metal	Swivel
HA212SF	R 2 1/2"	175 lbs.	Rubber	Swivel
HA3SR	3"	210 lbs.	Rubber	Swivel
HA4SR	4"	300 lbs.	Rubber	Swivel
HA6SR	6"	560 lbs.	Rubber	Swivel
HA2RM	2″	125 lbs.	Metal	Rigid
HA3RM	3"	250 lbs.	Metal	Rigid
HA4RM	4"	350 lbs.	Metal	Rigid
HA212RF	R 2 1/2"	175 lbs.	Rubber	Rigid
HA3RR	3"	210 lbs.	Rubber	Rigid
HA4RR	4"	300 lbs.	Rubber	Rigid
HA6RR	6"	560 lbs.	Rubber	Rigid

Fully-Pneumatic Wheel Casters

• Available in swivel or rigid style
Maximum protection of floors with good
shock absorption.

Wheel size: 8" x 2-1/2" Plate size: 4-1/2" x 4" x-1/4"





Gate Hardware



Roller Guides

- Smooth rubber cylinder
- Sturdy metal bracket

For smooth operation of sliding gates and doors. Rollers are permanently mounted in


ITEM #	ROLLER LENGTH
HA34	3"
HA35	6"
HA36	12"



Nylon Roller Guide

Small - 1" diameter 2-3/4" Length Medium - 1-1/2" diameter 3" Length

ITEM #	SIZE
HAC243D25	Small
HAC243D40	Medium



Weldable Gate and Door Stop

4-1/2" Tall 3-1/2" Wide

ITEM # HAC200G

Gate-Stop Gate Alignment Device

Black

Molded from highstrength polymer materials, it is guaranteed against rust, distortion and staining. An integrated rubber buffer protects against 'gate slam' and reduces noise.

ITEM #	APPLICATION
HITCGS1	Vinyl Gates
HITCGS2	Wood/Vinyl Gates
HITCGS3	Metal Gates



- Rubberized UV Protected Hard **Plastic**
- Rollers are removable and replaceable

Zinc plated bracket can be bolted or welded on. Sealed bearings for smooth rolling. For sliding gates and doors.

ITEM #	COLOR	ROLLER LENGTH
HA35XBLK	Black	6"
HA35XWHT	White	6"



Multi-Purpose Solid Rubber Tire

- 8" diameter
- 1-3/4" wide
- 5/8" Bore Axle not included.

ITEM # HA37RT

Gate **Spring** Roller

- Height: 16-3/4"
- Heavy Duty Spring
- Mill finish
- 3" Swivel Caster with bearing



ITEM # **HA16**



 Adjustable for gate frames up to 3-3/4" wide

Heavy duty plated bracket can be bolted or welded to gate post to allow smooth straight running of slide gates. White nylon rollers stand up to the harshest conditions. Both rollers are positionable for precise adjustment.

Specifications

Bracket Dimensions: 1-3/4" x 7-1/8" x 3-1/2" Bracket Thickness: Rollers Dimensions: 1-3/16" dia x 1-1/2" **Bolt Holes:** 3/8" x 9/16" oblong

ITEM #

HAC2120



• 6" Solid rubber tires

ITEM #	WHEEL SIZE
HA19	6"

Heavy Duty Spring Gate Casters

• 6" wheel

For use on gates and sliding or rotating doors to provide shock absorbion over uneven surfaces. The compression spring helps support the weight of the gate/

Wheel is 6" solid polyurethane elastomer which is not affected by grease, oils and most chemicals and is highly abrasion resistant.

The 4" x 11" heavy duty mounting bracket is constructed from 5/16" steel with 7/16" mounting holes.




ITEM #



Premium Sliding Door Hardware

Premium Quality Sliding Door Track & Roller System



Premium Galvanized Track

- 236" length
- Dimensions: 1-3/4" wide by 2-1/8" high
- Weight is 42 lbs.

ITEM #

HAC24

Two Wheel Trolley

• Forged body
Steel wheels with
heavy duty bearings.
Sold individually.

ITEM #

HAC2C



Two Wheel Trolley with Wing Hinge

• Forged body
Steel wheels with
heavy duty bearings.
Sold individually.

ITEM # HAC14C



Two Wheel Turning Trolley

Forged body
 Steel wheels with heavy duty bearings.
 Sold individually.

ITEM # HAC8C



 With brass roller

ITEM # HAC36



This Premium Quality Sliding Door Track & Roller System works with items in this shaded section of this page only.

Four Wheel Trolley

Forged body

Steel wheels with heavy duty bearings. Sold individually.

ITEM # HAC4C





Four Wheel Trolly with Wing Hinge

Forged body

Steel wheels with heavy duty bearings.

Sold individually.

ITEM #

HA20C

Premium Overhead Trolleys

• These premium overhead trolleys work with standard sized I-beams.



3" Overhead Trolley

With 2-1/2" drop
 Fits 3" or 4" I-beams

Comes complete with standard H attachment and bolts. Features; Forged carbon steel brackets, standard triple labyrinth seal construction, rugged 2-bolt at-

tachment connection, pressure type grease fittings and the trolley wheels are riveted to the bracket.

SPECIFICATIONS

Trolley Center Spacing: 6" min./ 36" max. Single Trolley Load Capacity: 200 lbs.

_	,	•	•
ITEM#			DESCRIPTION
HATA3			3" Overhead Trolley



4" Overhead Trolley

- With 3-3/16" drop
- Fits 5" or 6" I-
- beams

Comes complete with standard H attachment and bolts. Features; Forged carbon steel brackets, standard triple labyrinth seal construction, rugged 2-bolt attachment connection,

pressure type grease fittings and the trolley wheels are riveted to the bracket.

SPECIFICATIONS

Trolley Center Spacing: 8" min./ 32" max. Single Trolley Load Capacity: 400 lbs.

ITEM#	DESCRIPTION
HATA5	4" Overhead Trolley





Gate & Sliding Door Hardware

Face Mount Sliding Door Track Bracket

Made from galvanized steel

ITEM #

HA301B



Double Track Bracket

Especially intended for metal buildings, this bracket can be welded, bolted, or screwed in place. For HA 301 track.

ITEM #

HA301B22

Adjustable Face Mount Track

Adjustable facemount bracket has two mounting holes for 3/8" lag screws or bolts. Especially appropriate for metal buildings. For HA 301 track.

ITEM #

HA301B12



Stay Roller


Extra-heavy duty stay roller takes abuse! Fabricated from 3/16" zinc plated steel, adjusts from 1" to 3 3/4" for wide range of door

wide range of door widths. Non-marking plastic wheel mounted on sturdy 1/2" bolt. Offset slots allow full contact with door.

ITEM #

HA301B40

Sliding Door Track & Roller System



Standard Duty Sliding Door Track

- Galvanized steel trolley track
- Max. capacity 400 lbs.
- Stocked in 12' and 24' lengths

ITEM #	LENGTH
HA30112	12 feet
HA301	24 feet



Trolley Wheels

Steel bearings

Used in conjunction with sliding door rack above. Steel bearings for smooth operation and long life. Sold in set of two hangers.

ITEM #

HA303W

Adjustable Door Guide/ Stop


Ideal for corrugated metal-



clad doors, this adjustable guide may be expanded in width for doors from 2-1/2" to 6" thick. Curved surface gives natural leadin. This door guide also mounts sideways for use as a stop. Easy to install, available in powder coated white finish.

ITEM #

HA301B50



Trolley Wheels

- Now available in a NEW Heavy Duty Model
- Used in conjunction with sliding door track above

For metal frame doors, iron gates and conveyor lines.

Sold in sets of two hangers.

ITEM #	DUTY RATING
HA302	Standard Duty
HA306H	Heavy Duty

This Sliding Door Track & Roller System works with items on this page only.




Cantilever Gate System

Heavy and Medium Duty Rolling Cantilever Gate System

No More Digging!

No More Ground Track!




End Wheel

- With full sealed bearing construction
- Acts as a stopper and support for large openings

ITEM #	DUTY	CAPACITY
HAC347P	Heavy	2,200 lbs.
HAC347PM	Medium	1,200 lbs.

How it works:

The carriages, 2 of same size, are spaced apart and anchored. As opening and weight increase, so does the space between the carriages. The gate is attached to a track, which is guided by both the carriages and supporting roller guides.



Galvanized Guide Track

- 236" foot length
- Runs entire bottom of gate roller

Heavy Duty Components

- 3-1/2" High x 4" Wide
- Track base: 2-5/8"
- Track Opening: 1-5/16"
- Material Thickness: 3/16"


ITEM #	DUIY	CAPACITY
HAC345P	Heavy	2,200 lbs

Medium Duty Components

- 2-11/16" H x 2-11/16" W
- Track Base: 1-7/8"
- Track Opening: 15/16"
- Material Thickness: 1/8"

ITEM #	DUTY	CAPACITY
HAC345M	Medium	1,200 lbs.





Gate Rollers

- With full sealed bearing construction
- Supports gate and operation

Heavy Duty Components

• 6-1/2" H x 5-7/8" W x 9-3/8" L

ITEM #	DUTY	CAPACITY
HAC350P	Heavy	2,200 lbs.

Medium Duty Components

• 5-1/8"H x 4-5/16"W x 6-11/16"L

ITEM #	DUTY	CAPACITY
HAC350M	Medium	1,200 lbs.

Gate Roller Post Mounting Bracket

- For 4" posts
- For medium duty gate rollers only
- Made from 5/16" steel plate, zinc-plated

Attaches cantilever gate rollers to 4" post. Includes roller bracket, post bracket, bolts, lock washers and nuts.


ITEM #	DESCRIPTION
HAC304M102Q	Roller Bracket



End Cap

- With full sealed bearing construction
- Acts as a stopper and support

ITEM #	DUTY	CAPACITY
HAC346P	Heavy	2,200 lbs.
HAC346M	Medium	1,200 lbs.







Gate Hinges

Decorative Barrel Hinges

- Weldable
- Brass bushing

Decorative cast iron hinge is ready to be welded to your iron gate.

Sold individually **Specifications**

Small

Height: 4-3/8" Width: 3/4"

Pin: 7/16" dia. x 1"

Large:

Height: 6-1/4" Width: 1-3/8"

Pin: 5/8" dia. x 1-1/2"

ITEM #	SIZE
HIC5901	Small
HIC5903	Large



Steel Barrel Hinges

- Machined from round bar
- Designed for gates and doors
- Weldable
- Sold in pairs

ROUND BARCAPACITY			
BHXS	2"	5/8"	75 lbs.
BHS	3"	3/4"	100 lbs.



Adjustable Gate Hanger Bolt

- With two nuts
- Galvanized finish
- 1/2" bolt can be used with female bat wing hinge above

Sold individually

ITEM #	PIN DIA.	PIN HT.	LENGTH
HA2	1/2"	1-1/2"	4-1/2"
HA258	5/8"	1-9/16"	4-1/2"
HA234	3/4"	1-3/4"	6"




TIEM #	DESC.	
HIC4012	Pin	
HIC4042	Base	
		etive Small errel Hinge • 1/2" dia. • 3-7/8" H • 5/16" Pin • Wt25 lb.

Sold individually

Decorative Barrel Hinge

DESCRIPTION



Economy Bolt-On Bat Wing Gate Hinges

- 1/2" diameter pin for strength
- Black powder-coated finish

ITEM #

SF170B4

- Sold individually
- Female can be used with Gate Hanger Bolt (HA2) to the left or the bat wing clips above

ITEM #	DESCRIPTION
HA5WTM	Male Bolt-On Bat Wing Hinge
HA5WTF	Female Bolt-On Bat Wing Hinge



Heavy Duty Steel Hinges

- For uphill swing up to 15°
- Also for extra heavy gates weighing up to 1 ton

Features include: 3" \times 10" \times 1/2" thick weldable plates, bronze bearings and a 3/4" diameter steel hinge bolt. Black painted finish. Sold as pair.

ITEM #	OVERALL SIZE	DESCRIPTION
HI775	11-1/2" x 8"	Uphill Gate Hinges



Tear Drop Weldable Hinge

• Forged pin and brass bushing Sold individually. Available in three sizes:



- 1/2", 5/8", 3/4" barrel diameter

ITEM #	LENGTH	BARREL DIA.
HIC4904	1-1/2"	1/2"
HIC4908	3"	5/8"
HIC4914	5-1/2"	3/4"




Bat Wing Clips

 Weldable non-adjustable hinges Quick and easy weld on hinges are easy to attach to gates and posts. Sold individually.

ITEM #	PIN/HOLE	DESCRIPTION
HA5M	1/2"	Male Bat Wing Clip
HA5	1/2"	Female Bat Wing Clip



Weldable Gate Hinges




Blacksmith **Brand** Medium 5" Gate Hinges

- Made in the USA
- Up to 300 lb. gate capacity per set

Each part machined from one piece of cold finish steel. Grease fitting for easy lubrication. Ball bearing for smooth operation. Easy weld-on installation.

Priced and sold in sets of two hinges.

BHM



ITEM # DESCRIPTION

Medium 5" Weldable Gate Hinge

Blacksmith Brand Extra Large **Gate Hinges**

- Made in the USA
- Up to 2500 lb. gate capacity per set

Each part machined from one piece of cold finish steel. Grease fitting for easy lubrication. Ball bearing for smooth operation. Easy weld-on installation.

Priced and sold in sets of two hinges.

ITEM #







BHXL Extra Large Weldable Gate Hinges

For More Than 20 Years **Blacksmith Brand™ Weldable** Gate Hinges Set the Standard!


All are built to last with high-guality machined steel construction. Easy to lubricate with built-in grease fittings. Just weld one piece to the post and the other to the gate and you're done.



Blacksmith ື Large **Brand** 7" Gate Hinges


- Made in the USA
- Up to 1000 lb. gate capacity per set

Each part machined from one piece of cold finish steel. Grease fitting for easy lubrication. Ball bearing for smooth operation. Easy weld-on installation. Priced and sold in sets of two hinges.



ITEM # DESCRIPTION

Large 7" Weldable Gate Hinge BHL



Heavy Duty Roller Bearing Hinge

- Sealed roller bearings are maintenance free, no lubrication required
- 2000 lb. capacity per pair

For high-traffic and heavy-duty gates where strength and durability are needed. Manufactured in the US with the highest quality construction and materials.

SOLD IN PAIRS


SPECIFICATIONS

4-1/4" high x 2" wide 2-1/4" barrel diameter 4-1/4" gate clearance 10-1/2 lbs. per pair

ITEM

Heavy Duty Roller Bearing Hinges


DESCRIPTION



Blacksmith Brand[™] **Medium Adjustable** Hinge

- Made in the USA
- Up to 500 lb. gate capacity per set


Block is machined from cold finished steel bar. Grease fitting for easy lubrication. Ball bearing for smooth operation. 5/8" J-Rod provides 4" of gate adjustability. Priced and sold in sets of two hinges.



ITEM #

DESCRIPTION

BHMADJ Medium Adjustable Gate Hinge



Blacksmith Brand™ Large Adjustable Hinge Made in the USA • Up to 900 lb. gate capacity per set

7" of Gate Adjustability

Block is machined from cold finished steel bar. Grease fitting for easy lubrication. Ball bearing for smooth operation. 7/8" diameter alloy threaded rod

provides up to 7 of gate adjustability. Priced and sold in sets of two hinges.



ITEM # DESCRIPTION **BHLADJ** Large Adjustable Gate Hinge



Hinges

Narrow Width Weldable

Hinge

- Plain Steel
- · Narrow width
- Blank (no holes)
- Tight pin
- .098 gauge
- Economy priced
- For 1" square tubing

Sold by the pair


ITEM #	SIZE
HI100	2-1/4" x 3-1/2"

Standard Duty Weldable

Hinge

- Tight pin
- Swaged

Blank (no holes)



ITEM #	SIZE
HI2S	2" x 2"
HI3S	3" x 3"
HI312S	3-1/2" x 3-1/2"
HI4S	4" x 4"

Extra Heavy Weldable

Hinge

- Tight pin
- Swaged
- Blank (no holes)

Sold by

the pair	A STATE OF THE STA		
ITEM #	SIZE		
HI3H	3" x 3"		
HI4H	4" x 4"		
HI5H	5" x 5"		
нтен	6" × 6"		

Hagger Spring Hinge For Automatic Closing of Doors



(Single Acting) Complete with adjustment pins Size 3-1/2" x 3-1/2" Sold by the pair

ITEM # HI1250

Standard Weight Hinge with Holes



Tiaht-Pin • Screws not included. Size 3-1/2" x 3-1/2" Sold by the pair

ITEM # HI312WH

"H" Hinge

- Black hammered finish.
- · Fasteners not included.
- Neoprene washers for smooth operation.

Size 7" H x 2-1/2" W Sold by the pair

> ITEM # HIH



Continuous Hinges

- Piano Hinges
- Plain steel, stainless steel or aluminum
- No Holes
- Sold individually



ITEM #	SIZE	THICK	MATL.
HIC72 1-1	/2" x 72"	16 ga.	Steel
HIP27216	2" x 72"	16 ga.	Steel
HIPAL27216	2" x 72"	16 ga.	Alum.
HIPS27216	2" x 72"	16 ga.	Stainless
HIC372	3" x 72"	16 ga.	Steel
HIP372H	3" x 72"	11 ga.	Steel
HIP472H	4" x 72"	11 ga.	Steel

4" Double Acting Spring Hinges



SOLD IN PAIRS

ITEM #	DESCRIPTION
HIGH604DA	Double Acting Spring Hinges

- For doors weighing up to 50 lbs.
- For doors from 1" to 1-1/2"
- Primer gray finish is ready to paint

Pair of double acting spring hinges are great for high traffic doors that need to open in both directions and close automatically. Includes wood screws and tool to adjust speed and tension. Weighs 2.75 lbs. per pair.



Specialty Hinges

Adjustable Gate Hinge with Plate and Lock

4" X 4" Bolt on plate with 7/16"

Adjustable 3/4" hanger bolt

Sold individually



ITEM

HAC163

Adjustable Hinge with Weldable

Wing

2-1/2" weldable bracket 1/2" bolt.

Adjusts from 2" to 2-1/2" from end of bracket

3-7/8" high

Sold individually




ITEM

HAC90G

Large Hinge with Removable Pin

Sold individually





ITEM # HAC440

Fully Adjustable Hinge with Bearing

3-1/2" to 4" adjustment **Sold** individual!











Adjustable Hinge with Weldable Wing

2-1/2" weldable bracket 1/2" bolt.

Adjusts from 2" - 2-1/2" from end of bracket

4" X 4" bolt on plate with 7/16" holes **Sold individually**

ITEM

HAC946





Plug Hinge with Right and Left Wings

- Halves are removable
- Pin is fixed on one side
- Sold individually

4-3/8" Tall 2-5/8" Wide

2-5/8" Wide 11 ga. Thickness 3/8" Pin

ess HAND

HIC430100L Left HIC430100R Right

8-1/2" Tall 4-5/8" Wide 3/16" Thickness 1/2" Pin

HIC430200L Left HIC430200R Right



Base Plate Hinge with Thrust Bearings

Sold individually

1-1/2" High 2-5/8" Dia.

ITEM # HAC87G



Extra Large 180° Weldable Hinge - Fully Adjustable

2 sizes available Sold individually Standard Duty

1/2" threaded bolt with 1/4" thick weld plates

ITEM

HAC17812


Extra Heavy Duty

1" threaded bolt with 1/2" extra thick weld plates

ITEM

HAC17824





* Allows door to be opened 180°




Adjustable Hinge

- For Use in concrete or stone
- 1" diameter adjustable sleeve 3/4" bolt

ITEM

HAC140M18




Adjustable Hinge

- Weldable Bushing
- 1" diameter weldable bushing
- 3/4" diameter bolt

ITEM

HAC135M18



Fully Adjustable Specialty Hinge

• 3/4" threaded bolt • 6-3/4" total length

ITEM

HAC150M18




Fasteners

Fastener Color Options

- Screws on this page are available in these colors, please specify when ordering.
- Crimson Polar White
- Cocoa Colony Green Tan
- Slate Gray
- Beige Charcoal Gold
- Fern Green • Rustic Red • Emerald Green • Light Stone

• Blue

Galvalume Plus



Heavy Hex Structural Bolts

Zinc plated

ITEM #	GRADE	COLOR	SIZE
BFB12114Z	A307	Gray	1/2" x 1-1/4"
BFB58114XZ	A325	Yellow	5/8" x 1-1/4"
BFB58134XZ	A325	Yellow	5/8" x 1-3/4"
BFB582YZ	A325	Yellow	5/8" x 2"
BFB58214YZ	A325	Yellow	5/8" x 2-1/4"
BFB342YZ	A325	Yellow	3/4" x 2"
BFB34214YZ	A325	Yellow	3/4" x 2-1/4"





Heavy Hex Nuts

ITEM #	GRADE	SIZE
BFB12N	Zinc Plated Nut	1/2"
BFB58N	Yellow Zinc Plated Nut	5/8"
BFB34N	Yellow Zinc Plated Nut	3/4"



Magnetic Driver Bits


• For Tek Screws, Lap-Tek Screws and Woodgrip Screws

ITEM #	SIZE
PB11	1/4"
PB1016	5/16"
PB1414	3/8"

Tek Screws

Threaded fasteners with drill points. They drill, tap and fasten in one operation to structural steel, galvanized steel, aluminum and other metal for numerous, fastening-to-metal applica-

*Specify color when ordering.



ITEM #	SCREW	SIZE	SEALING WASHER	FINISH	HEAD SIZE	DRIVER BIT
RA101634	TEK	#10 x 3/4"	No	Plated	5/16"	PB1016
RA10161	TEK	#10 x 1"	No	Plated	5/16"	PB1016
RA1016112	TEK	#10 x 1-1/2'	' No	Plated	5/16"	PB1016
RA14141	TEK	1/4" x 1"	No	Plated	3/8"	PB1414
RA14141BLK	TEK	1/4" x 1"	No	Black	3/8"	PB1414
RA1414112	TEK	1/4" x 1-1/2'	' No	Plated	3/8"	PB1414
BFT1234P	TEK	#12 x 3/4"	Yes	Plated	5/16"	PB1016
BFT121	TEK	#12 x 1"	Yes I	Plated/Colors	* 5/16"	PB1016
BFT12114	TEK	#12 x 1-1/4'	Yes I	Plated/Colors	* 5/16"	PB1016

Lap-Tek Screws

Used to stitch two panels together at the overlap. *Specify color when ordering.



ITEM #	SCREW	SIZE	SEALING WASHER	FINISH	HEAD SIZE	DRIVER BIT
BFL1478	LAP TEK	#14 x 7/8"	yes Pl	ated/Colors ³	* 5/16"	PB1016

Woodgrip Screws

Used to attach a metal panel to wood framing. *Specify color when ordering.



ITEM #	SCREW	SIZE	SEALING WASHER	FINISH	HEAD SIZE	DRIVER BIT
BFW101	Woodgrip	#10 x 1"	yes P	lated/Colors*	1/4"	PB11
BFW10112	Woodgrip	#10 x 1-1/2'	' yes P	lated/Colors*	1/4"	PB11

HIGH SECURITY BOLTS



Tri-Groove Fasteners

- 3/8"-16 thread
- Angled nut resists pliers and saws

Rounded head carriage bolts and tamperresistant nuts are excellent for secure fastening. Special socket required for installation.

ITEM #	DESCRIPTION
TXFA3716BZ	1" Carriage Bolt
TXFATPNTG37	Tri-Groove Nut



Tri-Groove Socket

• For use with 3/8"-16 tri-groove nuts to the left

Use this socket with any 3/8" drive ratchet to install or remove tri-groove nuts.

ITEM #	DESCRIPTION
TXFATRITOOL	Tri-Groove Socket



Fasteners, Bits & Drivers

Hex Head Lag Screws

- Type A
- Hardened

ITEM #	SIZE
HL141	1/4" x 1"
HL14112	1/4" x 1-1/2"
HL142	1/4" x 2"
HL143	1/4" x 3"
HL5161	5/16" x 1"
HL5162	5/16" x 2"
HL5163	5/16" x 3"
HL5164	5/16" x 4"
HL382	3/8" x 2"
HL383	3/8" x 3"
HL384	3/8" x 4"







Power Drivers for Hex Lag Screws

ITEM #	DESCRIPTION
PB14H	Driver for 1/4" Screws



Lag-Shield

- Use in mortar joint or concrete
- Use with: Lag bolt
- Made of: Zinc alloy
- Size range: 1/4" short to 3/4" long
- Hole spotting required
- Rustproof
- Short style for hard masonry
- Long style for soft masonry

In mortar joints, install the anchor to expand against the brick or block. Drill hole, insert anchor until flush with surface. Position fixture, insert lag bolt and tighten.

ITEM #	SIZE
RA1051	1/4" Short
RA1055	1/4" Long
RA1101	5/16" Short
RA1105	5/16" Long
RA1151	3/8" Short
RA1155	3/8" Long

One-Way Lag Screws

- Threaded full length
- · Hardened, Type A
- · Black finish

screws ITEM #

PB14

PB516

ITEM #

PA93551

 Can be installed with screwdriver or Power Bit

ITEM #	SIZE
OW14112	1/4" x 1-1/2"
OW142	1/4" x 2"
OW14212	1/4" x 2-1/2"
OW143	1/4" x 3"
OW5162	5/16" x 2"
OW5163	5/16" x 3"

One Way Driver Bits

For fast installation of one-way



DESCRIPTION

DESCRIPTION

1/4" Magnetic Bit Holder


Small driver for 1/4" screws

Large driver for 5/16" screws

Torx Tamper-Resistant Screws

- Simple to install
- Can only be removed with installation tool
- Threaded full length
- · Black finish







Security Torx Driver Bit

Used with bit holder for installation of Torx tamper-resistant screws.



ITEM #	DESCRIPTION
PBT40	T40 Torx Bit



Hand Bit Driver

For Torx or other bits. Bits not included.

Magnetic Bit Holder

For Torx or other bits. Bits not included.

Projection Clips

- · For screens or storm window panel Will not rust,
- are corrosion resistant Screws
- not included



ITEM #	SCREW SIZ	ZE DESCRIPTION
HL5003	#10	Black 5/16" Wing Clip
HI 5002	#8	Black 3/8" Wing Clin



Phillips Pan Head Screws

Black finish


ITEM #	SIZE
HL903	#8 x 1-1/4"
HL905	#10 x 1"
HL908	#10 x 2"

ITEM #	DESCRIPTION
PB14HD	1/4" Hand Bit Driver

All-Thread Rod

- Length 36 inches

ITEM #
HLAT383
HLAT38N
HLAT38W
ITEM #
HLAT123
HLAT12N
HLAT12W
ITEM #
HLAT583
HLAT58N
HLAT58W








Concrete Fasteners

Wedge **Expansion Anchor**

- Designed for consistent performance in cracked and uncracked concrete
- Use in concrete, brick, stone
- No other fastener needed
- · Made of: Steel
- Size Range: 1/4" x 1-3/4" to 5/8" x 8-1/2"

A one-piece anchor bolt made of low carbon steel.

- No hole spotting
- UL listed
- · Patented interlocking wedges
- 17 diameters and lengths, other sizes on special order




Position fixture, drill hole. Drive anchor into hole until nut and washer are flush with fixture, and tighten.

ITEM #	SIZE
RA7400	1/4" x 1-3/4"
RA7402	1/4" x 2-1/4"
RA7404	1/4" x 3"
RA7410	3/8" x 2-1/4"
RA7412	3/8" x 2-3/4"
RA7414	3/8" x 3-1/2"
RA7416	3/8" x 5"
RA7420	1/2" x 2-3/4"
RA7422	1/2" x 3-3/4"
RA7423	1/2" x 4-1/2"
RA7424	1/2" x 5-1/2"
RA7426	1/2" x 7"
RA7430	5/8" x 3-1/2"
RA7432	5/8" x 4-1/2"
RA7434	5/8" x 6"
RA7436	5/8" x 7"
RA7438	5/8" x 8-1/2"
RA7444	3/4" x 6-1/4"

Sleeve Expansion Anchor

- Ideal for concrete, brick and block
- A single unit sleeve anchor made of carbon steel

Designed to draw the fixture in tight against the base material through the action of its compression ring. This helps to increase the resistance of the anchor to loosening when subjected to vibrating loads. The nylon compression ring will compress if necessary, so that the fixture is tightly secured against the base material. Under load, the tapered plow bolt is drawn further into the ex-



Position fixture, drill hole. Insert anchor, tap flush with fixture, and tighten.

pansion sleeve to develop increased locking action against the walls of the hole.

FEATURES AND BENEFITS

concrete stress


- Fits standard fixture holes No need to undersize anchors for proper fit
- Immediate Loading Minimizes downtime
- Sleeve has 360° contact area and reduces

ITEM #	SIZE
RA5005	5/16" x 1-1/2"
RA5010	5/16" x 2-1/2"
RA5015	3/8" x 1-7/8"
RA5020	3/8" x 3"
RA5025	1/2" x 2-1/4"
RA5030	1/2" x 3"
RA5034	1/2" x 4"
RA5035	5/8" x 2-1/4"
RA5040	5/8" x 4-1/4"
RA5045	5/8" x 5-3/4"
RA5050	3/4" x 2-1/2"
RA5055	3/4" x 4-1/4"
RA5060	3/4" x 6-1/4"

Zamac Nailin

- No hole spotting
- One piece
- Use in concrete, block, brick, stone
- · Use with: No other fastener needed
- Made of zinc with steel nail







Tapper Concrete Anchor Screws



- Available in hex head or Phillips flat head
- The screw is the anchor, no need for additional mounting hardware
- Drill bit included with box of 100

Just drill a hole and insert anchor screw to fasten objects in concrete, block and brick. Designed for medium duty applications.
Perma-Seal coated carbon steel.

ITEM #	SIZE	HEAD BOX	K QTY.
RA2724	1/4" x 2-1/4"	Hex Head	100
RA2728	1/4" x 3-1/4"	Hex Head	100
RA2732	1/4" x 4"	Hex Head	100
RA2764	1/4" x 2-1/4"	Phillips Flat	100
RA2768	1/4" x 3-1/4"	Phillips Flat	100
RA2772	1/4" x 4"	Phillips Flat	100
RA2776	1/4" x 6"	Phillips Flat	100



Short Spike

 No layout or hole-spotting required



- One-piece anchor
- Zinc electroplated (meeting) **ASTM B-633**)
- Fast "Drill 'n Drive" installation


The spike is used to fasten wood, metal and insulation to various masonry materials. The one-piece anchor is made of high grade tempered carbon steel. It is vibration-resistant and installation is quick and easy. Drilled hole depth is not critical. The spike holds tightly even under vibratory loads in a "bottomless" hole.

Use in concrete, dense brick, stone

No other fastener needed Made of: high grade carbon steel

ITEM #	SIZE
RA3762	1/4" x 1 1/2"
RA3764	1/4" x 2"
RA3768	1/4" x 3"


Steel Tabs & Base Plates



- Sheared from 1/8" steel plate
- Excellent for capping ends of tubing
- Economical and time saving
- · Many stock sizes
- We custom shear & punch all size plates. Please inquire with our sales department.

ITEM #	SIZE
WTCP2	2" x 2" Square
WTCP212	2-1/2" x 2-1/2" Square
WTCP3	3" x 3" Square
WTCP4	4" x 4" Square
WTCP6	6" x 6" Square
WTCP158R	1-5/8" Round
WTCP178R	1-7/8" Round
WTCP238R	2-3/8" Round

Steel Gussets and Base Plates





2-5/8" x 1-1/2" 1/4" Mounting Holes 1/2" Square ID 3/32" Thick



TIEM #	LIIS	OVERALL DIMS.
WT110	1/2"	2-5/8" x 1-1/2"



3/32" Thick 11/32" Mounting



ITEM #	FITS	OVERALL DIMS.
WT127	3/4" sq. Tube	3-1/4" sq.






Raised **Square Flanges**

• 1/8" Thick 7/16" mounting holes

ITEM #	FITS OVE	RALL DIMS.
WT8041	1" sq. Tube	4" sq.
WT135	1-1/4" sq. Tube	4" sq.
WT8047	1-1/2" sq. Tube	4" sq.
WT137	2" sq. Tube	5-1/4" sq.
WT8049	2-1/2" Tube	5" sq.



1" Tubing Corner

ITEM# SC1C

Have a Special Plate Requirement?

We can shear, punch, and burn custom sizes on request. Ask a sales representative for details.



2-3/4" x 1" Weld Tab

• 3/8" Hole

WT300

• 3/16" Thick ITEM #



3-1/2" x 1" Weld Tab

- 3/8" Hole
- 5/32" Thick

ITEM # WT217



2-3/8" x 1" Weld Tab

- 3/4" x 1/4" Oblong Hole
- 1/8" Thick

ITEM # WT132

2" 90° Weld Tab

- With 1-1/8" x 3/8" oblong hole in one leg
- Both legs are 2" in length
- 1" wide x 3/16" thick

ITEM # WT412



1-1/2" 90° Weld Tab

- With 3/8" hole in 1 leg • Both legs are 1-1/2" in length
 - 1" wide x 1/8" thick

ITEM # WT231



- With 3/8" holes in both legs
- Both legs are 1-1/2" length
- 1" wide x 1/8" thick

ITEM # WT232



Steel Tabs & Base Plates



2 5/8" high 2" wide 1/8" thick 1" base 3/8" hole



ITEM # WT3



3" high 3" wide 7/8" extension 3/8" hole



ITEM # WT5



3 1/2" high 1 1/2" extension 1" wide 1/8" thick 3/8" hole



ITEM # WT8



1 5/8" high 1" wide 1/8" thick 3/8" hole



ITEM # WT4



2 1/2" high 1 1/2" wide 1/8" thick 3/8" hole



ITEM # WT9



2 1/4" high 1" wide 1/8" thick 3/8" hole



ITEM # WT2

Decorative Base Plates



3-15/16" Square 5/16" Thick 1.4 lbs

ITEM# CI94A3



3-5/32" Square 5/16" Thick 0.9 lbs ITEM# CI94A4



 ITEM #
 PLAIN STEEL

 WT6B
 3" x 3"

 WT7
 4" x 4"

 WT115
 5" x 5"

 WT11
 6" x 6"

 WT12
 8" x 8"

Square Base Plates

• Four 3/8" holes 3", 4" and 5" plates are 3/16" thick. 6" and 8" plates are 1/4" thick. Available in plain steel

and galvanized steel.

ITEM #	GALVANIZED
WT6BG	3" x 3"
WT7G	4" x 4"
WT115G	5" x 5"
WT11G	6" x 6"
WT12G	8" x 8"



3 7/16" long 1 1/2" wide 3/16" thick




ITEM # WT6

Heavy Duty 2" x 1" 90° Weld Tab

- With 5/8" x 1" hole in 2" leg • Other leg is 1" in
- length
 1" wide x 3/16" thick

ITEM # WT112






118

3/8" hole 4" long

1 1/2" wide 3/16" thick ITEM # WT14



3/8" holes 4" long

1 1/2" wide 3/16" thick

ITEM # WT13

Caps, Levelers & Greater Clips



Pressed Steel, Aluminum and Galvanized Square Post Caps

Available in steel, aluminum, and galvanized

No welding necessary - cap fits tight.

ITEM#	POST SIZE	MATERIAL
SC114	1-1/4"	Steel
SC112	1-1/2"	Steel
SC2	2"	Steel
SC212	2-1/2"	Steel
SC3	3"	Steel
SC4	4"	Steel
SC5	5"	Steel
SC6	6"	Steel
SC8	8"	Steel
SC114A	1-1/4"	Aluminum
SC112A	1-1/2"	Aluminum
SC2A	2"	Aluminum
SC3A	3"	Aluminum
SC4A	4"	Aluminum
SC212GAL	2-1/2"	Galvanized
SC3GAL	3"	Galvanized
SC4GAL	4"	Galvanized

We Appreciate Your Business



Cast Iron Square Newel Post Caps

ITEM #	POST SIZE	MATERIAL
CI805	1"	Cast Iron
CI804	1 1/4"	Cast Iron
CI806	1-1/2"	Cast Iron
CI807	2"	Cast Iron
CI8212	2-1/2"	Cast Iron
CI808	3"	Cast Iron
CI809	4"	Cast Iron
CI810	5"	Cast Iron
CI811	6"	Cast Iron





Plastic Decorative Ball Cap

• Fits 1/2" square
Provides protection from sharp edges.

ITEM #	TUBE SIZE	BALL SIZE
PPPB12	1/2"	1" Dia.

Non-Skid Level


• 1" threaded stem length




ITEM #	THREAD SIZE	BASE SIZE
PP7B38	3/8"-16	1-1/8" Dia.

Nickel-Plated Metal Spring Caps

Fits 16 or 18 gauge tubing







Plastic Square Newel Post Caps

 An economical alternative to cast iron

ITEM#	POST SIZE	COLOR
PS806B	1 1/2"	Black Plastic
PS807W	2"	White Plastic
PS808B	3"	Black Plastic
PS808W	3"	White Plastic

Two-Sided Metal Threaded Greater Clips



- Fits 16 or 18 gauge tubing
- 3/8" 20 threaded hole for leveler

ITEM #	TUBE SIZE	TUBE GAUGE
PP734	3/4" tube	16 or 18 gauge
PP71	1" tube	16 or 18 gauge



Four Sided Metal Threaded Greater Clips


• Fits 16 or 18 gauge tubing

• 3/8"-16 threaded hole for leveler

ITEM #	TUBE SIZE	TUBE GAUGE
PP7112	1-1/2" tube	16 or 18 gauge



Plastic Tubing Plugs



High Quality Plastic Tube Plugs

- High grade plastic
- Black or white finish

Provides a clean finish to tubing ends. Protects against injury from sharp tubing edges. Keeps dirt and moisture out from inside tubing.



ITEM #	TUBE SIZE	TUBE GA.	COLOR
PP12	1/2" x 1/2"	16	Black
PP12W	1/2" x 1/2"	16	White
PP58	5/8" x 5/8"	16	Black
PP34	3/4" x 3/4"	16	Black
PP116	1" x 1"	16	Black
PP116W	1" x 1"	16	White
PP111	1" x 1"	11	Black
PP11416	1-1/4" x 1-1/4"	16	Black
PP11411	1-1/4" x 1-1/4"	11	Black
PP11216	1-1/2" x 1-1/2"	16	Black
PP11211	1-1/2" x 1-1/2"	11	Black
PP216	2" x 2"	16	Black
PP211	2" x 2"	11	Black
PP214	2" x 2"	14	Black
PP2116	2" x 1"	16	Black







Polyethylene Ribbed Style Square Tubing Plugs

• Black finish

The square series has a horizontal ribbed design for built-in flexibility to fit multiple tube gauges. Soft, low density polyethylene standard material.

ITEM #	TUBE SIZE	TUBE GA.	COLOR
PPSQ58	5/8"	14-18	Black
PPSQ6	3/4"	14-20	Black
PPSQ8	1"	14-20	Black
PPSQ10	1-1/4"	14-20	Black
PPSQ12	1-1/2"	14-20	Black
PPD210	2"	14-18	Black
PPD222	2"	10-14	Black
PPSQ201	2-1/2"	11-19	Black
PPSQ6241	l 3"	14-20	Black
PPSQ4	4"	7-11	Black






Polyethylene Ribbed Style Rectangular Tubing Plugs

• Black finish

Built-in flexibility to fit multiple tube gauge sizes. Soft, Low density polyethylene standard material.

ITEM #	TUBE SIZE	TUBE GA.	COLOR
PPRC1020	1" x 2"	14-18	Black
PPRC15301	1-1/2" x 3"	10-16	Black
PPRC20301	2" x 3"	8-14	Black
PPRC20401	2" x 4"	10-14	Black




Polyethylene Ribbed Style Round Tubing Plugs

- Black finish
- Low cost universal closures

Black with texture finish. High density polyethylene standard material.

PPRT6	3/4"	14-20	Black
PPRT8	1"	14-20	Black
PPRT10	1-1/4"	14-20	Black
PPRT12	1-1/2"	14-20	Black
PPRT16	2"	14-20	Black

Handrail Brackets



Heavy Duty Stamped Steel Handrail Bracket

- Can be used with round or square handrails
- Stamped from 3/16" black steel

For applications that require extra strength.


ITEM #	OFFSET
SC35B	3"


Stamped Steel Handrail Bracket

- Can be used with round or square handrails
- Stamped from 1/8" steel

For most standard duty applications.

ITEM #	OFFSET
SC35BRP	2-5/8"





Cast Iron Handrail Bracket


- For square handrails
- Textured finish

For traditional applications.

ITEM #	OFFSET
CI3A	2-3/8"
CI3B	3"



- Matte finish
- Saddle fits 1.50" thru 3.00" OD and flat surfaces



Meets codes requiring a 1-1/2" minimum clearance between the handrail and the wall and the underside of the handrail and horizontal bracket arm.

ITEM #	WALL OFFSET	BASE SIZE
SCAL8103	2-1/2"	2" x 2-5/8"



- 90° fixed position
- 304 stainless steel with satin finish

Four piece set includes flange, flange cover, elbow, and rail mounting plate.

SFE022S 3-1/4" 2-1/2" 3/4	ITEM #	WALL OFFSET	FLANGE	ELBOW
	SFE022S	3-1/4"	2-1/2"	3/4"



Handrail Brackets



ITEM #	WALL OFFSET	BASE SIZE
CI14051	2-7/8"	N/A



Hammered Handrail Bracket

• Three hole base plate

Material: 1/2" square, hammered Rail Mounting Plate: 1" x 4" x 1/4" thick Weight: .9 lbs.

ITEM #	WALL OFFSET	BASE SIZE
CI14052	2-3/8"	3-1/4"


Round Bar Handrail Bracket • Three hole base plate Material: 5/8" round, distressed Rail Mounting Plate: n/a Weight: .9 lbs.

Extra Heavy Duty **Stamped** Steel **Handrail Bracket**

Stamped from 1/4" steel

2-7/16" from wall mounting hole center to bottom of handrail. For extreme applications that require extra strength.





Extra Heavy **Duty** Stamped Steel Handrail **Bracket**

Stamped from 1/4" steel

2-1/2" from wall mounting hole center to bottom of handrail.



Weight: 1.75 lbs.

ITEM # **WALL OFFSET BASE SIZE** CI3HRB 3-1/2" 3-3/4"

Ornamental **Handrail Bracket**

• Two hole rosette base plate

Material: 1/2" round, decorative Weight: 1.2lbs.



L	TEM #	WALL OFFSET	BASE SIZE
(CI94A1	3"	3-5/8"

WALL OFFSET

2-3/4"

BASE SIZE

3-1/4"

ITEM#

CI14053

Steel Pipe Flanges





Heavy Duty Steel Flanges

• For round pipe

- 1/8" material thickness
- Three or four hole styles

ITEM #	MATERIAL THICKNESS	HOLE DIA.	FITS PIPE	# OF MTG. HOLES	MTG. HOLE DIAMETER	OVERALL DIAMETER
SC13152	1/8"	1.315"	1"	3	1/4"	3-1/2"
SC114F	1/8"	1.66"	1-1/4"	3	5/16"	3-3/4"
SC1144H	1/8"	1.66"	1-1/4"	4	5/16"	3-3/4"
SC112F	1/8"	1.90"	1-1/2"	4	5/16"	4-1/4"
SC2375F	1/8"	2-3/8"	2"	3	3/8"	4-5/8"



Snap Cover Base Flanges and Covers Snap Flanges

- 1/4" steel thickness
- Four mounting holes
- Built for snap on base covers below

ITEM #	HOLE DIA.	FITS PIPE	DIA.
SC166S	1.66"	1-1/4"	4-5/16"
SC190S	1.90"	1-1/2"	4-5/16"

Snap Flange Covers

• 18 gauge steel

ITEM #	HOLE DIA.	FITS PIPE	DIA.
SC166C	1.66"	1-1/4"	4-1/2"
SC190C	1.90"	1-1/2"	4-1/2"



Raised Cover Plate

• 1/8" thick, for 1-1/4" pipe


ITEM #	HOLE DIA.	FITS PIPE	DIA.
SC250	1.66"	1-1/4"	3-7/8"



Steel Flanges for Square Tubing

• An attractive cover plate for square tubing bases

ITEM #	TUBE SIZE	OVERALL WIDTH
SC112FSQ	1-1/2"	3"
SC2FSQ	2"	4"



Wedge-Lock Welding Pipe Joint Connectors

- For quickly aligning and welding 1-1/4" and 1-1/2" steel pipe
- No chamfering necessary

Aligns pipe and tube before welding joints and fittings. Leaves a 1/8" gap between joints to allow for weld bead. May eliminate grinding. Insert into joint and drive in wedge into groove for a tight perfectly aligned fit.

ITEM #	FITS PIPE	TUBE OD	WALL
SCWL114	1-1/4" Sch. 40	1.66"	.140"
SCWL112	1-1/2" Sch. 40	1.90"	.145"



Raised Square Flanges

• 1/8" Thick

7/16" mounting holes

ITEM #	FITS O	VERALL DIMS.
WT8041	1" sq. Tube	4" sq.
WT135	1-1/4" sq. Tube	4" sq.
WT8047	1-1/2" sq. Tube	4" sq.
WT137	2" sq. Tube	5-1/4" sq.
WT8049	2-1/2" Tube	5" sq.



Pipe & Railing Fittings

Weld On **Pipe End** Caps

- Sch. 40
- · Beveled edges for easy welding
- · Carbon steel
- For use on fences, bumpers and repair



ITEM #	PIPE SIZE I.D.	DESCRITPION
ELCAP1	1"	End Cap
ELCAP114	1-1/4"	End Cap
ELCAP112	1-1/2"	End Cap
ELCAP2	2"	End Cap
ELCAP212	2-1/2"	End Cap
ELCAP3	3"	End Cap
ELCAP4	4"	End Cap
ELCAP6	6"	End Cap

Stamped Steel Pipe End Caps



 Stamped from heavy gauge steel

• Butt welds to pipe for railing ends, etc.

• A low cost alternative to forged pipe fittings in non-fluid and non-pressure related applications

ITEM #	PIPE O.D.	DESCRIPTION
SC114RP	1-5/8"	End Cap
SC112RP	1-7/8"	End Cap
SC2RP	2-3/8"	End Cap

Pressed Steel Dome Caps

 Welds to pipe for railing ends, etc.



ITEM #	COVER I.D./PIPE O.D.	DESC.
SC16589	3-1/2"	End Cap
SC165102	4"	End Cap
SC165114	4-1/2"	End Cap

Seamless Weld-On Pipe Elbows

- Grade ASTM A234WPB
- Carbon steel Schedule 40
- Long Radius
- Beveled edges ready for easy welding
- Many Uses

· Structural pipe fabrication, handrail, bumpers, maintenance and more

ITEM #	PIPE SIZE I.D.	DESCRIPTION
EL1245	1/2"	45° Bend
EL3445	3/4"	45° Bend
EL145	1"	45° Bend
EL11445	1-1/4"	45° Bend
EL11245	1-1/2"	45° Bend
EL245	2"	45° Bend
EL21245	2-1/2"	45° Bend
EL345	3"	45° Bend
EL445	4"	45° Bend
EL645	6"	45° Bend



Weld-On Pipe "T"S


- Beveled edges
- Black finish
- Schedule 40 A234WPB pipe

ITEM #	PIPE SIZE I.D.	DESCRIPTION
ELTE1	1"	90°/180° T
ELTE114	1-1/4"	90°/180° T
ELTE112	1-1/2"	90°/180° T
ELTE2	2"	90°/180° T
ELTE212	2-1/2"	90°/180° T
ELTE3	3"	90°/180° T
ELTE4	4"	90°/180° T
ELTE6	6"	90°/180° T

Steel Dished Drive-On Caps



ITEM #	OUTSIDE DIA.	FITS PIPE
SC114DOC	1.66"	1-1/4" SCH 40
SC112DOC	1.90"	1-1/2" SCH 40





- Long radius
- · Made from mild steel
- · Great for handrails and other non-fluid, non-pressure applications

ITEM #	PIPE SIZE I.D.	DESCRIPTION
EL11490S	1-1/4"	90° Bend
EL11290S	1-1/2"	90° Bend

Steel Flat **Drive-On** Caps



ITEM #	OUTSIDE DIA	. FITS PIPE
SC150FC11	. 1-1/2"	11 ga Round Tube
SC166FC	1.66"	1-1/4" SCH 40 pipe
SC190FC	1.90"	1-1/2" SCH 40 pipe

Steel Stair Steps


Stock Steel Stair Steps and Pans

- Ready to weld and add concrete
- A Made from 16 gauge steel plate

ITEM #	SIZE	DESCRIPTION
STSP36	11"x36"	2" Lip Down, 1" Lip Up
STSP40	11"x40"	2" Lip Down, 1" Lip Up
STSP42	11"x42"	2" Lip Down, 1" Lip Up

B - Made from 1/8" thick non-skid floor plate

ITEM #	SIZE	DESCRIPTION
STSP1036F	10" x 36"	2" High, 1/2" Lip
STSP1048F	10" x 48"	2" High, 1/2" Lip
STSP1236	12" x 36"	2" High, 1/2" Lip
STSP1248	12" x 48"	2" High, 1/2" Lip





Custom Made Stair Step Risers Let Us Make Them for You!

• Smooth sheet metal

•Material available: 16 ga., 14 ga., or 11 ga. steel

Please Contact our Sales Department for Price and Delivery Times





Custom Made Stair Step Riser Order Form

Choose Style: 1 2 3

Material Thickness: ______
Length:

Quantity:

DIMENSIONS

A:_____


C:_____

D:____



Custom Diamond Plate Stair Steps

• Material: 1/8" or 3/16" diamond plate steel



Diamond Plate Stair Step Order Form

Material Thickness: ______

Length: ____ Quantity: _____

DIMENSIONS

B: _____

C: ____



Stair Parts



Concrete Precast Treads

- Will not rust
- 5000 psi concrete
- Reinforced with #3 rebar gr. 40
- Overall thickness is 2-1/4"
- Light to medium broom finish with a 2" edging and 3/8" radius
- Treads are sloped with an 85° angle
- Live load of 100 lbs. per sq. Ft.

Standard Concrete Steps

• For standard installations

ITEM #	SIZE
STBF1136	11" x 36"
STBF1236	12" x 36"
STBF1140	11" x 39 1/2"
STBF1240	12" x 39 1/2"
STBF1142	11" x 42"
STBF1242	12" x 42"



- · Roll formed from sturdy 12 gauge plate
- 10" depth, 2" flange width
- Stocked in 20' lengths
- · More economical than junior channel

ITEM #	
SS12G	

Concrete Step Tread Angle



- **Lip Tread Design** reduces gap without extra components
- Overall thickness is 2-1/4"
- Front lip tread is 3-3/8" tall and 1" deep

Ready for traffic immediately, no waiting next day for cure time. Ready to ship via common carrier. Easy to install: line up the bolts that are encased in the tread with the 2 holes in the angle on the stringer. Place the 3/8" nuts (provided) on the bolts and tighten. They are also easy to replace.

Lip Tread Concrete Steps

• Reduces gap between steps to 4"

ITEM #	SIZE
STBF1236LP	12" x 36"
STBF1240LP	12" x 39-1/2"
STBF1242LP	12" x 42"



Flex-Tred Anti-Slip

• Anti-slip safety rolls for indoor or outdoor use


Heavy-duty safety surface is quick to install and provides durable pedestrian safety on slippery surfaces.

Uses: ramps, light traffic stairs, exercise equipment, industrial equipment, aisles, entrances, skateboards.

Easy to install adhesive backing. Just cut, place and press.

ITEM #	SIZE
STF1	1" x 60 ft. Anti-Slip Roll
STF2	2" x 60 ft. Anti-Slip Roll
STF4	4" x 60 ft. Anti-Slip Roll
STF6	6" x 60 ft. Anti-Slip Roll






Black Painted Closed Riser Attachments for Concrete Steps

Easy bolton assembly with tread

Provides beautiful scratch and scuff



resistant, anti rust free surface.

ITEM #	DIMENSIONS
STCR36	7-1/4" high x 36" wide
STCR39	7-1/4" high x 39-1/2" wide
STCR42	7-1/4" high x 42" wide

Pre-Punched Bar Channel

Square Hole 1" x 1/2" x 1/8" Bar Channel

ITEM #	CHANNEL SIZE	HOLE SIZE	FITS PICKET	OPEN AREA	ON CENTER
PBC1004	1" x 1/2" x 1/8"	9/16"	1/2" Square	3-1/2"	4"
PBC100412	1" x 1/2" x 1/8"	9/16"	1/2" Square	4"	4-1/2"
PBC1005	1" x 1/2" x 1/8"	9/16"	1/2" Square	4-1/2"	5"
PBC1006	1" x 1/2" x 1/8"	9/16"	1/2" Square	5-1/2"	6"

Round Hole 1" Bar Channel

ITEM #	CHANNEL SIZE	HOLE SIZE	FITS PICKET	OPEN AREA	ON CENTER
PBC1004RD	1" x 1/2" x 1/8"	9/16"	1/2" Round	3-1/2"	4"
PBC100412RD	1" x 1/2" x 1/8"	9/16"	1/2" Round	4"	4-1/2"
PBC1005RD	1" x 1/2" x 1/8"	9/16"	1/2" Round	4-1/2"	5"
PBC1006RD	1" x 1/2" x 1/8"	9/16"	1/2" Round	5-1/2"	6"

Square Hole 1-1/2" x 1/2 x 1/8" Bar Channel

	···	-,			
ITEM #	CHANNEL SIZE	HOLE SIZE	FITS PICKET	OPEN AREA	ON CENTER
PBC1120412	1-1/2" x 1/2" x 1/8"	9/16"	1/2" Square	3-1/2"	4"
PBC11241212	1-1/2" x 1/2" x 1/8"	9/16"	1/2" Square	4"	4-1/2"
PBC1120512	1-1/2" x 1/2" x 1/8"	9/16"	1/2" Square	4-1/2"	5"
PBC1120612	1-1/2" x 1/2" x 1/8"	9/16"	1/2" Square	5-1/2"	6"
PBC11241258	1-1/2" x 1/2" x 1/8"	11/16"	5/8" Square	3-7/8"	4-1/2"
PBC1120558	1-1/2" x 1/2" x 1/8"	11/16"	5/8" Square	4-3/8"	5"
PBC1120434	1-1/2" x 1/2" x 1/8"	11/16"	3/4" Square	3-1/4"	4"
PBC11243434	1-1/2" x 1/2" x 1/8"	11/16"	3/4" Square	4"	4-3/4"
PBC1120634	1-1/2" x 1/2" x 1/8"	11/16"	3/4" Square	5-1/4"	6"

Square Hole 1-1/2" x 3/4" x 1/8 Bar Channel

ITEM #	CHANNEL SIZE	HOLE SIZE	FITS PICKET	OPEN AREA	ON CENTER
PBC11234412	1-1/2" x 3/4" x 1/8	9/16"	1/2" Square	3-1/2"	4"
PBC1123441212	1-1/2" x 3/4" x 1/8	9/16"	1/2" Square	4"	4-1/2"
PBC11234512	1-1/2" x 3/4" x 1/8	9/16"	1/2" Square	4-1/2"	5"
PBC11234612	1-1/2" x 3/4" x 1/8	9/16"	1/2" Square	5-1/2"	6"
PBC1123441258	1-1/2" x 3/4" x 1/8	11/16"	5/8" Square	3-7/8"	4-1/2"
PBC11234558	1-1/2" x 3/4" x 1/8	11/16"	5/8" Square	4-3/8"	5"
PBC11234434	1-1/2" x 3/4" x 1/8	13/16"	3/4" Square	3-1/4"	4"
PBC1123443434	1-1/2" x 3/4" x 1/8	13/16"	3/4" Square	4"	4-3/4"
PBC11234634	1-1/2" x 3/4" x 1/8	13/16"	3/4" Square	5-1/4"	6"

Square Hole 2" x 1" x 1/8" Bar Channel

ITEM #	CHANNEL SIZE	HOLE SIZE	FITS PICKET	OPEN AREA	ON CENTER
PBC2118458	2" x 1" x 1/8"	11/16"	5/8" Square	3-3/8"	4"
PBC2118558	2" x 1" x 1/8"	11/16"	5/8" Square	4-3/8"	5"
PBC2118434	2" x 1" x 1/8"	13/16"	3/4" Square	3-1/4"	4"
PBC2118534	2" x 1" x 1/8"	13/16"	3/4" Square	4-1/4"	5"
PBC2118634	2" x 1" x 1/8"	13/16"	3/4" Square	5-1/4"	6"
PBC211851	2" x 1" x 1/8"	1-1/16"	1" Square	4"	5"
PBC211861	2" x 1" x 1/8"	1-1/16"	1" Square	5"	6"


Diamond Hole 1-1/2" x 1/2" x 1/8" Bar Channel

ITEM #	CHANNEL SIZE	HOLE SIZE	FITS PICKET	OPEN AREA	ON CENTER
PBC11241212DM	1-1/2" x 1/2" x 1/8"	9/16"	1/2" Diamond	3.8"	4-1/2"
PBC11243458DM	1-1/2" x 1/2" x 1/8"	11/16"	5/8" Diamond	3.9"	4-3/4"
PBC112534DM	1-1/2" x 1/2" x 1/8"	13/16"	3/4" Diamond	4"	5"

Diamond Hole 2" x 1" x 1/8" Bar Channel

CHANNEL SIZE	HOLE SIZE	FITS PICKET	OPEN AREA	ON CENTER
2" x 1" x 1/8"	13/16"	3/4" Diamond	4"	5"
2" x 1" x 1/8"	13/16"	3/4" Diamond	5"	6"
2" x 1" x 1/8"	1-1/16"	1" Diamond	3.8"	5-1/4"
2" x 1" x 1/8"	1-1/16"	1" Diamond	4.6"	6"
	2" x 1" x 1/8" 2" x 1" x 1/8" 2" x 1" x 1/8"	2" x 1" x 1/8" 13/16" 2" x 1" x 1/8" 13/16" 2" x 1" x 1/8" 1-1/16"	2" x 1" x 1/8" 13/16" 3/4" Diamond 2" x 1" x 1/8" 13/16" 3/4" Diamond 2" x 1" x 1/8" 1-1/16" 1" Diamond	2" x 1" x 1/8" 13/16" 3/4" Diamond 4" 2" x 1" x 1/8" 13/16" 3/4" Diamond 5" 2" x 1" x 1/8" 1-1/16" 1" Diamond 3.8"

Pre-Punched Bar Channel Punched using



Custom Bar Channel Hole Punching

- You specify the hole size
- You specify the hole spacing

800-833-9175

Open Monday - Friday

Fax Your Order 24 Hours / 7 Days:

404-419-3490

1425 English St. NW Atlanta, GA 30318



Fax: 404-419-3490

Pre-Punched Rollformed Channel



Square Hole 1" x 1/2" x 1/8" Rollformed Channel



			•		
ITEM #	CHANNEL SIZE	HOLE SIZE	FITS PICKET	OPEN AREA	ON CENTER
PBCR1004	1" x 1/2" x 1/8"	9/16"	1/2" Square	3-1/2"	4"
PBCR100412	1" x 1/2" x 1/8"	9/16"	1/2" Square	4"	4-1/2"
PBCR1005	1" x 1/2" x 1/8"	9/16"	1/2" Square	4-1/2"	5"
PBCR1006	1" x 1/2" x 1/8"	9/16"	1/2" Square	5-1/2"	6"

Square Hole 1-1/2" x 1/2" x 1/8" Rollformed Channel




ITEM #	CHANNEL SIZE	HOLE SIZE	FITS PICKET	OPEN AREA	ON CENTER
PBCR1120412	1-1/2" x 1/2" x 1/8"	9/16"	1/2" Square	3-1/2"	4"
PBCR1120512	1-1/2" x 1/2" x 1/8"	9/16"	1/2" Square	4-1/2"	5"
PBCR1120612	1-1/2" x 1/2" x 1/8"	9/16"	1/2" Square	5-1/2"	6"
PBCR1120434	1-1/2" x 1/2" x 1/8"	13/16"	3/4" Square	3-1/4"	4"
PBCR1120534	1-1/2" x 1/2" x 1/8"	13/16"	3/4" Square	4-1/4"	5"
PBCR1120634	1-1/2" x 1/2" x 1/8"	13/16"	3/4" Square	5-1/4"	6"

Square Hole 2" x 1" x 1/8" Rollformed Channel



			_		
ITEM #	CHANNEL SIZE	HOLE SIZE	FITS PICKET	OPEN AREA	ON CENTER
PBCR2118434	2" x 1" x 1/8"	13/16"	3/4" Square	3-1/4"	4"
PBCR2118534	2" x 1" x 1/8"	13/16"	3/4" Square	4-1/4"	5"
PBCR2118634	2" x 1" x 1/8"	13/16"	3/4" Square	5-1/4"	6"



Fabrication Ease: Slide pickets through the punched holes and tack-weld. Attach to posts and your fence is built.

Pre-Punched Rollformed Channel

- Stocked in 20' lengths
- Every hole exactly on center
- Great for window guards and fences
- NEW automated punching technique
- Provide extra security for doors, window guards and fencing



1" Rollformed Channel

- 1" x 1/2" x 1/8"
- 20 ft. length




1-1/2" Rollformed Channel

- 1-1/2" x 1/2" x 1/8"
- 20 ft. length



2" Rollformed Channel

- 2" x 1" x 1/8"
- 20 ft. length



Unpunched Rollformed Channel

- Used for flush top or bottom
- 20 foot length

ITEM #	CHANNEL SIZE
PBCR1000	1" x 1/2" x 1/8"
PBCR1120000	1-1/2" x 1/2" x 1/8"
PBCR2000	2" x 1" x 1/8"

ABCD ABED 12345 12345

Lower Case Letters are available upon request!

Font: Times New Roman Bold

- Stock Sizes: 6" and 10" in 1/8" steel
- Or any custom size, material or thickness

ITEM #	DESCRIPTION
FC106 + Character	6" Times Font
FC101 + Character	10" Times Font

Font: Western

• Stock Sizes: 6 inch


10" in 1/8" steel

Or any custom size, material or thickness

ITEM #	DESCRIPTION
FC206 + Character	6" Western Font
FC202 + Character	10" Western Font

Cast Iron Letters and **Numbers**

• 5" tall x 1/4" thick



ITEM #	DESCRIPTION
CIL + Character	Cast Iron Letters
CIN + Character	Cast Iron Numbers

Tube Gate Anches

1-1/2" AND 2" SIZES AVAILABLE

- Build custom arched gates with these heavy duty gate arches.
- Arched square tubing available in heavy, 14 and 11 gauge material and in lengths from 8 ft. to 16 ft. in unfinshed plain steel.
- Three styles available.

Standard Arch - 14" Rise

Standard Arch - 21" Rise

Compound Arch - 14" Rise

Square Tube Standard Arches - 14" Rise

ITEM#	SIZE	THK	LGTH	RISE
GAA112814S	1-1/2"	14 ga	8 ft.	14"
GAA1121214S	1-1/2"	14 ga	12 ft.	14"
GAA1121614S	1-1/2"	14 ga	16 ft.	14"
GAA2814S	2"	11 ga	8 ft.	14"
GAA21214S	2"	11 ga	12 ft.	14"
GAA21614S	2"	11 ga	16 ft.	14"

Square Tube Standard Arches - 21" Rise

ITEM#	SIZE	THK	LGTH	RISE
GAA112821S	1-1/2"	14 ga	8 ft.	21"
GAA1121221S	1-1/2"	14 ga	12 ft.	21"
GAA1121621S	1-1/2"	14 ga	16 ft.	21"
GAA2821S	2"	11 ga	8 ft.	21"
GAA21221S	2"	11 ga	12 ft.	21"
GAA21621S	2"	11 ga	16 ft.	21"

Square Tube Compound Arches - 14"

ITEM#	SIZE	IHK.	LENGTH	IKISE
GAA112814C	1-1/2"	14 ga	8 ft.	14"
GAA1121214C	1-1/2"	14 ga	12 ft.	14"
GAA1121614C	1-1/2"	14 ga	16 ft.	14"
GAA2814C	2"	11 ga	8 ft.	14"
GAA21214C	2"	11 ga	12 ft.	14"
GAA21614C	2"	11 ga	16 ft.	14"



Expanding Gates & Perforated Metal

Double Expanding Security Gates

 For larger openings, overhead doors, dock doors, storefronts, commercial and industrial use
 Special order sizes available - Please inquire!

Each side will swing (pivot 180°) out of the way. This is ideal for dock doors and overhead doors. Trucks and other traffic can move freely in and out without any interference from the gates.

Gates are made in the USA from standard type channel 3/4" (14 gauge), riveted back-to-back with 1-1/2" x 1-1/2" x 1/8" side rails for extra strength. The top bracket (H-Bracket) keeps the gate secure at the top while a center drop-pin

provides maximum protection at the bottom of the gate. Gates will lock together at the middle with use of a standard padlock.

All gates are shipped complete with 2 mounting brackets, 2 washers, 2 casters, a drop-pin and an H-bracket. Gates drop an inch per foot upon expansion. Painted enamel black.



Expanding Security Door Gates


- Designed to provide security for door openings of 32" and 36"
- Made of a sturdy 3/4" channel and are painted black enamel

Gates have a reversible hinge design to allow mounting on left or right side and can be mounted in the casing or on the facing of the door opening. Includes a locking bar. Gates will pivot 180° out of the way when open.

ITEM #	WIDTH	COLLAPSED HEIGHT	IN USE HEIGHT
EG36D	32" to 36"	79"	75"



ITEM #	WIDTH	COLLAPSED HEIGHT	IN USE HEIGHT
EG1065D	8' to 10'	6-1/2'	6'
EG1070D	8' to 10'	7'	6-1/2'
EG1075D	8' to 10'	7-1/2'	7'
EG1085D	8' to 10'	8-1/2'	8'
EG1265D	10' to 12'	6-1/2'	6'
EG1275D	10' to 12'	7-1/2'	7'
EG1465D	12' to 14'	6-1/2'	6'
EG1670D	14' to 16'	7'	6-1/2'



Perforated Metal Sheets

- Stocked in 3 ft. x 7 ft. sheets
- Many uses in doors, grills, and manufacturing
- •23% open area
- Made from 24 ga. cold rolled steel
- Two stock sizes

ITEM #	WHOLE SIZE	SHEET SIZE
PMPS22116	1/16"	3' x 7'
PMPS22332	3/32"	3' x 7'



Single Expanding Security Gates

- For standard openings, patio doors, garages, industrial and commercial use
- Special order sizes available -Please inquire!

These one-piece gates fit openings 3 to 7 ft. wide and up to 7 ft. high. Stock gates lock on the left and can be ordered to lock on the right. Padlockable. Can be installed on either the facing or the casing of the opening. A ball bearing caster on lead rail of the gate. Gates will pivot 180° when not in use. Drop pin in the center for extra stability in wider openings.

ITEM #	WIDTH	COLLAPSED HEIGHT	IN USE HEIGHT
EG465S	3' to 4'	6-1/2'	6'
EG770S	6' to 7'	7'	6-1/2'



Rolled Steel Edge Trim


- Rolled from 16 gauge steel strip
- 1/2" tall x 1/4" wide x 8 feet long sections
- 3/8" deep inside

Works with #9, #13 and #16 expanded metals. Put a finished edge on cut sheets, perforated or expanded metal up to 1/8" thick.

ITEM #	SIZE
MCTR200	1/2" x 1/4" x 8 ft.



Cast Iron Picket Castings



7" W x 15-5/8" H 3.1 lbs

CI6010




8-3/4" W x 16-3/4" H 4.25 lbs

ITEM# CI6020



5-3/4" W x 15" H 3.5 lbs

CI6080



6-3/4" W x 17" H 2.75 lbs

> ITEM# CI6090



7" W x 18" H 3.3 lbs

> ITEM# CI6070



8-1/4" W x 15-1/2" H

3.3 lbs ITEM#

CI6030



8-1/4" W x 6-1/2" H 2.0 lbs

ITEM# CI6050



3" W x 8" H 1.1 lbs

ITEM# CI6040



8-5/6" W x 10-5/16" H 2.14 lbs

> ITEM# CI6025



6-1/4" W x 7-3/4" H 1.63 lbs

> ITEM# CI6065



7-1/2" W x 13-1/2" H 2.3 lbs

ITEM# CI3

Also available for 3/4" pickets 1.8 lbs

ITEM# CI334



7-3/4" W x 17-1/2" H 5.5 lbs

> ITEM# CI22



7" W x 14-1/2" H 3.2 lbs

ITEM# CI1



8-1/4" W x 16-1/2" H 5.5 lbs

> ITEM# CI21



7-1/2" W x 16-1/2" H 4.8 lbs

> ITEM# CI23

Cast Iron Picket Castings



13-1/2" H x 6-5/8" W Fits 1/2" pickets 1.8 lbs

> ITEM# CI12



12-1/2" H x 6-1/2" W Fits 1/2" pickets 2.25 lbs

> ITEM# CI146



17-1/2" H x 8" W Fits 1/2" pickets 2.5 lbs

> ITEM# CI2


Also available in 3/4" Fits 3/4" pickets 2.04 lbs

> ITEM# CI641XLF

4" H x 5-1/4" W .64 lbs ITEM#

CI907





6 lbs. ITEM# CI60X

3-3/4" W 3-3/4" H Fits 1/2" pickets

Fits 3/4" pickets .5 lbs .6 lbs

ITEM# CI10A

ITEM# CI10A34

4" W

3-3/4" H



Full Bodied 4" H x 5-1/4" W Fits 1/2" pickets

1.0 lbs ITEM# CI147XS

CAST IRON BALLS

Many uses - stack vertically or horizontally



Flat on bottom to receive 1" square 3/4" deep hole doesn't go through 1 lbs

> ITEM# CI9328




2-1/2" dia 3/4" square hole completely through 1.75 lbs

> ITEM# CI673CF



2-1/2" dia 1" square hole completely through

1.5 lbs ITEM# CI673X1



3-1/4" dia 1" square hole completely through 2.0 lbs

ITEM# CI674CF

Pontalba Valance Or Door Trim ITEM# 3-1/2" H x 30-5/8" W CI4020 6.8 lbs. 23" W x 6" H 6 lbs. CI4010 3-1/4" H x 15-1/2" W ITEM# CI62 2.25 lbs. **Corner Brackets** 17" W x 17" H 15-1/2" W x 15-1/2" H 7.75 lbs. 7.25 lbs. ITEM# ITEM# CI60 CI4030



7" W x 19-1/2" H

6.5 lbs.

ITEM#

CI65F

8-1/4" W x 28-1/2" H

10.68 lbs.

ITEM#

CI4050

8-5/8" W x 28-1/4" H 10.5 lbs ITEM# CI1510



7-3/8" W x 28" H

9.25 lbs.

ITEM#

CI65X

18" W x 18" H 8.0 lbs ITEM# CI1520 -7/8" W x 27" H 10.3 lbs

Corner brackets



20-1/2" W x 20-1/2" H

13 lbs.

ITEM#

CI80B

SF = Single Faced, SFBO = Single Faced Backed Out, DF = Double Faced. Castings are usually Double Faced unless otherwise specified.

ITEM#

CI1530


Ivy Leaf



3.5 lbs.

ITEM# CI850

Corner Bracket



8-3/4" W x 33-1/4" H 12.5 lbs.

ITEM# CI8661



8-1/4" W x 31" H 9.25 lbs.



8-1/2" W x 15-3/4" H **ITEM#** CI858 3.5 lbs.




8" W x 19-1/4" H 5.25 lbs.



Sunflower Design


CI856





8" W x 28" H 9.5 lbs

ITEM# CI98



SF = Single Faced, SFBO = Single Faced Backed Out, DF = Double Faced. Castings are usually Double Faced unless otherwise specified.

Curly Oak Continuous Design 8" W x 20-1/4" H 6.25 lbs. " H X 20-1/4' ITEM# 4.25 lbs. CI24 CI2520 4-1/4" H X 23" W ITEM# 5.75 lbs. CI27A 8" W x 11" H 11-1/2" W x 28" H 13.75 lbs. ITEM# ITEM# CI26 CI23F **Corner brackets** 17-1/4" W 21-1/2" W 16" W 26-1/2" W 17-1/4" H 21-1/2" H 26-1/2" H 16" H 10.5 lbs. 12.75 lbs. 8.25 lbs. 20 lbs. ITEM# ITEM# ITEM# ITEM# CI2010 CI20 CI21L CI23A **Bird Of Paradise Corner Brackets** Casting is separated as indicated. Joint overlaps for simple, perfect welded fit. 12-1/2" 16" 28-1/2" W x 21-1/2" H 18.5 lbs ITEM# CI80 8-1/2" W x 15-1/2" H 24-1/4" W x 12" H 8.25 lbs. 13 lbs ITEM# 8-1/8" W x 24-3/4" H 8-1/2" W x 22" H ITEM# CI3510 13 lbs. ITEM# 11 lbs. ITEM#


SF = Single Faced, SFBO = Single Faced Backed Out, DF = Double Faced. Castings are usually Double Faced unless otherwise specified.

CI3520


CI3530

CI80A

California Oak



Live Oak





12-3/4" W 16-3/4" H 10 lbs.

ITEM# CIL411



Continuous Design

8-1/4" W 20-1/2" H 5 lbs.

CIL423



8-1/2" W 11-1/2" H 5 lbs.

> ITEM# CIL422

Passion Flower



Single Faced Backed Out 12" W x 27-1/4" H 15.65 lbs

ITEM# CI4510

Phone: 800-833-9175




6-3/4" W x 24-1/2" H 6.7 lbs

ITEM# CI4530



Single Faced Backed Out 8-1/2" W x 19-3/4" H 6.25 lbs


ITEM# CI4520










Royal Crest Design











11-3/4" W 27-3/4" H 20 lbs.

> ITEM# CI675XL



10-1/4" W x 26" H 10 lbs.

> ITEM# CI5065



19-1/2" W x 29" H 27 lbs.


20 lbs.

ITEM#

CI648

Single Faced

ITEM# CI5055



54" H

15" W

48 lbs.

ITEM#


CI866

Wedding Ring Design

Continuous Design

19-1/4" H x 7-1/4" W 4 lbs.

> ITEM# CI150







30-3/4" H 8-1/4" W 7 lbs. ITEM# CI88











10-3/4" W x 10-3/4" H 3.75 lbs

ITEM# CI38SQ




8-1/4" W x 16" H 4 lbs


ITEM# CI94



9-3/4" W x 24-1/4" H 9.75 lbs ITEM# CI38XL




CI38X




SF = Single Faced, SFBO = Single Faced Backed Out, DF = Double Faced. Castings are usually Double Faced unless otherwise specified.

Phone: 800-833-9175

Cast Iron Panels






12 lbs

ITEM#

CI8504





Forms continuous pattern.

Turn page upside down for different view

> 17" W x 24" H 17.5 lbs

ITEM# CI691

SF = Single Faced, SFBO = Single Faced Backed Out, DF = Double Faced. Castings are usually Double Faced unless otherwise specified.

Two casting

illustration

Cast Iron Panels

Classic Railing Designs

Flowers and Leafs



10 lbs. 10 lbs.

ITEM# CI9047



ITEM# CI623



11" W x 34-1/4" H 12 lbs. ITEM#

CI306

Railing Design

26" H x 14-1/2" W 18 lbs.

ITEM#



Single Faced Backed Out 29" H x 9-1/2" W 1-1/4" thick 14 lbs.

> ITEM# CI8503





8-1/2" W x 29" I 10.5 lbs.

> ITEM# CI9986



Water **Oak**

33-1/4" H 9-1/8" W Flange 1/4" x 1" 20 lbs.

CI8659N

ITEM#

Cherub Gate Crown

33-3/8" W

10-1/4" H

Elegant Doric Design



19-1/2" W x 29" H 27 lbs. Single Faced

> ITEM# CI5055



29" H 3-1/2" W

8 lbs. 30° Pitch

ITEM# CI9644


3-1/2" W 28-1/2" H 8 lbs.

ITEM# CI9643

SF = Single Faced, SFBO = Single Faced Backed Out, DF = Double Faced. Castings are usually Double Faced unless otherwise specified.

CI9988

Cast Iron Panels



SF = Single Faced, SFBO = Single Faced Backed Out, DF = Double Faced. Castings are usually Double Faced unless otherwise specified.

Cast Iron Panels



Single Faced 17-1/2" H x 45-1/2" W 14.5 lbs.



Fisherman's Favorite



28-1/8" W x 11 " H 34.25 lbs.

ITEM# CI9935


Wheel Center Accents muted with Flowing Tulip and Bud Designs



Radial flange on top is 36" end to end x 1" W x 3/8" thick. Bottom flange is 34-1/2" W x 1/2" thick. Vertical height through center of wheel is 12-3/4".

Overall: 12-3/4" H x 34-1/2 " W 22 lbs.

ITEM# CI9414



Radial flange on top is 24-1/2" end to end x 1" W x 1/2" thick. Bottom flange is 24-1/2" W x 3/8" thick.

Vertical height through center of wheel is 121/4".

Overall: 12-1/4" H x 24-1/2" W

17.5 lbs.

ITEM# CI9314

Hand Carved Flowers and Basket Design





28-1/2" H x 16-3/4" W 20 lbs.

ITEM# CI864X


Decorative Metal Casting



32-5/8" W x 25-1/2" H 60 lbs.

> ITEM# CI8657

Neoclassical Balustrade Panel



39-1/2" W x 24-3/4" H 82.5 lbs.

> ITEM# CI8660F

SF = Single Faced, SFBO = Single Faced Backed Out, DF = Double Faced. Castings are usually Double Faced unless otherwise specified.

Cast Iron Panels



17-1/2" dia 9 lbs.

ITEM# CI8026


Florentine Circle




22-1/4" dia Single Faced 27 lbs.

ITEM# CI617

Center Piece, Wall Art, Grille



8.5 lbs.



23" x 23" Single Faced 14 lbs.


CI7618



10" dia. 3/4" sq. border 9 lbs.

CI9470R

Vineyard Emblem for Fence, Railing etc.



20" diameter Single Faced 20 lbs.

CI14XL

Square Scroll Panel/Insert



24-3/4" W x 22-1/2" H 17 lbs.

> ITEM# CI8656


Good Luck Circle



10-1/2" dia 1" Thick 9 lbs.

> ITEM# CI8325

Recess Vents




17-1/2" W x 9-1/2" H x 2" D 16 lbs. 7/8" x 1-1/2" Grid Size

> ITEM# CI699

SF = Single Faced, SFBO = Single Faced Backed Out, DF = Double Faced. Castings are usually Double Faced unless otherwise specified.

Cast Iron Panels, Grates & Crosses



Phone: 800-833-9175

146

Cast Iron Castings

Door Castings



4-1/8" H 31-5/8" W 6.25 lbs

ITEM# CI5090



4-1/8" H 25-5/8" W

4.75 lbs

ITEM# CI5085



4" H 21-1/2" W

3 lbs.

ITEM# CI3540

Friezes, Valances, Filigree



31-1/2" W 7.5 lbs.

ITEM# CI1348



5" H

33-1/4" W 9.25 lbs.

ITEM# CI1345



4" H 28-3/4" W 5.5 lbs.

ITEM# CI5005

Crown **Design** 10" H ITEM#


22" W

7 lbs.

13.75 lbs.

Elegant Crown **Design** 31-1/4" W ITEM# 10-1/4" H CI7217

CI680





12" H 31-1/4" W 9.8 lbs.

ITEM# CI5095

Gate/Rail Top Or Wall Decor




ITEM#

31" W

CI3010 15.5 lbs.

SF = Single Faced, SFBO = Single Faced Backed Out, DF = Double Faced. Castings are usually Double Faced unless otherwise specified.

Cast Iron Posts, Bases & Collars



Pineapple Post



Decorative Collars & Bases



Fits over 3" round One piece-8 sided 8-1/2" H 6"W 17 lbs.

ITEM# CI8397

Collar For 4" Standard Pipe



Two half sections that you weld together.



5-1/2 " sq base 3-1/2" ID 3-1/2" deep 6 lbs.

ITEM# CI9103

Column Base



5-3/8" H 6-1/8" sq OD at bottom 10 lbs.

ITEM# CI8398

Sold in pairs. Two half sections that you weld together.


CI9102

base 1-1/2" I.D.

ITEM#

CI8194

Cast Iron





35-3/8" H

12.5 lbs.

ITEM#

CI8304



* 2 Half sections - You weld

Entire item will fit over 4" pipe 9" W x 6-1/2" H ID 4-1/2" 23 lbs. ITEM# CI6009 28-1/4" H 10-1/2" Base Dia. ID 4-1/2" 105 lbs. ITEM# CI6008

Comes in one piece 29-3/4" H ID 2-1/2" 24 lbs. Base width 5-3/4"

ITEM# CI7000X

Length 26"


Width at

top and

6 lbs.

ITEM#

CI8306



6.5 lbs.

ITEM#

CI7615

15 lbs.

CI9202

14.5 lbs.


ITEM#

CI9681

6.25 lbs.

ITEM#

CI7614



CI9640

CI621

149

CI5050

CI9640D

Power Tools



Heavy-Duty 14" **Abrasive** Chop Saw

- 15 Amp, 120 volt, 4.0 hp mo-
- Large cutting capacity
- 45° miter capacity with adjustable fence
- Quick Adjust Vise Clamp
- All Ball Bearing Construction

Durable Light Weight Design: 40 lbs. Wheel Size 1" arbor No Load RPM 3,900 5" Rd., 4-5/8" Sq. Cutting Capacity:

> Includes: Vise, abrasive wheel, hex wrench

ITEM #

DESCRIPTION

BDMW617720 14" Abrasive Chop Saw

Milwaukee Deep Cut AC/DC Portable Band

• 10.5 Amp 120 volt AC/DC motor

• 4-7/8" x 4-7/8" cutting capacity

• Fast 420 SFPM cutting speed

Features blade guide bearings, material guide and blade guards have been improved for maximum performance.

Features

- High/low speed adjustment switch
- Multi-grip T-handle
- · Rear blade guard
- Adjustable Material Guide
- Tool Weight:

17.5 lbs.



DESCRIPTION

BDMW6236

Deep Cut AC/DC Bandsaw



Sawzall[®] Reciprocating Saw

- 12 amp, 120 VAC, 3000 spm
- Most durable reciprocating saw on the market

Delivers best in class cut speed, durability and power with 0-3,000 strokes per minute and a 3/4" stroke length. The gear protecting clutch extends gear and motor life and a QUIK-LOK® blade clamp for fast tool-free blade changes. A counter weighted mechanism reduces vibration

• Powerful12 Amp Motor: Delivers 0-3,000 SPM for high performance cutting in variety of materials

Specifications

- p	
Amps:	12.0
Stroke Length:	3/4"
No Load SPM:	0-3,000
Length	19"
Tool Weight	7.1 lbs
Shipping Weight	11.8 lbs
Includes:	Sawzall® and Carrying Case

ITEM #	DESCRIPTION
BDMW650922	Reciprocating Saw



Cutting Saw

- Cermet-tip teeth cuts up to 10 gauge sheets and 1/4 in. steel plate
- 13 amp, 5.4 hp, 120 volt AC, 3,700 rpm motor
- 8" blade size, 5/8" spindle
- 13.3 lbs. tool weight

Includes: Hex Blade Wrench, Circular Saw Blade

ITEM #	DESCRIPTION
BDMW637020	Metal Cutting Saw

8" Replacement Blade

ITEM #	DESCRIPTION
PAM48404515	8" Replacement Blade

Compact Electromagnetic Drill Press



• 9 amp, 120 volt AC, 450 rpm motor

2300 lbs deadlift force magnet capacity

• 750 lbs. drill point pressure

• 1-1/2" diameter hole drill capacity through 2" thick steel with annular cutters, or 1/2" diameter holes 4-1/4" deep with twist drill bits

• 3/4" Weldon shank cutters

• 26.5 lbs. tool weight

Includes: Lubricant Spray Bottle, Nylon Safety Strap, Two Hex Wrenches Note: Drill bit not included

ITEM #	DESCRIPTION
BDMW427020	Electromagnetic Drill Press



Power Tools



• 15.0 Amp/5.3 HP motor

FEATURES

 Epoxy coated field and armature



Adjustable quard

 Rotation directs sparks and debris towards the front of the tool and helps prevent climbing in the cut

DEWALT

Dust-Sealed Switch

· Spindle lock button allows for singlewrench bit changes

SPECIFICATIONS

15.0 AC/DC Amps Amperage: No Load Speed: Depth of Cut: 4-1/2" 5,000rpm Horsepower: 5.3HP Wheel Diameter: 12" Tool Weight: 24.7lbs Tool Length:

INCLUDES

 Wrench, masonry cutting wheel and metal cutting wheel

ITEM #	DESCRIPTION
BDDWD28754	DeWalt 12" Cut-Off Saw



• 7 amp, 120V, 11,000 rpm motor

• Compact, lightweight design Wheel Diameter 4-1/2" Switch Type Slide 10.25" Tool Length Net Tool Weight 3.5 lbs 5/8-11" Spindle Thread **Includes:** Type 27 guard, spanner wrench

BDMW613033 MD Small Angle Grinder



Bench Grinder



Spindle Dia.:

• 6" Wheels

• 5/8 HP, 4 amp motor

FEATURES

 Powerful 5/8 HP induction motor for heavyduty grinding operations

 Industrial cast iron base and motor housing provide durability and prolong life

12-1/2" distance between wheels

SPECIFICATIONS

No Load Speed: 3,450rpm 4.0Amps Horsepower: Amns: 5/8HP

Wheel Dia.:

Adj. Tool Rests: Yes Tool Length:

Tool Weight: 28.5lbs

INCLUDES:

- 36 grit wheel
- 60 grit wheel
- Eye shields
- Spark deflectors
- Tool rests
- Adjustment wrench

Adjustment Wichen	
ITEM #	DESCRIPTION
BDDW756	DeWalt Bench Grinder



Sawzall® M18™ **Cordless Lithium-Ion Recip Saw Tool Kit**

With 18 volt Lithium-Ion battery

FEATURES

- High Capacity Red Lithium[™] battery
- Patented Gear-Protecting Clutch
 Lever Action QUIK-LOK™ Blade Clamp
- Battery gauge displays remaining run-time
 Variable speed trigger

SPECIFICATIONS

7.9 lbs. Tool Weight: Voltage: 18V Stroke Length: SPM: 0 - 3.200Length: 17-3/4"

INCLUDES

Sawzall® M18™ Cordless Recip Saw
 (1) M18™ XC High Capacity Battery

• 1-Hour Charger

• (1) General Purpose SAWZALL® Blade

Čárrying Case

ITEM # **DESCRIPTION** BDMW262021 18V Cordless Sawzall



• 11 amp, 120V, 11,000 rpm motor

• Tool-Free wheel change

Specifications

Wheel Diameter 4-1/2" 120 AC Only Volts Switch Type Paddle, Lock-On 11 Amp 11.57" 5.4 lbs AMPS/Overload Protection Tool Length Net Tool Weight 5/8"-11 Spindle Thread Includes: Type 27 guard, side handle, wrench, flanges

BDMW614730 **HD Small Angle Grinder**



- 15 amp, 4.2 hp, 120 volt AC/DC, 6,000 rpm motor
- 7" and 9" wheel sizes, 5/8"-11 spindle
- · Three-position soft grip handle
- Trigger switch with lock on
- 13.7 lbs. tool weight

Includes: Side Handle, 7" & 9" Type 27 Guard, Spanner Wrench, Flanges

ITEM #	DESCRIPTION
BDMW608830	Large Angle Grinder



Welding & Cutting Accessories



Welding Tip Cleaner

Tapered ends allow smooth entry without scratching. Smooth leader pilot prevents damage to the tip port. Stainless steel.

ITEM #	DESCRIPTION
WSWYPO	Welding Tip Cleaner



ITEM #	DESCRIPTION
WS25	1/4" x 25 ft.
WS50H	1/4" x 50 ft.
WS100	1/4" x 100 ft.




Welding Blanket

- Washable, lightweight
- 1000°F continuous service temperature
- 5.7' x 6' woven fiberglass blanket
- Nylon bag with handles

ITEM #	
WS97455	

Universal Circle Burner


- Up to 30" diameter
- Cuts circles or straight lines with any oxyfuel cutting torch
- Equipped with two wheels and center-





ITEM #	DESCRIPTION
WSCB30	Universal Circle Burner

This handy little tool is ideal for shop or maintenance department that must occasionally cut circles or straight lines but where expensive equipment is not practical.



Cutting Torch Spark Lighters

With replaceable striking flint

ITEM #	PKG. QTY	DESCRIPTION
WS2001	1 each	Single Flint
WS4501	1 each	Triple Flint Style
RENEWAL	FOR ABO	VE LIGHTERS
WS2100X	6 pc.	Renewal Single Flint
WS5002X	4 pc.	Renewal Triple Flint


Weld Cleaning **Hammers** All metal construction with spring type handle. A rugged full size tomahawk that will clean miles of welds.

ITEM # DESCRIPTION WSS20 Cone & Chisel **WSS30** Cone & Cross Chisel

Long-Nek Tomahawks®

- Offers 50% greater handle support and protection from handle splinter caused by working over
- Select hickory wooden handles are hand fitted and secured which virtually eliminates handle
- Straight handle type, steel head material, standard chipping type

ITEM #	DESCRIPTION
WSWH10	A. Chisel & Cross Chisel
WSWH20	B. Cone & Chisel
WSWH30	C. Cone & Cross Chisel



Welding Electrodes



Hobart Mild Steel Welding Rods (Electrodes)

Available in 5 & 50 pound boxes (5 pound minimum)

6010 DC Grade

Usable in all positions, has a wide range of applications tanks with plain or galvanized surfaces, fired and unfired pressure vessels, steel casting repairs, machinery parts, and in those areas where out-of-position welding is necessary. The fast setting deposit is ideal for the vertical up progression used on process piping in the horizontal position.

ITEM #	SIZE	GRADE
WR6010332	3/32"	6010 DC
WR601018	1/8"	6010 DC
WR6010532	5/32"	6010 DC

6011 AC/DC Grade

Designed for fast deposition and flatter contour fillets (for increased footage), exhibit-ing good slag removal. A natural choice for galvanized steel and for rusty or oily steel in maintenance and repair work. For shipbuilding, bridges, storage tanks, buildings, piping, pressure vessels (fired and unfired) and automobile frames.

ITEM #	SIZE	GRADE
WR6011332	3/32"	6011 AC/DC
WR601118	1/8"	6011 AC/DC
WR6011532	5/32"	6011 AC/DC

6013 AC/DC Grade

For use on all types of mild steel fabrication, this electrode is ideal for vertical down welding. Slag on vertical down fillets is usually self-cleaning. Excellent appearance and ease of operation occur in all positions.

ITEM #	SIZE	GRADE
WR6013116	1/16"	6013 AC/DC
WR6013332	3/32"	6013 AC/DC
WR601318	1/8"	6013 AC/DC

7014 AC/DC Grade

This electrode is suitable for all types of mild steel fabrications, particularly in vertical down welding of sheet metal, and ornamental iron work.

ITEM #	SIZE	GRADE
WR7014332	3/32"	7014 AC/DC
WR701418	1/8"	7014 AC/DC


7018 AC/DC Grade

Recommended for welding hardenable steels where no preheat is used; high sulfur or selenium free machining steels; cold rolled steels normally exhibiting excessive porosity when welded with conventional electrodes; low alloy or mild steel when stress relieving normally would be required but cannot be done; weldments to be vitreous enameled after welding.

ITEM #	SIZE	GRADE
WR7018332	3/32"	7018 AC/DC
WR701818	1/8"	7018 AC/DC
WR7018532	5/32"	7018 AC/DC

Electrodes for Cast Iron Welding

- Specifications: AWS/SFA 5.15 EST, AC-DC+
- Nonnickel, non-machinable cast iron electrode



It is the most economical way to go for repairing various kinds of cast iron products – providing that machinability of the weld deposit is not required and where weld shrinkage stress is not a concern. Since the core wire is steel, the weld deposits will have a higher tensile strength (65,000 psi) than Nickel 99, how-ever a color match of the base metal should not be expected. Melts at relatively low temperatures which permits the use of low welding currents. This electrode may be used in any position utilizing AC or DC (reverse

ITEM#	SIZE	DESCRIPTION
WRCAST	1/8"	Cast Iron Electrode

Stainless Steel **Welding Rods** (Electrodes)




- Titania Type Coating
- Moisture Resistant Electrodes
- All Positions, AC or DC Reverse

Application: Designed to weld all 18-8 type stainless steels such as 301, 302, 302B, 303, 304, 305 and 308 and also 201 and 202 chromium, nickel, manganese stainless

ITEM#	SIZE	DESCRIPTION
WR308332	3/32"	Stainless Steel Electrode
WR30818	1/8"	Stainless Steel Electrode

Available in 1 lb. and 5 lb. cans



Tungsten Welding Electrodes

- 2% ceriated tungsten
- Non-radioactive


Contain 2 wt-% or cerium oxide (CeO2) instead of thorium. Ceriated tungsten tends to last longer and can be used with AC or DC. Easier to start than pure tungsten and have improved ARC stability and reduced rate of burn-off or vaporization. Generally used to weld carbon and stainless steels, nickel and nickel alloys, titanium and copper alloys.

10 pieces per pack.

ITEM #	SIZE	COLOR CODE
WRT332	3/32"	Orange
WRT18	1/8"	Orange



Welding Supplies



Ground Clamps

2" Jaw Capacity

ITEM #	AMP CAPACITY
A. WSEG300	300A Std. Duty
B. WSEG500	500 A Std. Duty
C. WS300	300A Heavy Duty
D. WSLPG200	200A Light Duty



Arc-Force Magnetic Ground Clamp

• 300 amp capacity

For guick, "clampless" grounding to your weld piece. Great for welding object without clampable edges or for fast-paced production welding.

ITEM #	CAPACITY
WSEGM50G	300 Amps



Copper Welding Cable

 Neoprene jacketed Sold in coils of 50' 100' and 500'.

ITEM #	SIZE	CAPACITY
WS2C200	#2	200 Amp
WS10C250	#1	250 Amp
WS10C300	#1/0	300 Amp

Electrode Holders

- Handles rods through 1/4"
- Suited for most welding jobs



New-Hi-Tong design for maximum operator comfort. Made from vulcanized fibre material with copper alloy jaws.

ITEM #	CAPACITY
WS316	50 Amps
WSHT3	350 Amps

B-Type Solder-On Cable Lugs

- Copper alloy for excellent electrical conductivity
- Flared end for easy cable access
- Stud hole size 17/32

ITEM #	CABLE SIZES	AMP RATING	STUD HOLE	ID CABLE SOCKET
WSB62	6-2	150	17/32"	.461"
WSB120	1-2/0	225	17/32"	.559"



L-Type Hammer-on Cable Lugs

- Simple as driving a nail to attach
- Twice as heavy as most crimp-type connectors • Same conductivity as the cable they connect
- No soldering, bolting, set screws, or crimping tools required

ITEM #	CABLE SIZES	AMP RATING	STUD HOLE	ID CABLE SOCKET
WSL22	1/0-2/0	450	17/32"	33/64"
WSL33	2 - 1	300	33/64"	13/32"



• With Positive Lock-Tight Action

- Made in the USA

ITEM #	DESCRIPTION
WSLC10	Cable Connector

Shop Our Hardware Inventory at

IMS Ornamental Steel

1425 English Street NW | Atlanta, GA 30122



Phone: 800-833-9175

Welding & Cutting Tips



Replacement MIG Contact Tips

• For Miller MIGmatic, Spoolmate, Spoolmatic and Bernard Guns

ITEM #	WIRE	GUN
MI087299.0	23"/.02!	5" MIGmatic M15 & M25
MI087067	.030"	MIGmatic M15 & M25
MI087068	.035"	MIGmatic M15 & M25
MPM000069	.045"	MIGmatic M25
MI186419	.030"	Spoolmate 3035 & 100
MI186406	.035"	Spoolmate 3035 & 100
MI206187	.030"	Spoolmatic 30A
MI206189	.3/64"	Spoolmatic 30A
MIT035	.035	Bernard MIG Gun
MIT045	.045	Bernard MIG Gun

Replacment MIG Nozzles

 For Miller MIGmatic, Spoolmate and Spoolmatic Guns

ITEM #	SIZE	GUN
MI169715	1/2" w/ flush tip	M15
MI169724	1/2" w/ 1/8" recess	M25
MI169725	5/8" w/ 1/8" recess	M25
MI169726	5/8" w/ flush tip	M25
MI169727	5/8" w/ 1/8" stockout	M25
MI186405	Spoolmate 3035	& 100
MI199612	Spoolma	tic 30A





Oxy-Acetylene Cutting Tips





• Heavy Duty "SC" Acetylene Tips

ITEM #	SIZE	RANGE
VCSSC12000	000	1/8"
VCSSC1200	00	3/16
VCSSC120	0	1/4" - 3/8"
VCSSC121	1	1/2" -5/8"
VCSSC122	2	3/4" - 1-1/4"
VCSSC123	3	1-1/4" -2"



• Medium Duty "MC" Acetylene Tips

ITEM #	SIZE	RANGE
VCSMC1200	00	Up to 3/16"
VCSMC120	0	1/4" - 3/8"
VCSMC121	1	1/2" - 5/8"
VCSMC122	2	3/4" - 1-1/4"
VCSMC123	3	1-1/2" - 2"



Oxy Propane -Oxy Natural Gas Cutting Tips





- Heavy Duty "SC" Propane, Natural Gas Tips
- SC50 General and Heavy Cutting

ITEM #	SIZE	RANGE
VCSSC500	00	1/4" - 3/8"
VCSSC501	1	1/2" - 5/8"
VCSSC502	2	3/4" - 1-1/4"
VCSSC503	3	1-1/2" - 2"

Have Questions? Give Us a Call 404-577-5005 800-833-9175

Victor® Style Oxy-Acetylene Cutting Tips





Heavy Duty Acetylene Tips

ITEM #	SIZE	SERIES
VC001	00	1
VC01	0	1
VC11	1	1



• Medium Duty Acetylene Tips

ITEM #	SIZE	SERIES
VC003	00	3
VC03	0	3
VC13	1	3

Victor® Style Oxy-Propane Cutting Tips



Heavy Duty Propane Tips

ITEM #	SIZE	SERIES
VCGPN0	00	1
VCGPN1	1	1



• Medium Duty Propane Tips

ITEM #	SIZE	SERIES
VC3GPN0	00	3
VC3GPN1	1	3

Victor is a registered trademark of Victor Equipment Company, all rights reserved.



Flashback Arrestors

Helps prevent dangerous flashbacks from reaching fuel source. Each set includes two arrestors.



ITEM #	DESCRIPTION
VCSH7536	Regulator to Hose Set
VCSH7436	Hose to Torch Set



Welding Supplies



One piece handle is molded from virtually unbreakable, lightweight resin. The trigger switch is rated for 1.5+ million cycles. The rugged unicable outer jacket stands up to the toughest environments. Steel spring coils offer superior protection from cable fatigue at both ends.

Uses metal with maximum thermal conductivity to dissipate heat for cooler operation and extend life of consumables. Aluminum armor over the copper head tube resists spatter, dissipates heat more effectively than copper alone, and better protects the head tube from wear.

ITEM #	DESCRIPTION
MI15	MIG Gun with 12 ft. Cable
for Mille	rmatic 140,180, DVI & Passport
MI25	MIG Gun with 15 ft. cable
	for Millermatic 212 and 252



Miller Tune Up Kits

 Includes everything needed to keep your Miller engine driven welder in top operating condition

ITEM #	DESCRIPTION
MI221584	For Blue Star 145DX & 185DX
MI180096	For 20 hp Bobcat 225 & 250
MI230015	For 23 hp Bobcat 225 & 250
	and Trailblazer

ProFax Platinum Compact 180 & 250 Amp MIG Guns

- Compatible with all Miller MIG Welders (Miller-ready ends IN STOCK)
- · Easy to maintain
- Price includes gun with Miller cable connector
- 100% Tweco parts compatible

Standard features include: Ergonomic handle, Spare switch leads, Extra flexible cable, Adapter kits available for most models of feeders, Heavy duty guns with better stress relieve springs on both ends.

ITEM #	DESCRIPTION
MPEM180303510	ProFax 180
Amp Gun with 10 ft for Millermatic 140,	Cable. Wire: .030035" 180, DVI & Passport
MPM51	.035045 Gas Diffuser
MPM2150	Insulated 1/2" Nozzle
MPM1135	.035 Contact Tip
MPM42303515	15' Replace Liner
MPEM250303512	Profax 250

Amp Gun with 12 ft. Cable. Wire: .030-.035" for Millermatic 212 and 252

MPM52 .035-.045 Gas Diffuser

MPM52 .035-.045 Gas Diffuser
MPM2250 Insulated 1/2" Nozzle
MPM1435 .035 Contact Tip
MPM42303515 15' Replace Liner



Replacement Liner

• 15 ft. length

ITEM #	WIRE	GUN
MI172257	.023"/.025"	M15/M25
MI172258	.030"/.035"	M15/M25
MI172259	.035"/.045"	M15




M-Series Guns Convenience Kits

• MIG Gun not included

Contains consumables needed for your particular M-Series gun. The box features a complete gun consumables guide and restocking chart to assure that you've got the right parts on hand. Also to keep your organizer box where you placed it, we've magnetized the bottom to avoid spills.

ITEM #	GUN	
MP193973	for M10 and M15 Guns	
MP193975	for M25 Guns	



Wire Lube Pads

For all welding wire

For MIG welding of steel, stainless hardfacing, silicon-bronze, aluminum, solid and flux core wire. Reduces burn-backs, erratic feed and increases life of wire drive motor and wire feed surfaces. Safe and non-toxic pads removes dust contamination and lowers friction

ITEM#	DESCRIPTION
WS7061	Wire Lube Pads



Welding Wire & Supplies

Plastic Welding Rod Holder

- With belt clip
- Holds 5 lbs. of welding rods
- Dimensions 15"x 3"



ITEM# WS674



Leather Rod Holder

 Made of heat and abrasion resistant select leather, sewn with Kevlar[®] thread

IT	Ξ	Ň	#	
W	ς	۲.	75	

Anti-Spatter and Nozzle Dip

To prevent weld spatter adhesion to MIG gun nozzles, tips, electrode holders and welded products.





ITEM #	SIZE	STYLE
WSAS	16 oz. Aerosol	Anti-Spatter
WSNG	16 oz. Jar	Nozzle-Dip Gel

Brazing Flux

For brazing steel, malleable and cast iron, welding brass, bronze and copper. Fast cleaning action on rusty, greasy steel with a strong bond. 1 pound container.



ITEM#	DESCRIPTION
WSBF1	Brazing Flux

Stainless Steel Welding Wire

• ER 308L

Contains .02% carbon for a weld deposit with good resistance against corrosion. Commonly used for welding AISI types 304L, 308L, 321, and 347.



ITEM #	WIRE SIZE	SPOOL SIZE
WW0302SS	.030"	2 lbs.
WW03010SS	.030"	10 lbs.

Flux Cored Welding Wire

- 71-T11 Grade
- For mild steel welding
- No shielding gas required



ITEM #	WIRE SIZE	SPOOL SIZE
WW030FC	.030	10 lbs.
WW035FC	.035	10 lbs.
WW0352FC	.035	2 lbs.
WW0302FC	.030	2 lbs.

Aluminum Welding Wire

• ER 4043

For welding 2014, 5052, 6061 and 6063 (in various conditions of heat treatment) sheets, plates, and shapes.



ITEM #	WIRE SIZE	SPOOL SIZE
WW0301A	.030	1 lb.

Speciality MIG Pliers



Specifically for CO₂ welding operations. For hammering, wire cutting, insulation bushing removal and installation and drawing out wire. Removes spatter from the nozzle-end. Removal/installation of contact tips and nozzles.

ITEM #	DESCRIPTION
HT775	MIG Pliers

Premium Grade Welding Wire

- For mild steel applications
- ER70S-6 carbon steel

This product requires a shielding gas: CO, and/ or CO, mix. Typical applications include general shop applications with poor fit-up or rusty, oily plates, steel castings or forging salvage, home projects tanks, sheet

metal, and construction work.

Specifications
AWS Specification: A5.18
AWS Classification: ER70S6

Welding Current: DCEP (Electrode Positive, Reverse Polarity)

ITEM #	WIRE SIZE	SPOOL SIZE
WW023	.023	11 lbs.
WW03010	.030	10 lbs.
WW030	.030	30 lbs.
WW03510	.035	10 lbs.
WW035	.035	33 lbs.
WW045	.045	33 lbs.

Low Fuming Brazing Rods

ITEM #	SIZE & LENGTH
WRBR332	3/32" x 36"
WRBR18	1/8" x 36"

Flux Coated Brazing Rods

ITEM#	SIZE & LENGTH
WRBRF332	3/32" x 36"
WRBRF18	1/8" x 36"



Auto-Darkening Welding Helmets



Classic Series Auto-Darkening Welding Helmets

- Digital Controls allow user to easily adjust mode and settings
- Auto-On/Auto-Off
- Convenient Magnifying Lens Holder
- Features Fixed Shade #10 and Light Shade #3
- Recharable Solar Cell
- 2 Year Warranty



Stars & Stripes

Metalworks

Red Flame

Camouflage

ITEM#	DESCRIPTION
WS271345 WS2713Y6	Stars & Stripes Metalworks
WS271347	Red Flame
WS271348	Camouflage

Specifications

Viewing Area: 5.15 sq in. 3.75 x 1.57 in. Two Arc Sensors: 1/3,600 sec. lens speed TIG Rating: 20 Amps

Weight: 16 oz (454g)

Meets ANSI Z87.1+ (2010) and CSA Standards

Great Quality at the **Right Price**



Miller Performance **Series Auto-Darkening Welding Helmets**

- Digital Controls allow user to easily adjust mode and settings
- **NEW!** Redesign features additional adjust ability settings for better fit
- NEW! 3 Year Warranty
- NEW! Now with Grind and Cut mode
- 7.22 sq. inch viewing area
- Three Arc Sensors for superior lens response
- Thee Operating Modes Weld/Cut/Grind
- Auto-On/Off power control triggers lens at the strike of an arc

ITEM#	DESCRIPTION
WS264851	America's Eagle II™
WS241458	Blue Rage™
WS250532	'64 Custom
WS256165	Illusion



Specifications

Viewing Area: 7.22 sq in. 3.85 x 1.85 in Three Arc Sensors: 1/20,000 sec. lens speed

Three Operating Modes:

Weld Mode - #8-13 Cut Mode - #5-8

Grind Mode - Light State #3.5

TIG Rating: 5 Amps Weight: 17 oz (482g)

Meets ANSI Z87.-2003 (High Impact) standard Lithium batteries (2) with solar assist; up to 3,000 hours

Included: 5 outside cover lenses. 2 inside cover lenses, helmet bag

Miller Replacement Headgear

For Miller Per-

formance

Series and Pro-Hobby Series welding helmets



Softer, more comfortable strap material with perforations on headband and absorbent sweatband to enhance breathability. Ergonomically designed, streamlined ratchet for easy adjustments and increased clearance.

ITEM #	DESCRIPTION
MI770246	Miller Headgear

Miller Lens Covers

For **Performance** Series Miller auto darkening welding helmets Size: 4-3/8" x 5"

For **Pro-Hobby** Series Miller auto darkening welding

helmets. Size: 4-1/2 x 3-5/8".



ITEM #	DESCRIPTION
MI231921	Performance Outside
MI770237	Performance Inside
MI231411	Pro-Hobby Outside
MI231410	Pro-Hobby Inside

Welding Helmets & Accessories

flip-up front

retainer



Classic Series Fixed Shade Autodarkening Welding Helmet

- Fixed shade #10, light state #3
- •Two Arc Sensors 1/3,600 sec. lens speed

Viewing Area: 5.15 sq.in. - 3.75" x 1.375" Two Arc Sensors - 1/3,600 sec. lens speed TIG rating - 20 Amps

Auto-On/Auto-Off power control Weighs only 16 oz.

Rechargeable Solar Cell

Convenient Magnifying Lens holder Meets ANSI Z87.1-2003 (High Impact) standard

Hard Hat Adapter accessory available

ITEM#	DESCRIPTION
WS770280	FS Auto-Dark Helmet



Replacement Lenses



_			
	ITEM #	DESCRIPTION	SIZE
Ī	WS10L	Shade 10	2" x 4-1/4"
	WS11L	Shade 11	2" x 4-1/4"
	WS12L	Shade 12	2" x 4-1/4"
	WS10L4	5 Shade 10	4-1/2" x 5-1/4"
	WS11L4	5 Shade 11	4-1/2" x 5-1/4"
	WS12L4	5 Shade 12	4-1/2" x 5-1/4"
	WSCR39	S Clear	2" x 4-1/4"
	WSCR39	L Clear	4-1/2" x 5-1/4"

Economy Welding Helmet



Provides exceptional value and superior protection. Feature an extended crown, a rigid bib, and compact design.

ITEM#	DESCRIPTION
WS770257	Welding Helmet

Leather Welding Hood



leather hood provides overall head protection and is ideal for tight welding places.

ITEM#	DESCRIPTION
WS21301	Leather Welding Hood

Omni-Mag Welding Lens Magnifier

• Fits standard 2" x 4-1/4"



ITEM #	DESCRIPTION
WS100M	1.00 diopter
WS150M	1.50 diopter
WS200M	2.00 diopter
WS225M	2.25 diopter



- Miller quality in a non-auto-darkening welding helmet
- Viewing Area 4" x 4"
- Features Passive Shade #10 Lens
- Uses industry standard size filter plate and inside cover lens
- Weighs only 18 oz.
- Upgradeable to an Auto-Darkening Lens
- Convenient Magnifying Lens holder
- Meets ANSI Z87.1-2003 (Impact) standard
- 30 Day Limited Warranty

ITEM#	DESCRIPTION
WS235626	Classic Black Helmet
WS235627	Inferno Welding Helmet

MP-10 Lens Covers

• For the MP-10 helmets above Protects glass lenses of the MP-10 Series non-autodarkening welding helmets.

ITEM #	DIMENSIONS	LOCATION
MI216326	4-11/16" x 5-5/8"	Outer
MI235628	5-1/4" x 4-1/2"	Inner

Auto Darkening Lenses


- Size: 2-1/2" x 4-1/4"
- Ultra thin, solar powered design
- Less than a millisecond switching
- Fixed shades 10 and 11
- Fits standard welding helmets

Increase welding accuracy, speed and improve personal safety and comfort. Provide full protection against UV/IR rays at all shades and in off position. Quick and easy installation and meets ANSI Z87.1 standards.

ITEM#	DESCRIPTION
WSEL10	Fixed Shade 10
WSEL11	Fixed Shade 11



Personal Safety Equipment



Z89.1 head protection standards

Attractive whole helmet coverage with unique designs. Ratchet suspension adjusts for a custom fit.

ITEM#	DESCRIPTION
WS156227	7 Stars & Stripes - Front Brim
WS52947	Gold Eagle Flag - Front Brim
WS03908	Digital Camo - Front Brim
WS79479	USA Bald Eagle - Front Brim
WS71157	Stars & Strips - Full Brim

Disposable Dust and Particle

Mask

 Complete with elastic strap.

 Sold individually or in 50 piece boxes



ITEM#	DESCRIPTION
WS1501	Dusk Mask

Premium Welding Respirator

For arc welding, brazing and cutting of most common metals. Carbon filter for nuisance ozone and nuisance vapors. Respirator Locker® helps keep

carbon fresh convenient Handy Strap® for welders. Sold in packs of 4 units.

ITEM#	DESCRIPTION
WSRW1	Welding Respirator

Protective Hard Hats

Adjustment

• Meets ANSI/ISEA Z89.1-2009 Class E, Type I Standards • Available in Fas-Trac® suspension or Staz-On® suspension

Polyethylene shell provides superior impact protection. Self-adjusting crown straps ensure a comfortable fit. Slotted design works with MSA accessories.

	3			
ITEM#	STYLE	COLOR	SUSPENSION	ADJUSTMENT
WSHH1	(A) Front Brim, Slotted	White	4-Point	Staz-On (Pin Lock)
WSA69RW	(B) Front Brim, Slotted	White	4-Point	Fas-Trac (Ratchet)
WSA69RR	(B) Front Brim, Slotted	Red	4-Point	Fas-Trac (Ratchet)
WSA69RB	(B) Front Brim, Slotted	Blue	4-Point	Fas-Trac (Ratchet)
WSA69RO	(B) Front Brim, Slotted	Orange	4-Point	Fas-Trac (Ratchet)
WSA69RY	(B) Front Brim, Slotted	Yellow	4-Point	Fas-Trac (Ratchet)
WSE1SW	(C) Full 360° Brim, Non-Slotted	White	4-Point	Fas-Trac (Ratchet)
WSA49RR	(C) Full 360° Brim, Non-Slotted	Red	4-Point	Fas-Trac (Ratchet)
WSA49RB	(C) Full 360° Brim, Non-Slotted	Blue	4-Point	Fas-Trac (Ratchet)
WSA49RO	(C) Full 360° Brim, Non-Slotted	Orange	4-Point	Fas-Trac (Ratchet)
WSA49RY	(C) Full 360° Brim, Non-Slotted	Yellow	4-Point	Fas-Trac (Ratchet)

MSA Paint & Pesticide Respirator Kit

• NIOSH 42 CFR 84 approved to the R95/OV category

R95 filters are at least 95% efficient against oil-based contaminants, and organic vapors. Features activated carbon cartridges and large surface area prefilters. Due to its patented unique Multi-Flex™ design, the respirator adapts better to users' faces than standard half mask designs. The respira-tor's soft blue material is both light weight and

molded to fit

users better in the chal-

lenging nose





DESCRIPTION WS817662 Standard Size Half Mask WS817666 Replacement Cartridges



Safety Eyewear & Welding Screens



PT9™ Series Safety Eyewear

New product

Features include: adjustable temples, secure fit, soft flexible nosepiece delivering comfortability and an attractive smooth frame. Meets ANSI Z87.1 Standard.

ITEM#	DESCRIPTION
WS74201	Clear Lens, Smoke Frm.
WS74241	In/Outdoor Mirror Lens
WS74271	Smoke Lens, Smoke Frm.



Matrix™ Safety Eyewear

- Experience the superior style and clarity first hand
- Meets ANSI Z87.1-1989 Standard
 A snug fit ensures good protection and soft black rubber tips will give you comfort that's almost too good to be true. Lens options: an extraordinary blue mirror, crystal clear, dark smoke, and a most unique gold mirror.

ITEM#	DESCRIPTION
WS73501	Clear Lens, Black Frm.
WS73521	Lt.Gold Mirror, Black Frm.
WS73571	Smoke Lens, Black Frm.
WS73581	Blue Mirror, Black Frm.



Sebring[®] 400 Series Safety Eyewear

 One of the best values in the eyewear market just got even better
 Features include: adjustable temples, wide, single piece lens that provides incredible clarity and side, protection. Meets ANSI Z87.1-198 Std.

ITEM #	DESCRIPTION
WS76301	Clear Lens, Smoke Frm.
WS76341	Silver Lens, Black Frm.
WS76601	Clear Lens, Blue Frm.
WS76671	Smoke Lens, Blue Frm.



ITEM#	DESCRIPTION
WS97305	5' x 5' Curtain Only
WS97205	5' x 5' Curtain Frame

Portable Vinyl Welding Screen

- Lightweight and Portable
- 5' x 5' Yellow Vinyl Screen
- Reinforced and free standing
- D-rings on corners for tiedown
- Ideal maintenance repairs and remote workplaces
- Roll-up snap closure for quick and easy pack up and storage

ITEM#	DESCRIPTION
WS97221	5' x 5' Yellow Screen



Maxview[®] Visitor Safety Glasses

• Designed for comfort and a secure fit The innovative design makes Maxview the ideal protective eyewear to fit over most prescription glasses. Features include: integral lens construction and abrasion resistant polycarbonate material. Meets ANSI Z87.1-1989 Standard.

ITEM#	DESCRIPTION
WS79302	Clear Lens, Clear Frame

Sellstrom. Welding Curtains

- 14 mil transparent orange vinyl.
- Resistant to fire, water, mildew.
- May be used around arc, plasma, gas or other high amperage welding equipment.
- Brass grommets on corners and all mounting hardware.
- Warning: Not to be used as a replacement for a welding helmet or filter Frame.
- Constructed of 7/8" (2.22 cm) galvanized steel tubular pipe for stability and long life.







Personal Safety Equipment



Face Shield Headgear

- Spark deflector
- Ratchet suspension
- Meets ANSI Z87.1 Standard

ITEM#	DESCRIPTION
WSF3003	Headgear



Polycarbonate Face Shields

- High impact performance
- Good performance against heat
- Excellent cold flexibility

Recommended applications: manufacturing, flying debris, cutting or grinding metal (IRVU only), wood cutting, general splash protection, chemical splash protection, digh impact, high heat applications, landscaping, food processing

Meets ANSI Z87.1 - 2010 Standards when used with any Jackson Safety Brand Headgear.

ITEM#	DESCRIPTION
WSFCL	Clear Window Lens
WSFGR	Green Window Lens



Flexible/Rigid Frame Welding Goggles

The plastic frames hug facial contour for an extremely comfortable fit. Ventilated for effective cooling and evaporation. Equipped with durable elastic headbands. Shade #5 filter and clear cover plate included.



Flip Welding Goggle

Flexible frame with 2" x 4-1/4" wide lens lift-front cover and hooded vents.

ITEM#	DESCRIPTION
WSGB90H	Coverall Flip Goggle



Eye Cup Cutting Goggle

Adjustable fit rigid frame, 50 mm cup goggle with baffled vents.

ITEM#	DESCRIPTION
WSECG	Eve-cup Cutting Goggle

High Visibility Orange Safety Cones

• 28" tall

 Great for directing traffic

Among the toughest cones on the market passing a strict 11-point test. One piece mold helps reduce cracking. Comes with road gripping cleats to keep the cone were

you put it.

ITEM# LESCRIPTIION
HTC28 28" Safety Cone



Sebring[®] 600 Series Safety Eyewear

• Shade 5 lens, for cutting observation

Sebring 600 series safety glasses come with adjustable temples and a wide, single piece lens. These durable frames provide excellent side protection and optical clarity. Meets ANSI Z87.1-2003 standards. CUL certified.

ITEM#	DESCRIPTION
WS74651	Shade 5 Lens, Blk Frame



 Anti-fog perforated goggle with rubber strap

Provides a wide, unobstructed field of vision and can be worn with most half-mask respirators. The transparent protective PVC body permits a comfortable fit over prescription eyewear while protecting against impact and splash. Meets or exceeds ANSI Z87.1 safety standards.

ITEM#	DESCRIPTION
WS3155	Clear Lens, Clear Frame



- Exclusive grooved cap design prevents thread abrasion
- Super tough, light weight fabric covering
- Comfortable, double straps with hook and loop fasteners, one size fits all

ITEM#	DESCRIPTION
HT150380	Knee Pads



Gloves






Premium TIG Glove

Extra soft top-grain leather TIG glove with Kevlar® stitching.

ITEM#

WSTG



Driver's Gloves

Tan top grain leather driver's glove with keystone thumb. Size regular or extra large.

ITEM#

WS3TL



Plastic Dot Work Gloves

Cotton work glove with black plastic dots.

\$ ITEM#

WS5DG



Brown Jersey Cotton Glove

Clute cut, heavy weight Brown Jersey glove with knit wrist.

ITEM#

WS4J



Disposable Latex Gloves

Natural latex gloves are ideal for general automotive and industrial repair work. They fit either hand while providing superior
manual dexterity. Lightly powdered, the gloves are easy to put on
and take off. Each glove features textured fingers that are ideal for gripping dirty parts and

tools. 50 gloves per box.

ITEM#

WS301551

Russet Split Grain Leather Welder With Lining

> All Welding Gloves fully stitched have cotton lining for heat protection.

ITEM#

WS2R

PVC Coated Chemical Resistant Gloves



• 12" gauntlet cuff

Black PVC chemical resistant glove with a smooth finish and a 12" gauntlet cuff. Excellent chemical and abrasion resistance. Interlocking lining.

Large - men's size.

WS758113


Premium Gloves

MegaMIG™ Premium Goatskin Welding Gloves

 Designed for ultra comfort and dexterity for MIG gun welding

Premium heavyweight grain goatskin palm and durable split cowhide back. Reinforcements on palm for added protection in wear areas. Stitched with Kevlar® to resist heat or flame and strengthen seams.

- · Full cotton fleece lining
- Seamless index finger
- Wing thumb
- Elastic gathered back4-1/2" cuff



Natural Thumb™ **Welding Gloves with Heat Resistor Lining**

- Features triple layer insulation
- Curved finger base and natural thumb virtually eliminate stress
- Fully welted and 100% Kevlar® sewn
- Garmet grade leather with integrated palm and thumb reinforcement

ITEM#	COLOR
WS21NT	Brown
WS25NT	Blue

Deerskin Welder's Gloves

- Amazingly soft, comfortable and flexible, with excellent protection
- Sewn with Kevlar® thread in a gunn cut pattern with a straight thumb
- Fully welted and lined, has thumb strap and pull strap

ITEM#	DESCRIPTION
WS2275	Deerskin Welding Gloves

Pigskin Leather Welding Gloves

- Reverse grain leather palm provides excellent sense of touch
- Foam back, reinforced thumb strap and pull strap
- Fully welted

ITEM#	SIZE
WSP750L	Large
WSP750LX	X-Large



 Made from select side split leather

Features a flame retardant full cotton lining with an added foam lining on the palm and back of the hand. Sewn in a gunn cut pattern with a wing thumb and one piece back. Has a palm patch and reinforced thumb strap. Sewn with Kevlar® thread.



ITEM#	DESCRIPTION
WS2119B	Brown - Foam-Lined Welding Gloves
WS2519B	Blue - Foam-Lined Welding Gloves
WS2619B	Black - Foam-Lined Welding Gloves

Ultimate Gripper Work Gloves Pig Grain with PVC Reinforcements

 Protective Neoprene® knuckle quard maintains contour fit

Finger and palm reinforcements, double layered in wear zones Pre-curved finger design reduces fatigue and improves dexterity

Reinforced padded thumb saddle adds strength at stress point Resilient with continuous comfort and dexterity, even after exposure to water or oil. Textured PVC finger and palm reinforcements ensure non slip grip.









Protective Apparel

Miller Classic Cloth Jacket

• 9 oz. Flameresistant navy cotton Features: Barracuda style stand-up collar for extra neck protection, Pre-shrunk fabric eliminating shrinkage, Accessible inside pocket, "Fold-in" sleeve snaps for a better fit around the

ITEM #	SIZE
MICWJ	L & XL (please specify)

Western Style Welding Shirts



Large (17" neck, 35" sleeves), X-large (18-1/2" neck, 35" sleeves)

Features snap on buttons and pointed flap pockets. Made of high-quality 100% cotton.

(Other sizes available upon request. Please specify size when ordering)

ITEM#	DESCRIPTION
WS8SC	Khaki & Color
WS8SK	Khaki Only

Leather Welder's Jacket



Made of heat and abrasion resistant select leather, sewn with **Kevlar®** thread

Features inner leather pocket Roll up collar

with Velcro closure, welted shoulder seems and adjustable snap cuffs. Features a reinforced double leather snap panel with riveted stress points, chest pockets and self-balancing adjustable straps with buckle fasteners.

Sizes in stock: S - XL (Other sizes available upon request. Please specify size when ordering)

ITEM#	DESCRIPTION
WSLJ	Leather Jacket

Leather **Utility Apron**

- Sizes in stock: 36" length
- Made of heat and abrasion resistant select leather, sewn with **Kevlar**[®] thread

ITEM# WSUA



Cape Sleeve & 14" Bib



 Made of heat and abrasion resistant select leather, sewn with Kevlar® thread

> Roll up collar with Velcro closure, welted shoulder seems and adjustable snap cuffs. Features a reinforced

double leather snap panel with riveted stress points and self-balancing adjustable straps with buckle fasteners.

Sizes in stock: S - XL

(Other sizes available upon request. Please specify size when ordering)

ITEM#	DESCRIPTION
WSCS	Cape Sleeve
WSCSB	14" Bib

Lightweight Flame @ Retardant Cotton

WeldMite[®] Jacket

Lighter than

leather Features an inside pocket, recessed snaps on the front and collar, and adjustable snaps at wrist. Made from 12 oz. permanently flame retardant, 100% cotton fabric. Made in the USA.

ITEM# WS10102 Large WS10103 Extra-Large WS10104 XX-Large

High Crown Fitted Welders Caps



- Reversible caps are available in wide variety of colors!
- 100% cotton
- Size: 6-1/8 8

ITEM# **WSCAP**

Doo-Rags



 Available in wide variety of colors! • 100% cotton • One size fits all

ITEM# **WSCRG**



Personal Safety Supplies



Gatorade® Thirst Quencher Mix

- Convenient ready-to-mix packets for 1 gallon yields
- Available in a variety of flavors
 A great tasting sport drink, scientifically formulated to quickly replace the fluid and minerals your body loses during physical activity. The optimal blend of carbohydrate and minerals for rapid fluid replacement and improved performance.

ITEM#	DESCRIPTION
MC606027	8.5 oz. Fruit Punch
MC606028	8.5 oz. Lemon Lime
MC606029	8.5 oz. Orange



Beverage Coolers

• Available in 3 and 5 gallon sizes

Splash-seal keeps beverage from spilling and fast-flow faucet for easy pouring. Includes seat-top lid, folding handles for easy carrying and standard lug for cup dispenser use.

ITEM#	DESCRIPTION
MC751152	3 Gallon Cooler
MC751154	5 Gallon Cooler



3-Piece Rainsuit

• .35mm PVC/Polyester/PVC fabric.

PVC exterior laminated to polyester with a PVC interior coating providing extra strength and durability. 32" long jacket with detachable hood and bib overall. Full cut for a comfortable fit. Corduroy collar. 100% waterproof. Non-conductive. Storm flap with concealed snaps. Vented cape yoke back and underarm vents. Adjustable wrist and leg openings.

ITEM#	DESCRIPTION
HT750122	3-Piece Rainsuit



Fire Retardant Aprons

- Available in green and rust colors.
- Made of fire Retardant Proban FR7
- Sizes in stock: 42" L

Other sizes available upon request. Please specify when ordering.

ITEM#	DESCRIPTION
WSU200	Fire Retardant Apron



Visibility Safety Vest

 Makes people more visible so that drivers have more time to respond

This bright orange safety vest is ideal for daylight applications. Elastic side straps are utilized to accommodate a wide range of waist sizes. The hook and loop closure helps keep the vest closed.

ITEM #	DESCRIPTION
WSTV50	One Size Fits Most Safety Vest



Non-Woven Coveralls

Protects clothing while sanding, spraying paint, installing/removing fiberglass, asbestos/lead abatement and applying dry-mix pesticides. Zipper closure. Puncture and tearresistant. One size fits most wearers.

ITEM#	DESCRIPTION
HT152822	Coveralls



Abrasive Wheels

Thin Reinforced Cut-**Off Wheels**

- Type 27 ___
- Zirconia anu Aluminum Oxide grit mix-
- 60 grit

General purpose wheel for faster cut-

and longer life. Excellent on steel and stainless steel.



ITEM#	SIZE	RPM
PA45001	4" x .045" x 5/8"	15,300
PABD412C	4-1/2" x .045" x 7/8"	13,300
PA45005	5" x .045" x 7/8"	12,250
PA45008	7" x 1/16" x 7/8"	8,600

Grinding Wheels

- Type 27
- Available with and without quick change hub
- Aluminum Oxide grain with special bond for fast cutting
- 24 grit

Excellent ratio of stock removal/wheel loss. Economical choice for metal and low grade stainless steel. For general purpose grinding.



DEWALT

100X E

With Standard Steel Reinforced Arbor Hole

ITEM#	SIZE	RPM
PABL4	4" x 1/4" x 5/8"	15,300
PABL412	4-1/2" x 1/4" x 7/8"	13,300
PABL5	5" x 1/4" x 7/8"	12,250
PAWS7NA	7" x 1/4" x 7/8"	8,600

With Quick Change Metal Hub

ITEM#	SIZE	RPM
PABD412H	4-1/2" x 1/4" x 5/8"-11	13,300
PAWS7T	7" x 1/8" x 5/8"-11	8,600
PABL7	7" x 1/4" x 5/8"-11	8,600
PAWS9	9" x 1/4" x 5/8"-11	6,600

14" Metal Cutting **Diamond Edge Chop Saw Blade**

- Type 1
- Fits stationary chop saws
- 100 times the life of a standard chop saw blade

Advanced Brazing Technology: Cuts metal with the speed

of a conventional abrasive blade. Steel Blade Core: Constant cutting depth, capacity and stability of a solid core.

Exposed Diamond Matrix: Also cuts concrete, plastic, fiberglass, rubber, non-ferrous metals and other soft materials without loading.

ITEM#	SIZE	RPM
PADW8500	14" x 3/32" x 1" arbor	4,300

7" Circular Saw **Cut-Off Wheels**

- Type 1
- 24 grit

Aluminum Oxide for metal and steel. Diamond shaped arbor for use on most standard metal cutting 7 inch circular saws. Please read circular saw operating instructions prior to use.



ITEM#	SIZE	RPM
PABL7C	7" x 3/32" x 5/8"-⇔	8,600

10" Stationary Saw Cut-Off Wheels

- Type 1
- 24 grit

Aluminum Oxide for metal and steel. for cutting structural steel, bar stock, tubing and non-ferrous metals.



ITEM#	SIZE	GRIT	RPM
PABL10	10" x 1/8" x 5/8"	24	6,110

Chop Saw Wheels

Available in 12" and 14"

Type 1

• 36 grit Aluminum Oxide

for metal and steel. Double reinforced with fiberglass for durability. Economical choice for metal. steel and general



ITEM#	SIZE	RPM
PABL12	12" x 3/32" x 1"	5,100
PABL14	14" x 7/64" x 1"	4,400

6" Bench and Pedestal Wheels

Type 1

• 60 grit

Straight vitrified wheels used for off-hand tool shapening and grinding. Brown Aluminum Oxide for general purpose offhand work. 1 inch hole with installed telescopic bushing for 3/4", 5/8" and 1/2" arbors.



ITEM#	SIZE	RPM
PABD57624	6" x 3/4" x 1"	4,456



Abrasive Wheels & Discs

SAIT Abrasives are a premium quality product made in the USA at an affordable price



Long Life Grinding Wheels with Spin-On 5/8"-11 Hub

- Our most popular wheel
- General purpose grinding
- Longer life for fewer wheel changes
- A24R grit



ITEM#	DIA	WIDTH	BORE	RPM
PAS20163	4 - 1/2"	1/4"	5/8"-11	13,300
PAS20173	5"	1/4"	5/8"-11	12,200
PAS20086	7"	1/4"	5/8"-11	8,500



Aluminum **Grinding Wheels**

- 1/4" thickness
- Soft bond for aggressive removal of material without loading
- Outlasts competition by as much as 40%
- A46N grit



ITEM#	DIA	BORE	RPM
PAS20062	4-1/2"	7/8" Reinforced Hole	13,300
PAS20088	7"	5/8"-11 Threaded Hub	8,500



Grinding Wheels Concrete And Cast Iron or Masonry

- 1/4" thickness
- Soft bond for
- fast stock removal

 C24N Silicon carbide grain 	1
Can also be used on hard to grind metal like cast iron.	

ITEM#	DIA	BORE	RPM
PAS20061	4-1/2"	7/8" Reinforced Hole	13,300
PAS20087	7"	5/8"-11 Threaded Hub	8,500



General Purpose Super Thin Depressed Center Cutting Wheels

- Hard bond for



A60S grit. Can be mounted to angle grinders with Type 27 flanges.

ITEM#	DIA	WIDTH	BORE	RPM
PAS22011	4"	.045"	5/8"	13,500
PAS22021	4 - 1/2"	.045"	7/8"	13,300
PAS22071	5"	.045"	7/8"	12,200
PAS22053	7"	.045"	7/8"	8,500



General Purpose **Cutting Wheel for** Circular Saws

 Performance with Iona life • A24R grit





ITEM#	DIA	WIDTH	BORE	RPM
PAS23234	7"	3/32"	5/8"	8,500

Chopsaw Wheels

- General purpose cool cutting on thin metals
- Burr-free finish





ITEM#	DIA	WIDTH	BORE	RPM
PAS24039	14"	3/32"	1"	4,400
PAS24011	16"	3/32"	1"	3,700

Cable Twisted Wire Wheel

ITEM#	SIZE	ARBOR
WB58114	4"	5/8"-11
WB58116	6"	5/8"-11



Crimped Wire Cup Brush

Mini Grinder Cup Brush

2-3/4 lace 101 4 & 4-1/2 G	illueis
ITEM#	ARBOR
WB58234C	5/8"-11
4" Face for larger 6" Grinder	
WB58234C6	5/8-11



Knotted Wire Cup Brush

 Mini-Grinder Cup Brush 2-3/4" Face for 4" & 4-1/2" Grinders

2 3/4 1 4 4 1/2	Gi iii dei 5
ITEM#	ARBOR
WB58234K	5/8"-11
4" Face for larger 5" & 6" Grind	ers
WB58234K6	5/8"-11



Resin Bonded Mounted Point

 For power drills, shank size 1/4" • 1-1/4" x 1-1/4"

ITEM#	GRIT
PAS27403	A36Q

Crimped Wire End Brush

• For power drills, shank size 1/4"





Abrasive Wheels & Discs



Premium Flap Discs

- Type 29
- Premium



Fast grain removal for carbon-based steels and stainless steel. Premium Zirconia Alumina grit with poly/cotton heat treated backing for and special optimized resin bond for max cutting capacity. T-29 - Conical shape provides an excellent angle for contour and edge grinding.

ITEM#	SIZE	GRIT	RPM
PAWS4AFD40	4" x 5/8"	40	15,300
PAWS4AFD60	4" x 5/8"	60	15,300
PAWS412AFD40	4-1/2"	40	13,300
PAWS412AFD60	4-1/2"	60	13,300
PAWS7AFD40	7"	40	8,600
PAWS7AFD60	7"	60	8,600

Resin Fiber Discs

 Aluminium Oxide grit for long life and cool cutting

High stock removal and cool cutting action on metal and welds. Heat treated grain electrostatically coated to a heavy duty vulcanized fiber backing with heat resistant phenolic resins. Backup pads not included.



ITEM#	SIZE	GRIT	RPM
PAWS4SD24	4" x 5/8"	24	15,300
PAWS4SD36	4" x 5/8"	36	15,300
PAWS4SD60	4" x 5/8"	60	15,300
PAWS412SD24	4-1/2" x 7/8"	24	13,300
PAWS412SD36	4-1/2" x 7/8"	36	13,300
PAWS412SD60	4-1/2" x 7/8"	60	13,300
PAWS7SD24	7" x 7/8"	24	8,600
PAWS7SD36	7" x 7/8"	36	8,600
PAWS7SD60	7" x 7/8"	60	8,600

Sanding Disc Back Up Pads

Comes complete with lock nut. High quality flexible rubber. Fits 5/8"-11 spindle.

ITEM#	SIZE
PAWS412PAD	4-1/2"
PAWS7PAD	7"



Premium Flap Discs

Type 29 with quick change 5/8"-11 metal hub



Premium Zirconia Alumina grit with poly/cotton heat treated backing for and special optimized resin bond for max cutting capacity.


	A Property of		
ITEM#	SIZE	GRIT	RPM
PA412FD40	4-1/2" x 5/8"-11	40	13,300
PA412FD60	4-1/2" x 5/8"-11	60	13,300

Grinding Cup Wheel

Type 11

Aluminum Oxide for tough steel, ferrous metals applications. Ideal for rough grinding applications requiring a wider area of surface contact.







ITEM#	SIZE	GRIT	RPM
PAWS4CR	4"/3" x 2" x 5/8"-11	16	9,070

Abrasive Flap Wheels

 Aluminum Oxide abrasive for consistent • 1/4" shank cutting action

For all ferrous an non-ferrous material, stainless steel, iron, brass, aluminum, plastic, fiberglass, wood and glass.

ITEM#	SIZE	GRIT	RPM
PA39908	1" x 1"	60	30,000
PA39909	1" x 1"	80	30,000
PA39932	2" x 1"	60	25,000
PA39933	2" x 1"	80	25,000
PA39948	3" x 1"	60	20,000
PA39949	3" x 1"	80	20,000

EZ Strip Wheel

Non-woven wheels for cleaning welds and fast removal of rust, scaling, oxidation, paints, sealants and other clogging material. Type 27

ITEM#	SIZE	RPM
PA59204	4-1/2" X 7/8"	11,000



6" Polishing/Buffing Pads

Muslim buffs for buffing jewelry, brass and other fine materials. 1/4" shank kit fits any electric drill. Premium rouge buffing com**pound** for gold, brass, jewelry and other fine materials.









Buffing Rouge ITEM# PA158453



Drill Bits



18 Piece Black Oxide **Drill Bit Set**

- 1/16" 1/2" with 3/8" reduced shank
- Durable rubber-sided case for added impact resistance
- Sliding latch design provides added security
- 135° split point prevents walking
- · Black oxide coating resists corrosion

ITEM #	DESCRIPTION
PA314018	18 Pc Drill Bit Set



20 Pc. Drill/Driver Set

 With black oxide **HSS** drills and screw-driver bits



- 1/16" (2), 3/32", 1/8" (2), 5/32", 3/16", 1/4" drills and 12 screw- and nutdriver bits
- Storage case with rubberized grip
- 135° Split point tips prevents walking

ITEM #	DESCRIPTION
PA357020	20 Pc. Drill/Driver Set

Bi-Metal Hole Saws

Heavy-duty bi-metal construction extends life and increases durability.

Variable depth gullets provide more efficient chip clearance.



ITEM#	DESCRIPTION
PAHSA	Hole Saw Arbor; Fits 9/16" - 1-3/16"
PAHS34	3/4" Diameter Hole Saw Arbor
PAHS78	7/8" Diameter Hole Saw Arbor
PAHS1	1" Diameter Hole Saw Arbor

Heavy Duty Black Oxide Coated High Speed Steel Jobber Length Drill Bits

- For general use in metal, wood and plastic
- · Bit is constructed of M-2 high speed steel for the best combination of strength, heat resistance, and wear resistance
- Black oxide coating resists corrosion
- 135 degree split point ensures a true start and eliminates bit walking



INDIVIDUAL: Each Bit Card Packed

ITEM #	SIZE	LENGTH
PA67508 (pac	k of 2) 1/8"	2-3/4"
PA67512	3/16"	3-1/2"
PA67516	1/4"	4"
PA67520	5/16"	4-1/2"
PA67524	3/8"	5"
PA67832	1/2"	6"

Concrete/Masonry Bits

Rotary Percussion **Straight** Shank Hammer **Drill Bits**

- Chrome vanadium shaft through-hardened to 50-53HrC
- Patented flute geometry removes dust from the hole quicker for fast drilling and long life
- Up to 150% faster than other competitive bits
- Shot-peened, double-tempered finish reduces breakage
- Hot isostatically pressed to extend life and resist breakage
- Copper braze material gives high heat resistance
- All tips made to ANSI specifications



Standard Tip Drill Bits

SDS-Plus

- **Chrome vanadium shaft** through-hardened to 50-53HrC
- Reduced area above the flute prevents the drill bit from binding while drilling-the full usable length can be utilized
- Patented tip and flute design removes dust more efficiently - up to 25% faster than other bits
- Shot-peened, double-tempered finish reduces breakage
- · Hot isostatically pressed to extend life and resist breakage
- Copper braze material gives high heat resistance for reduced tip loss
- · All tips made to ANSI specifications



ITEM #	SIZE	LENGTH
PA322013	7/32"	6"
PA322016	1/4"	4"
PA322017	1/4"	6"
PA322019	1/4"	10"
PA322022	5/16"	6"
PA322023	5/16"	12"
PA322024	3/8"	6"
PA322026	3/8"	12"
PA322032	1/2"	10"
PA322033	1/2"	12"
PA322042	5/8"	8"
PA322043	5/8"	12"
PA322047	3/4"	8"
PA322048	3/4"	12"
PA322054	1"	10"

ITEM #	SIZE	LENGTH
PA326005	1/4"	4"
PA326006	1/4"	6"
PA326008	5/16"	4-3/4"
PA326010	5/16"	12"
PA326011	3/8"	6"
PA326012	3/8"	12"
PA326014	7/16"	6"
PA326015	1/2"	6"
PA326016	1/2"	12"
PA326020	5/8"	*12"
-		*(1/2" Shank)

Phone: 800-833-9175

Drilling & Cutting Accessories



Portable Band Saw Blades


 Hard Edge, Bi-Metal Blade

Premium quality bi-metal steel blade receives double heat treatment to give it a toughness and strength for long service life.

Metal Drilling Step Drills

- SpeedPointTM tip-provides 6X faster initial penetration time than before and eliminates the need for center punching
- Single-fluted cutting edge assures true round holes and allows greater control with less vibration
- Ideal for drilling holes in thin materials such as mild steel, copper, brass, aluminum, plexiglass, wood and laminates.

ITEM#	DESCRIPTION
PA10231	1/8" - 1/2" (1/16" steps)
PA10232	3/16" - 1/2" (1/32" stens)







Bi-Metal Cut Saw Blades

- For reciprocating saws
- 18 TPI

1/2" Universal Shank Fits Black & Decker, DeWalt, Milwakee, Porter Cable and other Reciprocating Saws

ITEM #	STYLE	SIZE
PABD41112	Short	4"
PABD41113	Long	6"
PABD41118	X-Long	8"

For Most Standard Size Portable Band Saws

• Such as Milwaukee, DeWalt and Porter Cable

ITEM #	LENGTH	WIDTH	TPI	THICKNESS
PAWSBSBM2	44-7/8"	1/2"	18	.020"
PAWSBSBR24	44-7/8"	1/2"	24	.020"

For Milwaukee Compact Portable Band Saw

• Only for the Milwaukee Compact Portable Band Saw.

ITEM #	LENGTH	WIDTH	TPI	THICKNESS
PAWSBSB3518	35-3/8"	1/2"	18	.020"
PAWSBSB3524	35-3/8"	1/2"	24	.020"

Heavy Duty Hacksaw Frame

Heavy-duty frame that accept 10" or 12" (250 or 300 mm) blades which can be mounted in any one of four cutting directions, tensioned by a single wing nut. Furnished with one all-purpose carbon steel blade.





HT100

Bearcat™ Bi-Metal BGT 12" Hacksaw Blades

- High performance blades with ground teeth
- Available in 18 or 24 tpi (specify)

Feature precision ground high-speed steel teeth coupled with a super-efficient, aggressive Bearcat tooth design. This unique combination results in faster cutting and longer blade life. Blades cut as much as 30% faster than regular bi-metal blades.

· Sold individually or in 100 pc. cases






Aviation Snips

Blades are made of drop forged chromium steel and are precision ground for superior cutting quality. Straight cutting compound leverage snip.





ITEM#	
HT152506	



Cuts right and straight

ITEM#		
HT152507		



Cuts left, right & straight

ITEM#		
WSM3R		



Clamping/Locking Pliers



ITEM #	SIZE	JAW CAP.
WS6R	6"	2-1/8"
WS11R	11"	3-3/8"
WS18R	18"	8"

variety of shapes Turn screw to adjust pressure and fit work. Stays adjusted for repetitive use

- · Constructed of high-grade heat-treated alloy steel for maximum toughness and durábility
- · Guarded release trigger quickly unlocks and protects from accidental release



VISE-GRIP

The Original™ Curved Jaw Locking Pliers

- Curved jaw puts tremendous pressure on four points of any style nut or bolt head
- · Ideal for tightening, clamping and turning
- Turn screw to adjust pressure and fit work
- · Constructed of high-grade heat-treated alloy steel for maximum durability
- Guarded release trigger quickly unlocks and protects from accidental release
- Hardened teeth are designed to grip from

ITEM #	SIZE	JAW CAP.
WS7CR	7"	1-5/8"
WS10CR	10"	1-7/8"



VISE-GRIP

The Original™ Large Jaw Locking Pliers

- Heavy-duty jaw grips around work of all shapes; ideal for plumbers, mechanics, welders, and others working with large
- Turn screw to adjust pressure and fit work. Stays adjusted for repetitive use
- Constructed of high-grade heat-treated alloy steel
- Guarded release trigger and hardened teeth

ITEM #	SIZE	JAW CAP.
WS12LC	12"	3-1/8"



The Original™ Locking Welding Clamp

- U-shaped jaws provide enhanced visibility and more working space
- Holds work in proper alignment
- For use in welding applications or for holding awkward shapes in place
- Turn screw to adjust pressure and fit work. Stays adjusted for repetitive use
- Constructed of high-grade heat-treated alloy steel for maximum toughness and
- Guarded release trigger quickly unlocks and protects from accidental release

		DEPTH	CAP.	WIDTH
WS9R	8"	1-3/4"	1-5/8"	1-3/4"

VISE:GRIP



The Original™ Long **Nose Locking Pliers**

- Long, straight nose provides easy access in narrow, hard-to-reach places. Ideal for precision work and hobbies
- Turn screw stays adjusted for repetitive use
- · Constructed of high-grade heat-treated alloy steel for maximum toughness
- Guarded release trigger quickly unlocks
- Hardened teeth are designed to grip

ITEM #	SIZE	JAW CAP.
WS6LN	6"	2"



VISE-GRIP

The Original™ Locking Sheet Metal Tools

- Makes bending, forming, and crimping jobs
- Turn screw to adjust pressure and fit work. Stays adjusted for repetitive use
- Constructed of high-grade heat-treated alloy steel for maximum toughness and
- Guarded release trigger quickly unlocks and protects from accidental release

ITEM #	SIZE 1	THROAT DEPTH		
WS8R	8"	1-3/4"	1/2"	3-1/8"

JointMaster™ Angle Joining Tools §

• Quickly, easily set-up T-joints and corners

PL Series

Right Angle JointMaster™ is a fast, precise and affordable single-hand corner join-

ing tool. "L" Handle quickly adjusts and tightens pivoting head to clamp workpieces.



PA Series

Position the Adjustable JointMaster™ fixture from 30°-275°. Simply adjust to the desired


angle, and "lock" into position using the handle. Join round, or flat workpieces, or materials with different thicknesses.



ITEM #	THROAT	CAPACITY	LENGTH	SERIES	SUPPLIED PLIERS
HTPL634	3"	1-1/4"	8"	PL	3" Throat, 4" Opening
HTPA634	3"	1-1/4"	8"	PA	3" Throat, 4" Opening

Clamping Tools







Quick Grip "C" Clamps

- Larger swivel pads reduces marring on work surface
- Double rolled thread for greater clamping pressure and durability.



ITEM #	SIZE
HT225102	2" C-Clamp
HT225103	3" C-Clamp

ITEM #	SIZE
HT225106	6" C-Clamp
HT225108	8" C-Clamp



MagTab™ Weld Tab Positioner

 The better, faster way to hold tabs for tack welding!

Hold tabs, or any small metal pieces, parallel or perpendicular to the substructure. The adjustable magnetic V-shape base adjusts for different shapes: round, flat, angle metal surfaces.



ITEM#	DIMENSIONS	WEIGHT
HTMFT10	4" x 3" x 1-1/4"	0.5 lbs.

STRONG HAND The Next Generation of Clamps 4-in-1 Utility Clamp

- 4-3/4" throat depth
- Adapts to a pipe clamp, spreader clamp, and step-over clamp

Removable/reversible clamp arm, and a threaded jaw hole for adding accessories. Comes with heavy duty pad, extender block and v-pad pipe accessory.



ITEM #	CAPACITY	CLAMP
HTUF65C3	6-1/2"	1000 lbs.
HTUG125C3	12-1/2"	1200 lbs.

Magnetic Welding Holder

- Strong magnet holds metal together at various angles
- Helps increase welding precision

ITEM#	SIZE
HT1MH	Large
HT2MH	Medium
1	





Measuring Tools

Stanley FatMax® Tape Rules



Features 11' tape standout, 1-1/4" wide blade for easy readability. High-impact ABS case with rubber over mold and top-forward blade lock. 16" and 19.2" stud center markings simplify framing jobs. Cushion grip provides comfortable, slip-resistant hold. Specially designed hook grabs on side, top or bottom for versatility.

ITEM#	STYLE
HT725	25' Fat Max Tape
HT730	30' Fat Max Tape
HT740	40' Fax Max Tape



Open Reel Fiberglass Measuring Tape

- Heavy-duty construction, high impact resistant ABS body
- Numbers and graduations printed in black
- Fiberglass tape will not rot, corrode or distort
- Yellow case with two color tape, white side of tape has inch markings, yellow side has engineering scale
- Comfortable rubber hand grip

DESCRIPTION
200 ft. Tape
300 ft. Tape

Phone: 800-833-9175



Measuring Tapes

- Economy tape measure featuring Locking blade
- And acrylic coating to prevent rust and corrosion
- 25 & 30ft tapes are available with rubber or chrome case, please specify when ordering

ITEM#	LENGTH - STYLE
WSKT16Y	16' - Chrome Finish
HT125SRT	25' - Chrome Finish
HT25R	25' - Rubberized Grip
WSCKT130Y	30' - Chrome Finish
HT30R	30' - Rubberized Grip



- Folding handle for quick retrieval of tape
- 3/8" wide carbon steel blade with protective acrylic coating

ITEM#	DESCRIPTION
HT6699	100 ft. Closed Case Tape

Sheet Metal Gauge

• 3-1/4" diameter, 3/32" thick

For gauging uncoated sheet metal, plate iron and steel. Gauge numbers are U.S. Standard 0 to 36, based on weights in oz. per square inch. Decimal



equivalents on reverse side. Chrome finished, hardened, heavy gauge tool steel is tempered.

ITEM#	STYLE
HT21	Sheet Metal Gage

Empire Heavy-Duty Aluminum Straight Edges

Easy reading inch scale graduations

- Heavy-duty aluminum straight edge 2" width
- Available in 4', 6' and 8' lengths

ITEM#	STYLE
HT4004	48" Straight Edge
HT4006	72" Straight Edge
HT4008	96" Straight Edge



Pocket Caliper

- Stainless steel slide caliper
- 3" capacity
- Decimal equivalents
- Graduations: 32nds & mm
- Inside/outside readings in metric and inches

ITEM#	DESCRIPTION
HT151545	Pocket Caliper



Ideal for school and home use. Value-price slide caliper with one-hand-operation thumb roller adjustment. 5" capacity in 16ths and 32nds with a vernier reading of 1/128th.

ITEM#	STYLE
HT151606	5" Vernier Caliper

16" x 24" Steel Framing Square

- With inch/metric graduations
- 24" x 2" body, 16" x 1-1/2" tongue, 1/16" thick

Permanently stamped numbers and 1/8" graduations. Durable protective epoxy finish to prevent rust.



ITEM#	
WSFS	





Leveling Tools

Empire Aluminum Levels

Available in 24" and 48"

Features include rugged aluminum I-Beam frame, top read window for convenience, and beveled endcaps protect vials from shock.

Post Level

- Sturdy, high impact Polycast[®] construction
- Durable vials read plumb and level
- Establish plumb or level on decks, fences, support poles

ITEM #	DESCRIPTION
WSMPL	Post Level



TTEM# PRICE DESCRIPTION
WSTS \$7.99 12" Combo. Square



tion. Machined

head with

acrylic vial.

Wrap
An inexpensive wraparound for marking straight lines around

Pipe

around for marking straight lines around pipe or for a straight edge. Manufactured out of flexible gasket material, reasonably resistant to heat and cold.

ITEM#	SIZE	PIPE SIZE
WS152	2-1/2" W x 24" L	1" to 3"
WS164	4" W x 48" L	3" to 6"
WS176	4" W x 72" L	3" to 10"

TIEM # DESCRIPTION WSL24 24" Aluminum Level WSL48 48" Aluminum Level

Polysquare™ <u>≡m⊓ਸਵ</u> Rafter Square

- Convenient conversion tables
- Lightweight, but durable Polycast material stands up to everyday use
- Bright yellow color

ITEM #	DESCRIPTION
WSRL	Rafter Square

Magnetic Polycast® Protractor

Magnetic base and back for Hands-Free reading on Ferrous surfaces. Easy reading dial with adjustable angle pointer. Built-in angle pitch calculator on back. POLYCAST® construction.



Magnetic Protractor

Pipe Guides

WSMP

 For marking saddle, 22.5°, 45° and 90° cut lines on pipe

These durable
16 gauge steel
pipe guides are
ideal marking
tools for cutting
pipe. A must for
every welder, these
reusable guides avoid
wasting material by assuring a perfect cut every time.

ITEM #	DESCRIPTION
WS238S	Fits 2-3/8" OD pipe
WS278S	Fits 2-7/8" OD pipe

Magnetic Polycast[®] Torpedo Level

 Strong, accurate 9" Polycast[®] frame

Non-conductive frame insulates from heat, cold and electricity. Strong holding magnetic edge and vials read plumb, level and 45°.

ITEM #	DESCRIPTION
WSMTL	9" Torpedo Level



Contour Gauge

Can duplicate any profile

The pins slide to conform to irregular surfaces. This tool can be used for pattern and mold making, duplicating parts and transferring prototype contours. Contour gauges are also great for fitting carpet, floor tiles and linoleum against door casings and pipe.

ITEM#	SIZE
HT151693	6" x 3-1/2"





Measuring & Marking Supplies



Soapstone

- #1 select grade
- Excellent for non-permanent metal marking
- Available in 144 piece bulk packed boxes and convenient 4 packs (flat).

ITEM#	STYLE	PACKAGE
WSSSR	Round	144 Bulk
WSSSF	Flat	144 Bulk
WSSSC	Flat	4-Pack with Holder

China Markers

- Writes on plastic, metal, glass
- Write length of 2500 feet

ITEM#	COLOR
HT02060	White
HT02059	Red

Irwin Strait-Line Reel and Chalk

- Fast, easy push button line release
- Supplied with a 4 ounce bottle of blue chalk
- Rewinds 3-1/2 times faster than regular chalk lines
- Locking handle allows tool to be used

tool to be used as a plumb bob

ITEM #	DESCRIPTION
HT200	Reel and Chalk

Soapstone Holders

- Round or Flat
- Complete with soapstone and accepts soapstone listed above.
- · All metal construction

ITEM#	DESCRIPTION
WSSH	For Flat Soapstone
WSSHR	For Round Soapstone

IRWIN

Marking Crayons

- · For use on oily, wet, slick or dry surfaces.
- · Ideal for lumber, metal & concrete
- Sold in packs of two crayons

ITEM#	COLOR
HT666012	Red
HT666062	Yellow



Paint Markers

- Valve action allows you to write with paint
- For permanent metal marking

ITEM#	COLOR
WSPMOR	Orange
WSPMR	Red
WSPMW	White
WSPMY	Yellow

Silver Streak® Fineline Metal Markers

• For all types of metal surfaces
Ideal for doing metal layout and fabrication work. Available in original flat and NEW round sizes. Holders include pocket clip. Marks will not rub off like soapstone.

ITEM#	STYLE
HT96004	Flat Metal Marker
HT96018	Flat Refills (25 pack)
HT96006	Round Metal Marker
HT96007	Round Refills (6 pack)

Measure Mark[®] Measuring Wheel

 10" diameter single aluminum wheel
 9,999 feet measuring capacity

 Displays measurement in feet and inches

Accurate, well balanced, easily portable for many applications. Features a gear driven counter made from wear resistant Delrin® enclosed in a weather resistant professional design housing. 5-digit counter with push-button with Snap-Lock system. Kickstand and heavy-duty die-cast aluminum wheels are standard. Wheels have 85 durometer wearresistant rubber tread for improved traction.

ITEM# HTMW3





Aervoe[®] Spray Marking Chalk

• Safe on all surfaces Special blend of raw materials are designed specifically for temporary marking. Marks disappear in 10-20 days or when exposed to water, traffic or abrasions or can be washed away with a pressure washer.

ITEM#	DESCRIPTION
HT215	White Chalk
HT218	Yellow Chalk



- Fine red line marker for all types of metal surfaces
- No sharpening necessary

For most metals including: aluminum and stainless steel. Marks will not rub off like soapstone. High visibility on aluminum and stainless steel.

ITEM#	PRICE	STYLE
HT96005		Red-Riter Metal marker
HT96019		Red-Riter Refill (25 pack)



Metalworking & Misc. Supplies



GOJO[®] **Scrubbing** Wipes

Dual textured: scrubbing side removes tough soils, smooth side absorbs dirt

Large, durable and premoistened with a power-

ful cleaning solution and skin conditioners.

ITEM# HT639606 DESCRIPTION

GoJo 72 Ct. Wipes

GOJO® Natural Orange[®] **Pumice** Hand Cleaner

 Natural citrus ingredient

Quick-acting lotion formula with pumice scrubbing particles for cleaning industrial soils, medium dirts and grease. Contains soothing oil and aloe. Orange citrus scent.



5.age c.a. as seea.	
ITEM#	DESCRIPTIO
HT309998	GoJo - 1Gallo
GOIO® Natural*	Orange

Pumice Hand Cleaner

• Half gallon with pump Quick-acting lotion formula with pumice scrubbing particles for cleaning industrial soils, medium dirts and grease. Contains soothing oil and aloe. Orange citrus scent. *Natural citrus

ingredients. Made in the USA.

HT095806

DESCRIPTION

GoJo - 1/2 Gallon

GOJO® Creme Hand Cleaner

- Biodegradable
- · Cleans with or without water

Creme formula for removing grease, tar and oil. No harsh solvents.



ITEM#	DESCRIPTION
HT300080	GoJo - 14 oz. Tub





• 3-1/2 lb roll

ITEM# DESCRIPTION MCTW312 16 Gauge Tie Wire



Steel brushes provide excellent industrial brushing tool for general duty use. Used for removing paint, rust, solder chips and dirt.

ITEM#	STYLE
WSHS26	Short Handle
WSHB29	Long Handle



3 Piece **Tooth** Brush Wire **Brush Set**

Includes one stainless steel wire, one brass wire and one black plastic bristle brush.

ITEM#

WSHS3TB



Poly coated cloth tape is strong and tough for indoor/outdoor use. Use for sealing, patching and assembling.

ITEM#	DESCRIPTION
HT45	2" x 60 yd. Duct Tape



Barbeque Pit Products



Barbecue Pit Thermometer

High quality thermometer provides a finishing touch to BBQs and smokers.

- · Threaded stem for easy installation
- · Large, easy-to-read dial
- · Quantity discounts available

ITEM #	DESCRIPTION
MC1T	Barbecue Pit Thermometer



6" Spring Handle


• With 1/2" steel bar and cap

Spring Handle is constructed of steel wire and measures 6" in length with a 1-1/2' diameter. Weighs 6 oz.

Spring handle is attached to 1/2" steel bar with push nut cap.

Shown installed on barbecue pit.

ITEM #	DESCRIPTION
MC1SSHD	6" Spring Handle



Precut Expanded Metal

- 3 ft. x 2 ft.
- 3/4" x #9

Flattened

ITEM #	DESCRIPTION
MCBBQ1	Precut Expanded Metal

5/8" **All-Thread** Axle, Washers and Nuts

ITEM #	DESC.
HLAT583	Axle Rod
HLAT58N	Hex Nut
HI AT58W	Washer





Firebox Black Heat Resistant Enamel

- Temperature resistance: 850° F
- For barbecue grills, stoves and fireplaces
- Fast drying
- Helps prevents rust
- One gallon can

ITEM#	SIZE
SP23H	1 Gallon Can

High Heat Resistant **Spray Paint**

- Perfect for barbeque pits
- Fast drying
- 12 oz. cans

A specially formulated spray paint designed to withstand temperatures up to 1200°F (648° C) on a continuoùs basis. Must be heat cured at a minimum temperature of 400°F for two hours. Do not use a primer.

Sold individually or in 12 can boxes.



ITEM#	COLOR
SP1614	High Heat Black

Ask us about plate steel, large and small diameter pipe, fasteners and other materials you might need to fabricate your barbecue pit.



Phone: 800-833-9175

8" Wheel with **Solid Rubber Tire**

- 8" diameter x 1-3/4" Wide
- 5/8" bore
- · Axle not included

ITEM #	DESCRIPTION
HA37RT	8" Rubber Tire/Wheel



Hand Tools & Lubricants



Folding Utility Knife

• 45° quick-change button


Locking blade knife features a wire stripper notch for built in convenience, anchored belt clip for convenient access and extended thumb ledge. Includes one blade.



ITEM#

DESCRIPTION

HT2089100 Folding Utility Knife



Crescent® 70-Piece **Professional Tool Set**

• Includes storage case

Industrial-quality tools meet new ANSI and ASME specifications. Comes with a full satisfaction guarantee.

3/8" DRIVE:

- (1) 72-Tooth Quick-Release Ratchet Drive
- (1) 3" Extension
- (16) 12-Point Sockets
- (1) 3/8" (Female) to 1/4" (Male) Adapter

- (1) 72-Tooth Quick-Release Ratchet Drive
- (1) 3" Extension
- (16) 6-Point Sockets

OTHER TOOLS

- (12) Combination Wrenches
- (8) SAE Hex Keys with Holder (1) Dura-Driver™ MAGNETIC Bit Driver
- (12) 1" Driver Bits

IIEM #	DESCRIPTION
HTCTK70MP	70 Piece Tool Set



A rivet tool designed to set smaller diameter rivets. Includes a variety of 60 aluminum rivets. Nosepieces included with rivet tool: 3/32", 1/8", 5/32" and 3/16".

ITEM#	DESCRIPTION
HTRG	SureBonder Rivet Tool

Crescent® 148-Piece Professional Tool Set

Includes storage case

All tools in this industrial-quality tool set meet stringent new ANSI and ASME specifications and come with a full satisfaction quarantee.

1/2" DRIVE:

- (1) 72-Tooth Quickrelease Ratchet Drive
- (1) 5" Extension (10) 6-Point Sockets

1/4" DRIVE:

- (1) 72-Tooth Quick-release Ratchet Drive (1) 3" Extension
- (20) 6-Point Sockets

3/8" DRIVE:

- (1) 72-Tooth Quick-release Ratchet Drive
- 3" Extension 6" Extension
- 3/8" (Female) to 1/4" (Male) Adapter
- Spark Plug Sockets
- (16) 12-Point Sockets
- (10) 6-Point Deep Sockets



OTHER TOOLS

- (12) Combination Wrenches (2) Pliers: 8" Long Nose Cutting and 6"
- (1) Dura-Driver™ Magnetic Bit Driver
- (44) 1" Driver Bits with Holders

(18) SAE Hex Keys with Holder ITEM # DESCRIPTION

HTCTK148MP 148 Piece Tool Set WD-40 Lubricant Ultra **Screwloose®** The can with a Super



Super penetrating action quickly penetrates and dissolves rust and corrosion

Penetrant

Attacks corrosion to free corroded fasteners and mechanical components. Applications: Rusted and frozen metals, such as bolts, nuts and hinges. Can also be used to remove light adhesives and

decals or as a multi-purpose lubricant.

ITEM# HT05170

Garage Door Lube

Superior, long-lasting lubricant

Leaves a non-staining, dry, tack-free film that will not accumulate dust and dirt and provides corrosion protection. For residential and commercial garage door service. Also great for fleet and tractor trailer door service.

ITEM#

HT300789



DESCRIPTION ITEM# HTWD408 8 oz. Aerosol Can HTWD401G 1 Gallon Can

Naval Jelly® Rust Dissolver

 Has been known and trusted for decades

Ideal for heavily rusted items, dissolves rust taking the surface down to the bare metal. Simply brush on, watch it dissolve the rust, and rinse off.



ITEM#

HT456237



Cements & Adhesives



Anchoring Cement

Just add water

A pourable cement that develops strength greater than concrete. Expands as it hardens and sets in 10-30 minutes.

- · Setting bolts, handrails, or anything metal to be anchored in concrete
- Ideal for repairing loose wrought iron rail-
- Interior or exterior applications

Different brands stocked at different locations. Please contact us to determine the brand at your nearest location.

ITEM#	SIZE
MCSA50	50 lb. Bucket



Quikrete Concrete Mix

- Available in regular and quick setting formulas
- Use for setting posts and building sidewalks, steps, curbs, floors, patios and downspout troughs

Original 4000 psi average compressive strength blend of Portland cement, sand and gravel or stone. Just add water. Use for any general concrete work.

Please inquire for current pricing.

ITEM#	DESCRIPTION
MCSA80	80 lb. Regular Quikrete Mix
MCSAFS	50 lb. Fast-Setting Quikrete Mix

Quikrete Anchoring Cement


Just add water

A pourable cement that develops strength greater than concrete. Expands as it hardens and sets in 10-30 minutes.



ITEM#

- Setting bolts, handrails, or anything metal to be anchóred in concrete
- Ide
- Interior or exterior applications



DUIKRETE

SIZE

eal for repairing loose rought iron railings	
erior or exterior applica	ntions

MCSA15	10 lb. Bucket
DEWALT	DeWalt Segmented Diamond
in. L O J	Blades

concrete and masonry Extended performance

For cured

diamond matrix provides 350 times the life of conventional abrasives and enhanced material

cutting. Laser welded with heat treated steel bodies with large diamond segments with cobalt.

ITEM	DIA.	EDGE	ARBOR
PADW4714	7"	.095"	5/8,7/8"�

Polyurethane Self-Leveling Sealant

Gray color

A high performance construction grade polyurethane sealant used for sealing cracks and joints in horizontal concrete surfaces. Self leveling formula provides superior adhesion, flexibility and durability.

Used for:

- Sealing expansion joints in concrete slabs
- · Sealing cracks in concrete floors, driveways, patios, steps, basements and pool decks
- Meets ASTM C920 Type S, Grade P, Class 25

ITEM#	SIZE
MC86630	29 oz.

J-B SteelStik

- Bonds to virtually any metal or hard surface including steel, aluminum, copper or iron
- Made in the USA

Hand kneadable epoxy adhesive plugs holes and makes permanent repairs on wet and dry surfaces. Cures completely submerged in gasoliné or water in 60 mins. Can be drilled, sanded, filed, tapped, machined and painted.



ITEM # SIZE HT450818 2 oz. Tube

J-B Weld

- Made in the USA
- Suitable for repairing cracked motor blocks and other castings.
- Will not shrink and not affected by gasoline, oil, water and most chemicals
- · Use on steel, aluminum, copper, wood, fiber-glass, PVC and more

ITEM#	SIZE
WSJB8265	Two 1 oz. tubes

Bondo[®] Glazing and **Spot Putty**

• 1-part putty

Fills imperfections, pinholes in body filler, scratches, paint chips and dings. Can be used bondo

with other auto body repair materials. Sandable in only 30 minutes.

Bondo® Body Filler

• Includes Red Cream Hardener

Cures fast, shapes in minutes and is nonshrinking and permanently durable material for repairing metal, wood, steel, aluminum, fiberglass, and concrete. Repairs dents, patches rust holes, leaks and fills in chips. Spreads easily and sandable in 20 minutes.

ITEM #	DESCRIPTION
HT304001	1 Qt. Body Filler



Paint Brushes & Supplies



The Wrought Iron **Painter**

- Paints two sides of a surface at one time
- · Paints wrought iron, security bars, pipe fence, cable, wood turnings, etc
- It's faster, neater, and easier than a brush or mitt

ITEM#	DESCRIPTION
MCPWP32	Painter
MCPWP32R	2-Roll Refill



Foam Pipe Painter

Specially designed to paint small diameter pipe quickly and easily.

ITEM#	DESCRIPTION
MCPWP39	Foam Pipe Painter



ITEM#	DESCRIPTION
MCPWP5	Foam Trim Roller

Foam **Brushes**

- Many uses
- Great for touching up hard-to-get corners
- Available in 1", 2", 3" and 4" widths

ITEM#	SIZE
MCPWPB1	1"
MCPWPB2	2"
MCPWPB3	3"
MCPWPB4	4"



- Can be used with all paints
- Available in 1", 2", 3" and 4" widths


ITEM#	DESCRIPTION
MCPSPB1	1" Chip Brush
MCPSPB2	2" Chip Brush
MCPSPB3	3" Chip Brush
MCPSPB4	4" Chip Brush

Paint Mitt

 Great for touch-up work



ITEM#	DESCRIPTION
MCPSP1PM	Paint Mitt



Disposable Dust and Particle Mask

- Complete with elastic strap
- Sold individually or in 50 piece boxes
- Helps protect against non-toxic dusts and spray paints

ITEM# WS1501

Painter's Grade Masking Tape

 Designed for the professional

Full crepe insures conformabity on curved and irregular surfaces.



Economy Air Spray Gun • 70-90

- **PSI**
- · Recommended air compressor 1-1/2 HP.
- All purpose gun/cup for spraying most types of latex, oil or water based paints.

ITEM# MCPCL3030



• Fits any standard 1" aerosol can with 1" valve cup

Easily transform aerosol cans into a spray gun. Two finger trigger eliminates finger fatigue, and locks to prevent accidental discharge. Unique locking collar.

ITEM#	DESCRIPTION
HT242	Can Hand'ler



Premium Welding Respirator

For arc welding, brazing and cutting of most common metals. Carbon filter for nuisance ozone and nuisance vapors. Respirator Locker® helps keep carbon fresh. Convenient Handy Strap® for welders. Sold in packs of 4.

-	-
ITEM#	
WSRW1	



Paint, Primers, & Thinner

Super Premium Metal Paint



 Black satin finish

- Penetrates rust
- Our longest lasting metal finish

A durable phenolic designed to penetrăte rust and provide a chemical-resistant finish that is durable to protect steel

where it contacts the ground or harsh chemicals. Great for fences, railings, and any outdoor structure. Thins with Xylene.

Advantages:

- Provides Chemical-Resistance
- Penetrates Rust • Lead & Chrome Free

ITEM #	COLOR	SIZE
SP3200	Black	1 Gallon Can
SP32005	Black	5 Gallon Bucket

High Gloss Industrial Enamels for Metal

Gloss Acrylic Enamel offers gloss, good flexibility and a very durable finish that is weather resistant.



- Trailers
- Machinery
- Equipment
- · High gloss
- finish
- Long lasting protection
 Farm implements
- Interior-exterior
- Fast drying

ITEM#	COLOR	SIZE
SPGP42	International Red	1 Gallon
SPGP2159	National Blue	1 Gallon
SPGP30	White	1 Gallon
SPGP55	Black	1 Gallon
SPGP555	Black	5 Gallons



Phone: 800-833-9175



Satin Semi-Gloss Oil **Based Enamel for Metal**

- Primer and Finish in One Coat
- Air Dries in Minutes
- Built-in Rust Inhibitors
- Attractive Low Sheen

Satin Semi-Gloss Finish is a remarkable primer and finish in one coat. Built-in rust inhibitor and modified vinyl liquid reduce under-the-film rusting. Controlled "sheen" polishes rather than chips when subjected to abrasion or abuse. It contains a solvent which is easier on the eyes, nose and throat than comparable competitive paints. It is completely lead free, in black and white.

It may be applied by spray, brush, roller or dip. Dries quickly and may be handled in minutes. When used around swimming pools and in coastal regions, a primer is recommended.

SIZE			
1 Gallon	ITEM#	COLOR	SIZE
1 Gallon	SP2154	Metallic Coppertone	1 Gallon
1 Gallon	SP2161	Brown	1 Gallon
1 Gallon	SP2170	Russet Brown	1 Gallon
1 Gallon	SP2113	Walnut Brown	1 Gallon
5 Gallon	SP2132	Dark Green	1 Gallon
1 Gallon	SP2102	Chocolate Brown	1 Gallon
5 Gallon	SP2160	Yellow	1 Gallon
1 Gallon	SP1190	Metallic Gun Metal	1 Gallon
1 Gallon	SP1657	Metallic Antique Gold	1 Gallon

Shop Coat **Primers**

ITEM#

SP2144

SP2179

SP2109

SP2181

SP2100

SP21005

SP3879

SP38795

SP2164

SP1175

- Economically priced
- Fast drying
- Good coverage
- Spray or brush application



COLOR

Cream

Beige

Black

Black

Gray

Flat Black

Flat Black

Aluminum Metallic

Antique White

Brilliant White

ITEM#	COLOR	SIZE
SP2712	Red	1 Gallon
SP27125	Red	5 Gallon
SP2700	Gray	1 Gallon
SP27005	Gray	5 Gallon
SP2770	Black	1 Gallon
SP27705	Black	5 Gallon

Xylene Thinner

Blacksmith Brand paint recommended thinner. Will call only. This item is not shippable.

ITEM#	SIZE
SPXL	1 Gallon
SPXL5	5 Gallons

Red Oxide Rust Inhibitive Primer

- High Solids Content
- Longer Rust Protection
- Contains Rust Inhibitors

Available in 1 gallon cans or 5 gallon buckets. XYLENE Thinner recommended.



ITEM#	COLOR	SIZE
SP1369	Red	1 Gallon
SP13695	Red	5 Gallon









Specialty Coatings & Chemicals



Firebox Black Heat Resistant Enamel

- · For BBQ grills, Stoves, Fireplaces
- Fast Drying
- Helps prevents Rust
- One Gallon



ITEM#	SIZE
CD33H	1 Callon Can

Gem® Rust Killer

- Neutralizes rust
- Converts Iron oxide (rust) into Iron Phosphate
- · Primes metal for painting
- One quart covers approximately 150 square
- · One gallon covers approx. 600 square feet

ITEM#	SIZE
MCS1RK	1 Quart
MCSGRK	1 Gallon

TUBING CLEANER &

DEGREASER





- Made in the **USA**
- Environmentally friendly non-solvent based solution

Makes up to 30 or more gallons of cleaner from 1 gallon of concentrate. Safely cleans oil and grease from tubing and other surfaces.

ITEM#	SIZE
MCSP1000TC	1 Gallon Jug



Paint For Galvanized Metal and Aluminum

- Paint directly on galvanized metal and aluminum
- Apply with brush, spray or roller
- Water reducible
- · Black satin finish







Brite Galvanize Coating

A restorative coating fortified with zinc for preventing rust and corrosion on ferrous metal surfaces with one coat application.

- A glistening coating with 65% pure zinc in
- Stops rust and corrosion on any iron or steel surface for protection equal to or better than hot-dipped galvanizing
- Restores galvanized surfaces to the bright look of hot-dipped galvanizing
- Meets performance requirements of ASTM
- Good film integrity after 336 hours salt spray (ASTM B-117)

ITEM#	DESCRIPTION	SIZE
SPWSCGG	Cold Galvanize	1 Gallon Can

Seymour Spray-Galv **Weld Thru Primer**

 Dried paint film contains a minimum of 90% zinc

Quickly dries to a durable, crack resistant coating to protect iron and steel surfaces. Effective touch-up for all marred or scratched hot dip galvanized surfaces. Electrochemical galvanic action continues to protect even if scratched.

 Meets or exceeds the following performance requirements of MIL Specs: MIL-P-26915B, MIL-P-46105, DOD-P-21035A.

Excellent outdoor durability, resists chemicals, is USDA authorized and lead and chromate free.

ITEM#	SIZE	DESCRIPTION
SPWSSG	16 oz.	Spray-Galv Primer

VIIII I

Gallyamized

Coarings

SHINY GALV

16-841

Seymour **Shiny Galv**

Fast-drying formula dries to a tough, permanent hard coat

Versatile zinc-rich coating provides long-lästing protection and extends the life of iron and steel surfaces. Instantly touches up and protects all marred or scratched hot dip galvanized surfaces.

- Electrochemical galvanic action keeps on protecting even if scratched.
- Shiny Galv may be repainted or left as is. It also doubles



Check out our line of **Paint Brushes** and Rollers





Spray Paints & Accessories

All Purpose Spray Enamel Paint & Primers



Spruc	AMELAY PAINT The same than th
Economy Marking Paint • Quick drying multi-purpose spray enamel A high quality spray paint available in a wide range of popular colors and economically priced. Bare or rusted surfaces should be cleaned and primed. Six 12 oz. cans per case.	Fresh-n-Quick **Attaches over pass * Retards Rust * Dries Quickly Interior/Exterior United States of the State

ITEM#	COLOR
SP1115	Gray Primer
SP1112	Gloss White
SP1124	Gloss Black
SP1134	Gloss Yellow
SP114	Gloss Red
SP115	Gloss Gold
SP1156	Gloss Blue
SP118	Gloss Green
SP9839	Gloss Pink
SP9848	Gloss Orange
SP9889	Gloss Purple
SP161617	Fluorescent Orange
SP161618	Fluorescent Red
SP161620	Fluorescent Green

Phone: 800-833-9175



Affordably priced

• 12 oz. cans

• Fast drying Stocked individually or in 12-can boxes.

ITEM#	COLOR
SP100	White - Gloss
SP101	White - Flat
SP110	Black - Gloss
SP117	Black - Flat
SP140	Green
SP120	Metallic Silver
SP113	Gray
SP121	Metallic Gold
SP9831	Clear-Gloss
SP1614	High Heat Black
SP130	Red
SP1402	High Heat Alum.
SP151	Yellow
SP160	Blue
SP180	Brown
SP203	Gray Primer
SP205	Red Oxide Primer
SP1654	Stainless Steel


Blacksmith Brand™ Touch-Up **Spray Paint**

 Available in exact color match for **BlackSmith** Black.

Blacksmith brand black stocked individually

12 can boxes.

ITEM# Black SPSP2100 16 oz.






 Authentic torched metal colors without using the torch!

Rainbow Torch is used in conjunction with our Copper Plate or Insta-Rust to create a rainbow of colors on steel and steel alloys. Safe, easy to use, and requires no special equipment or skills to apply. With variations in application and drying methods, unique finishes can be created in a matter of seconds.

ITEM#	SIZE
MCPR43	1 Quart
MCPR431G	1 Gallon



Spra-Tool® Disposable Spray Gun Kit

SATIN BLACK

2100

• Complete with interchangeable tips for fine, regular or high volume delivery

Uses same principle as commercial spray guns to atomize liquids, but without the wires, hoses, batteries or compressors. Good for most liquids including acrylic, latex and epoxy paints, chemicals, pesticides and more. Resealable jar and fast easy clean up.

ITEM#	DESCRIPTION
HT8209	Spray-Tool Kit
HT8211	Extra Power Pack
HT8212	Jar with Cap





Metallic Finishes & Coatings

MADE IN THE Auburn **Insta-Rust**

 Develops an ornamental rust finish on steel and steel alloys in hours

Both a copper plating solution as well as a rusting agent. Our patented, formula is easy to use without special skills or equipment. Develops into deep, brown rust, while retaining a hint of copper. May be used alone or with Rainbow Torch.

ITEM#	SIZE
MCPR46	1 Quart
MCPR461G	1 Gallon

Gun Metal Blue

Colors range from a steely gray to a

deep, dark blue/black

This product will work with steel, steel alloys and many other metals. A wide range of colors can be achieved by the amount of time treated or immersed in solution. The longer the immersion, the darker the color.

ITEM#	SIZE
MCPR51	1 Quart
MCPR511G	1 Gallon

Copper **Plate**

Requires no plating equipment or special training



Copper Plate is a room temperature copper plating solution that works on steel and steel alloys, and may be applied by spray or immersion. May also be used with Rainbow Torch, Dark Pewter and Light Pewter to create many different effects.


ITEM#	SIZE
MCPR40	1 Quart
MCPR401G	1 Gallon

Rust Arrest

 Stops the chemical reaction when one of our products is applied

Neutralizing agent designed to be used with our products that are being applied directly onto metal. It is not for use on the metallic coatings. Recommended for use with copper plate and rainbow torch.

ITEM#	SIZE
MCPR45	8 Ounces
MCPR45Q	1 Quart



Patina Oxidizer

• For copper, brass, bronze and our metallic coatings

Salt-water based solution will oxidize or patina copper and copper alloys to produce a wide variety of blue, green, turquoise, purple and other colors.

ITEM#	SIZE
MCPR41	1 Quart
MCPR411G	1 Gallon

Light Pewter

• Creates an authentic looking pewter finish to various shades



metal intended for subsequent burnishing, in order to create contrast between the high areas and the recesses. An easy to use, room temperature solution.

ITEM#	SIZE
MCPR48	1 Quart
MCPR481G	1 Gallon

Dark Pewter

- Designed to darken most metals
- Can be burnished to create highlights

Darkens the metal to a much higher degree than does our Light Pewter. Also works with our Copper plate to create a beautiful antique burnished copper finish on steel.



Dark Pewter Copper Plate on Dark Pewter on

ITEM#	SIZE
MCPR50	1 Quart
MCPR501G	1 Gallon

Gloss Acrylic Sealer

 Helps to preserve the look and colors produced with our finishes

A tough, glossy, clear coat sealer. Recommended for use with all our products.

ITEM#	SIZE
MCPR49	1 Quart
MCPR491G	1 Gallon



Copper Coating

with patina

Copper

on plastic

Gold Coating

on plastic



Copper Coating

real copper flakes

Works with Patina Oxidizer

Superior quality latex glaze containing real copper alloys produces a metallic surface. Unsealed, it will tarnish or patina like copper.

ITEM#	SIZE
MCPR44	1 Quart
MCPR441G	1 Gallon

Gold

with



Gold

Coating Contains

real copper flakes

Works with Patina Oxidizer Superior quality latex glaze containing real copper alloys produces a metallic surface. Unsealed, it will tarnish or patina like copper.

ITEM#	SIZE
MCPR42	1 Quart
MCPR421G	1 Gallon





Brass Coating

Contains real brass flakes

Works with Patina Oxidizer

Superior quality latex glaze containing real copper alloys produces a metallic surface. Unsealed, it will tarnish or patina like brass.

ITEM#	SIZE
MCPR47	1 Quart
MCPR471G	1 Gallon



	۸C1	1 CT121	16 CT601	121	C17615	140	C10338	132
## ACADAM CILL 137 CIRCO 131 CITY 20 COSS 14 CITY CIRCO 134 CITY CIRCO CITY CIRCO CITY		3 CI125	16 CI6013	34 12	CI7618	145	CI9345	143
Act	AC10AAC10A34							
## ## ## ## ## ## ## ## ## ## ## ## ##	AC11	1 CI1345	147 CI6030		CI7924	25	CI9351L	146
Act	AC119AL2	2 CI13X	137 CI6050	131	CI7X	16	CI9360	143
## ACT CHAPT CHAPT	AC12	1 CI1401	15 CI605		CI7XL	16	CI94	139
ACIS	AC13	1 CI1403	15 CI607	131	CI8005	11	CI9415	144
## ## ## ## ## ## ## ## ## ## ## ## ##	AC14AC15	1 CI1404					CI9450	141
## ## ## ## ## ## ## ## ## ## ## ## ##	AC16	1 CI14052	9, 122 CI60X	132	CI8020	11	CI94A1	9, 122
## ACC 19					CI8025		CI94A3	118
## ACCO 10 10 10 10 10 10 10 1	AC19	2 CI147	132 CI62		CI8030	20	CI9534	24
AC21. 2 C105. 139 CES4. 139 CES5. 139 CES5. 141 CES2. 151 CES2. 15	AC20	2 CI14XL	145 CI623	142	CI804	16, 119	CI9537	
AC24.		2 CI150	139 CI634		CI806	16, 119	CI9538	15
AC-26	AC234	1 CI150B		139	CI807	16, 119	CI954	13
ACS	AC24N	2 CI1520		LF 132	CI809	16, 119	CI9611	143
ACZ 3 C 15		2 CI1530 2 CI1540	133 CI646		CI80A CI80B	135 133	CI9615 CI9629	143
ACS	AC27	2 CI15A	137 CI649	14	CI81	28	CI9634	143
ACCI 1 C77 132 C1095 14 C1011 15 C1095 14 C1011 15 C1095 14 C1011 15 C1095 14 C1011 16 C1011	AC29	2 CI18	137 CI649	8 14	CI811	16, 119	CI9640D	149
AC31 32	AC3	1 CI2	132 CI649	14	CI8112	15	CI9643	142
AG31 2 CH128 7 5 C654 9 7 C670 138 C670	AC31	2 CI2010	135 CI649	XL 14	CI8192	148	CI9681	149
AC-94	AC31ZXAL2 AC332	2 CI212B	25 CI654	9	CI82	28	CI97A	138
AC4 1 CD2 131 CR665H 1 CR22 15	AC34	2 CI21834	11 CI655		CI820	136	CI98	134
ACC-96064	AC4	1 CI22		4 11	CI8212	16, 119	CI98C	134
AC-649SAL 22 C1291 2 56 C1578 20 C1830 38 C1988 1-22 C129	AC5AC6	1 CI23 1 CI2341	131 CI656	4YS11 S11	CI823 CI827		CI99 CI9935	138
AC6455AL 22 C124 135 C1575 20 C8305 149 C1988 142 C1986 143 C1986	AC64958AL2	.2 CI234112	26 CI657	20	CI83	28	CI9986	142
AGE/270. 3, 28 CT2F 135 CG659-12. 12 CG525-13. 145 CG99P 149 AGE/370. 12 CG520. 135 CG65F 133 CG8377. 3, 149 AGE/370. 12 CG520. 135 CG65F 133 CG8377. 3, 149 AGE/370. 12 CG50. 135 CG65F 133 CG89P 144 AGE/370. 12 CG50. 135 CG65F 133 CG89P 139 AGE/370. 12 CG50. 135 CG57F 133 CG89P 139 AGE/370. 12 CG50. 135 CG57F 133 CG89P 139 AGE/370. 12 CG50. 135 CG57F 133 CG89P 139 AGE/370. 12 CG50. 135 CG65F 133 CG69P 139 AGE/370. 12 CG50. 135 CG65F 133 CG69P 139 AGE/370. 131 CG66V 135 CG65F 139 AGE/370. 131 CG66V 131 CG60V 139 AGE/370. 131 CG60V 131 CG60V 139 AGE/370. 131 CG60V 131 CG60V 139 AGE/370. 131 CG60V 139 AGE/37	AC649SAL2	.2 CI23A	135 CI657	S 20	CI8306	149	CI9988	142
ACC8334AL 22 CT510 24 CT650 24	AC672 3, 2	28 CI23F					CI998P	149
ACROPAL 22 CG7A 135 CG6SX 133 CG6G 144 19 CG92 134 ACROPAL 22 CG7A 135 CG6G 134 CG6G 134 CG6G 135 CG6G 134 CG6G	AC68334AL2	22 CI2511	24 CI6593	4S12	CI8397	23, 148	CI9A	14
ACBORAL 22 C17A 135 C1660 11 C1640 131 C1678 1							CI91	13
ARBOPAL 22 C13010 147 C1661 13 C1893 142 C189S. 15 ARBOPAL 22 C1310 147 C1661 13 C1893 142 C189S. 15 ARBOPAL 23 C1510 135 C1666 13 C189S. 141 C189A 144 AC934 3 C1510 135 C1666 13 C189S. 141 C189A 144 AC934 3 C1510 135 C1666 13 C189S. 141 C189A 144 AC934 3 C1510 135 C1666 13 C189S. 141 C189A 144 AC934 14 C189A 147 C167 13 C189S. 141 C189A 144 AC934 14 C189A 147 C167 13 C189S. 141 C189A 144 AC934 14 C189A 147 C167 13 C189S. 141 C189A 144 AC934 12 C155 146 C167 13 C189S. 154 AC934 12 C155 146 C167 13 C189S. 154 AC934 12 C189A 147 C167 13 C189S. 154 AC934 14 C189A 147 C167 13 C189S. 154 AC934 15 C189A 154 AC934 154	AC807AL 2	22 CI27A	135 CI66		CI840YN	13	CI9R	15
AC933 3 3 C334 31 C366 11 C366 11 C367 14 C373 14 C373 14 C373 15 C366 11 C367 14 C373	AC809AL	22 ČI3010	147 CI661	13	CI8503	142	CI9RS	15
Ac994 3 C13510 135 C1666 13 C1685 13 C18508 141 C1924 144 Ac993 15 C1685 13 C18508 13 C18508 141 C1924 144 Ac993 15 C1695 15 C18508 141 C1671 13 C18517 25 C18511 141 Ac993 141 C1671 13 C18517 25 C18511 141 Ac993 141 C1671 13 C18517 25 C1851 141 C1671 13 C18517 142 C192 141 Ac993 141 C1671 141 C1671 13 C18517 142 C192 141 Ac993 141 C1671 141 C					CI8504 CI8507	141 140		
AC999 3 C1530 135 C166KS 11 C1852 22 C194(114 14 AC9324AL 22 C1550 14 C157 C157 C157 C157 C157 C157 C157 C157	AC994	3 CI3510		13	CI8508	141	CI9X34	14
AC934AL 22 C155-0 147 C1671 13 C1852XS 134 C157A 144 C459AL 147 C1671 13 C1852XS 134 C157A 144 C459AL 147 C1671 13 C1852XS 134 C157A 144 C167AL 147 C1671 13 C1852XS 134 C157A 144 C167AL 147 C167A					CI8521 CI8523		CI9X58	14 14
ACRIGI 27 C1355 146 C1673CF 132 C1853Y 12 CLAA 12 ACRIGING 27 C1357 146 C1673XI 132 C1853Y 132 C1854 134 C1C880112 32 ACRIGIN 27 C1357 146 C1673XI 132 C1855 134 C1C880112 32 ACRIGIN 27 C1357 146 C1673XI 132 C1855 134 C1C880112 32 ACRIGIN 27 C13850 139 C1673XI 138 C1858 134 C1C880112 32 ACRIGIN 27 C13850 139 C1673XI 138 C1858 134 C1C880112 32 ACRIGIN 27 C1850 139 C1673XI 139 C1680 147 C1858 139	AC9X34AL2	.2 CI3540	147 CI671	13	CI8527	25	CI9Y	14
ACRIS14 27 C138S, 146 C1674CF 132 C1856 134 C1CD880112 28 ACRIS14 27 C138C, 139 C1657KL 138 C1858 134 C1CD8802 28 BDDW75674 151 C138K. 139 C1680 147 C188K. 159 C1680 150 C188K. 150 C188	ACRI3122	27 CI356	146 CI673	F 132	CI853Y	12	CIAA	12
ACRISI4 27 C18SQ, 139 C1675NL 138 C1858, 134 C108802 28 BDWYS6, 151 C138X, 139 C16600, 147 C185R, 139 C100, 24 BDWW56, 201 151 C138X, 139 C16600, 147 C185R, 139 C100, 24 BDWW56, 201 151 C138X, 139 C16600, 125 C18600, 130 C184, 24 BDWW66, 202 151 C138X, 139 C16600, 125 C18600, 130 C184, 24 BDWW66, 202 151 C138X, 121 C168312 25 BDWW66, 202 151 C138X, 121 C168314, 25 C18600, 139 C165S, 24 BDWW66, 202 151 C138X, 121 C168314, 25 C18600, 130 C184, 24 BDWW61, 202 151 C138X, 121 C168314, 25 C18600, 130 C184, 24 BDWW61, 202 151 C138X, 121 C168314, 25 C18600, 131 C185X, 24 BDWW61, 202 151 C18X, 24 BDW61, 202	ACRI42 ACRI412	27 CI357 27 CI358	146 CI673	1 132 F 132	CI854 CI856	134 134	CICC CICD880112	24 28
BDDWQ28754 151 CJ38X	ACRI5142	27 CI38SQ	139 CI675	L 138	CI858	134	CICD8802	28
BDMW25/202	BDDWD2875415	51 CI38XL			CI86	139		
BDMW608830	BDMW262021 15	51 CI3A	9, 121 CI683	12XL25	CI8602	13		
BDMW614730	BDMW608830 15	51 CI3B	121 CI683	4 25	CI8621	15	CIHH	24
BDMW617720 150	BDMW614730 15	51 CI400HL	10 CI685	24	CI86434	11	CIHRSEHD4	16
BDMW657020 150	BDMW617720 15	50 CI400HR	10 CI685	25	CI864X	144	CIKK2	23
BFB12114Z 114 CI4020 133 CI693 140 CI8658 142 CIL423 136 BFB12N 114 CI4030 133 CI696 140 CI8659N 142 CIL424 136 BFB342147Z 114 CI4050 133 CI696 144 CIMM 24 BFB347Y 114 CI4510 136 CI70000 149 CI8660F 144 CIMM 24 BFB34N 114 CI4520 136 CI70000 19 CI8661 134 CIN 129 BFB5814XZ 114 CI4530 136 CI7010 19 CI880 139 CISS 24 BFB58214XZ 114 CI4530 136 CI7010 19 CI88 139 CISS 24 BFB582YZ 114 CISS 10 CI7027 19 CI8802 11 EG1075D 130 BF11278 114 CIS005 147 CI7030 25	BDMW637020 15	60 CI401HL	10 CI690	138	CI8656	145	CIL411	136
BFB12N			10 CI691		CI8657 CI8658	144 142		
BFB347Y	BFB12N 11	.4 CI4030	133 CI696	140	CI8659N	142	CIL424	136
BFB58114XZ	BFB342YZ11	.4 CI4510	136 CI700	X 149	CI8660F	144	CIMM	24
FFB58134XZ	BFB34N	.4 CI4520 4 CI4530	136 CI700				CIN	129 24
BFBS8N	BFB58134XZ	4 CI4X	10 CI7020	19	CI88	139	CISS	24
BFBS8N	BFB582YZ11	.4 CI5	10 CI702	19	CI880234	11	EG1065D	130
BFT121.	BFB58N 11	.4 CI5005	147 CI703	25	CI880258	11	EG1070D	130
BFT1234P 114 CI5025 140 CI7053 10 CI8821 11 EG1275D 130 BFW1011 114 CI5030 140 CI7055 12 CI8832 111 EG1670D 130 BFW10112 114 CI5035 140 CI7055916 24 CI8832Y 11 EG1670D 130 BHG5 112 CI5040 140 CI7058 9 CI8832Y 11 EG36D 130 BHG7 112 CI5045 140 CI7056 146 CI8858 11 EG36D 130 BHG9 111 CI5050 149 CI7055 11 CI89 11 EG36D 130 BHG9 111 CI5055 138, 142 CI7070 20 CI89R 19 E11245 124 BHADJ 111 CI5060 18, 140 CI7055 12 CI89X 141 EI1290 124 BHMMDJ 111 CI5065 138 CI7080 12 CI89X 141 EI1290 124 BHMMDJ 111 CI5065 138 CI7080 12 CI990 9 E111495 124 BHS. 110 CI5080 140 CI7085 12 CI990 9 E111445 124 BHS. 110 CI5080 140 CI7095 12 CI990 9 E111445 124 BHS. 110 CI5080 140 CI7095 12 CI990 9 E111445 124 BHXL 111 CI5085 147 CI7095 12 CI990 9 E111490R 124 BHXL 111 CI5085 147 CI7095 12 CI990 143 E11490R 124 BHXS. 110 CI5080 147 CI7095 12 CI990 9 E11245 124 BHXS. 110 CI5085 147 CI7055 12 CI990 9 E11245 124 BHXS. 110 CI5080 147 CI715 147 CI990 12 CI990 143 E11490R 124 BHXS. 110 CI5085 147 CI715 147 CI990 12 CI990 141 E11290 124 BHXS. 110 CI5085 147 CI715 147 CI990 12 CI990 141 E11290 124 BHXS. 110 CI5085 147 CI715 147 CI990 12 CI990 141 E11290 124 CI108 16 CI5112 10 CI7217 147 CI997 132 E1145 124 CI108 16 CI5112 10 CI7217 147 CI997 132 E1145 124 CI108 16 CI5112 10 CI7217 147 CI990 22 23 148 E190 124 CI10AF 137 CI521 13 CI58LS 10 CI744 28 CI910S 23 148 E190 124 CI104 16 CI55LLS 10 CI746 141 CI910S 23 E1245 124 CI114 16 CI55LLS 10 CI746 141 CI910S 23 E1245 124 CI114 16 CI55RLS 10 CI7463 141 CI910S 23 E1245 124 CI116 16 CI55RLW 10 CI75LCS 10 CI915K 148 E13450 124 CI116 16 CI55RLW 10 CI75LCS 10 CI915K 148 E13450 124	BFT12111	.4 CI5015	140 CI704	24	CI8805FB		EG1085D	130
BFW101	BFT1234P 11	.4 CI5025	140 CI705	10	CI8821	11	EG1275D	130
BHG5	BFW101 11	.4 CI5030	140 CI705	12	CI8832	11	EG1465D	130
BHL 111 C15055 138, 142 C17070 20 C189R 19 E111245 124	BHG5 11	.2 CI5040	140 CI705	9	CI88327		EG36D	130
BHL 111 C15055 138, 142 C17070 20 C189R 19 E111245 124	BHG7 11 BHG9 11			i146	CI8858 CI89	11 141	EG465S EG770S	130
BHXL 111 (1508) 147 (1705) 12 (1901) 143 E111490 124 (1705) 124 (1902) 9 E11245 124 (1104) 131 (1509) 147 (1712) 24 (1902) 9 E11245 124 (1104) 131 (1509) 147 (1712) 147 (1904) 142 (1120) 124 (1104) 132 (1512) 10 (17217) 147 (1907) 132 E1145 124 (1104) 132 (1512) 27 (1726) 145 (1910) 23 148 E1190 124 (110A) 132 (1514) 27 (173) 28 (1910) 23 148 E1190 124 (110A) 132 (1514) 27 (173) 28 (1910) 23 148 E11245 124 (110A) 132 (1514) 13 (17384) 137 (19104) 23 E121290 124 (1104) 140 (1551LS) 10 (174) 28 (1910) 23 E121290 124 (1114) 16 (1551LS) 10 (174) 28 (1910) 23 E121290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E12190 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 141 (1115) 141 (11	BHL 11	.1 CI5055		20	CI89R	19	FI 11745	174
BHXL 111 (1508) 147 (1705) 12 (1901) 143 E111490 124 (1705) 124 (1902) 9 E11245 124 (1104) 131 (1509) 147 (1712) 24 (1902) 9 E11245 124 (1104) 131 (1509) 147 (1712) 147 (1904) 142 (1120) 124 (1104) 132 (1512) 10 (17217) 147 (1907) 132 E1145 124 (1104) 132 (1512) 27 (1726) 145 (1910) 23 148 E1190 124 (110A) 132 (1514) 27 (173) 28 (1910) 23 148 E1190 124 (110A) 132 (1514) 27 (173) 28 (1910) 23 148 E11245 124 (110A) 132 (1514) 13 (17384) 137 (19104) 23 E121290 124 (1104) 140 (1551LS) 10 (174) 28 (1910) 23 E121290 124 (1114) 16 (1551LS) 10 (174) 28 (1910) 23 E121290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E12190 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 141 (1115) 141 (11	BHM11	.1 CI5065	140 CI707	12	CI990	9	EL11290	124
BHXL 111 (1508) 147 (1705) 12 (1901) 143 E111490 124 (1705) 124 (1902) 9 E11245 124 (1104) 131 (1509) 147 (1712) 24 (1902) 9 E11245 124 (1104) 131 (1509) 147 (1712) 147 (1904) 142 (1120) 124 (1104) 132 (1512) 10 (17217) 147 (1907) 132 E1145 124 (1104) 132 (1512) 27 (1726) 145 (1910) 23 148 E1190 124 (110A) 132 (1514) 27 (173) 28 (1910) 23 148 E1190 124 (110A) 132 (1514) 27 (173) 28 (1910) 23 148 E11245 124 (110A) 132 (1514) 13 (17384) 137 (19104) 23 E121290 124 (1104) 140 (1551LS) 10 (174) 28 (1910) 23 E121290 124 (1114) 16 (1551LS) 10 (174) 28 (1910) 23 E121290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E12190 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 16 (1551LS) 10 (1746) 141 (1910) 23 E1290 124 (1114) 141 (1115) 141 (11	BHMADJ 11 BHS 11				CI9002	9 9	EL11445 FI 11490R	124
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	BHXL 11	.1 CI5085		12	CI9019	143	EL114905	124
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	CI1	31 CI5095	147 CI721	147	CI9047	142	EL1290	124
CI10AF 137 CI521 13 CI7384 137 CI9104N 23 EL21290 124 CI112 16 CI55LLS 10 CI74 28 CI9105 23 EL245 124 CI114 16 CI55LLW 10 CI7462 141 CI9106N 23 EL290 124 CI114RS 26 CI55RLS 10 CI7463 141 CI9113X 148 EL3445 124 CI116 16 CI55RLW 10 CI75LCS 10 CI9115X 148 EL345 124 CI117 16 CI6 10 CI75LCW 10 CI9115X 148 FL3490 124 CI117 16 CI6 10 CI75LCW 10 CI9115 148 FL3490 124	CI1081	.6 CI5112	10 CI721	147	CI907	132	EL145	124
CI10AF 137 CI521 13 CI7384 137 CI9104N 23 E121290 124 CI112 16 CI55LLS 10 CI74 28 CI9105 23 E1245 124 CI114 16 CI55LLW 10 CI7462 141 CI9106N 23 E1290 124 CI114RS 26 CI5SRLS 10 CI7463 141 CI9113X 148 E13445 124 CI116 16 CI5SRLW 10 CI75LCW 10 CI9115X 148 E1345 124 CI117 16 CI6 10 CI75LCW 10 CI9116 148 E1340 124	CI10A34 13	32 CI514	27 CI73	28	CI9103	23, 148	EL21245	124
CI114	CI10AF	.6 CI55LLS	10 CI74	28	CI9104N CI9105	23 23	EL21290 EL245	124 124
CI116	CI1141	.6 CI55LLW	10 CI746	141	CI9106N		FI 200	124
CT117 16 CT6 10 CT75LCW 10 CT9116 148 FL3490 124	CI1161	.6 CI55RLW	10 CI746.	S10	CI9115X	148	EL345	124
CI119 16 CI6003 149 CI75RCW 10 CI9314 144 EL445 124 CI12 132 CI6008 149 CI76 28 CI9320 12 EL490 124 CI12 16 CI6009 149 CI7614 149 CI9324 14 EL645 124	CI1181	.6 CI6 .6 CI60		W10 S10	CI9202	149	EL3490	124
CI12	CI1191	.6 CI6003	149 CI75R	W10	CI9314	144	EL445	124
	CI1201	.6 CI6009	149 CI761		CI9324	12 14	EL645	124

EL690 ELCAP1		HA4 HA40	99	HI312WH HI3850		HT639606 HT666012		MC606028 MC606029	
ELCAP112	124	HA41	105	HI3H	112	HT666062	176	MC751152	166
ELCAP114 ELCAP2	124	HA4RM HA4RR	105	HI3S HI4H		HT6699 HT6820		MC751154 MC86630	
ELCAP212	124	HA4SM	105	HI4S	112	HT6830	174	MCBBQ1 MCC126BLK	178
ELCAP3 ELCAP4	124	HA4SR HA4WH	105	HI5H HI6H		HT725 HT730	174	MCC126BLK MCC128BLK	17
ELCAP6	124	HA5	110	HI775	110	HT740	174	MCC16	17
ELTE1 ELTE112	124	HA51	103	HIC372 HIC4012	112	HT750122 HT775	166	MCC16BLK MCC16GLV	17
ELTE114	124	HA54RD	103	HIC4042	110	HT8209	184	MCC18	17
ELTE2	124	HA54SQ HA55R		HIC430100L	113	HT8211 HT8212	184	MCC18BLK MCC18GLV	17
ELTE212	12 4 124	HA56C		HIC430100R HIC430200L	113	HT96004		MCC346	17
ELTE4 ELTE6	124	HA57 HA59	99	HIC430200R HIC4904	113	HT96005		MCC346BLK MCC346GLV	17
ER001	92	HA5M	110	HIC4908	110	HT96006 HT96007	176	MCC348	17
ER005 ER122B	92	HA5WTF HA5WTM	110	HIC4914 HIC5901	110	HT96018 HT96019	176	MCC348ARC MCC348BLK	17
ER2012	92	HA6	99	HIC5903	110	HTC28	162	MCC348BLKARC	17
ER2678 ER400	92	HA6RRHA6SR	105	HIC72 HIGH604DA		HTCTK148MP HTCTK70MP	179	MCC348GLV MCC348GLVARC	17
ER450		HA7	95	HIGHMLLH	102	HTMFT10	173	MCL114T300	85
ER4800 FC101	93	HA700 HA701	96	HIH HIP27216		HTMW3 HTPA634		MCLBL19 MCLBL20	85
FC106		HA704	99	HIP372H	112	HTPL634	172	MCLC400	91
FC202	129	HA74001315	94	HIP472H	112	HTRG	179	MCLC400DS	91
FC206 GAA1121214C	129	HA74108315 HA74108325	9 4 94	HIPAL27216 HIPS27216	112	HTUF65C3 HTUG125C3	173	MCLEM100 MCLEM200	
GAA1121214S	129	HA9M1	101	HIT1	100	HTWAC324	173	MCLEM300L	89
GAA1121221S GAA1121614C		HA9M2 HA9M3		HIT2 HITCA1		HTWD401G HTWD408	179	MCLEM300R MCLGMW23AC	89
GAA1121614S	129	HA9M4	100	HITCA1L2		HTWSHRB14	177	MCLH123	89
GAA1121621S GAA112814C	129	HA9S HAAC1200	96	HITCA2 HITCA2L2	102	KW200D26D KW200D3	87	MCLHL100 MCLL2210	91
GAA112814S	129	HAAC1201	96	HITCAMA2RND	100	KW200D5A	87	MCLL2210DS	91
GAA112821S GAA21214C	129	HABR13MSF HAC100	96 104	HITCGS1 HITCGS2	106	KW200DR3 KW200DR5A	87	MCLL238 MCLL2835	91
GAA21214S	129	HAC135M18	113	HITCGS3	106	KW200L15	87	MCLL2835BK	91
GAA21221S GAA21614C	129	HAC140M18 HAC14C	107	HITCHDRND1 HITCHDRND2	100	KW200L3 KW200L5A	87	MCLL2835DS MCLSL2	89
GAA21614S	129	HAC150M18	113	HL141	115	KW200P15	87	MCLU1011	90
GAA21621SGAA2814C	129 129	HAC163 HAC17812	113	HL14112 HL142		KW200P3 KW200P5A	87	MCLU1011EE MCLU1011L	90
GAA2814S	129	HAC17824	113	HL143	115	KW200T26D	87	MCLU1011R	90
GAA2821S	129 96	HAC200G HAC2120	106 106	HL382 HL383		KW200T3 KW200T5A		MCLU900 MCP455115	90
GTA1301	93	HAC24	107	HL384	115	KW272	89	MCPCL3030	181
GTA17TDC3 GTA182	92 92	HAC243D25 HAC243D40	106 106	HL5002 HL5003	115	KW400L15 KW400L3	86 86	MCPR40 MCPR401G	185 185
GTA1955	93	HAC293	104	HL5161	115	KW400L5A	86	MCPR41	185
GTA4032GTDECL230DPH	93	HAC2C HAC300D50	107 104	HL5162 HL5163		KW400T3 KW400T5	87 87	MCPR411G MCPR42	185 185
GTM19RBA	93	HAC304M102O	109	HL5164	115	KW462KN26D	92	MCPR421G	185
GTMF18RBAL GTMSD961A	93 93	HAC305V100 HAC305V140	104 104	HL903 HL905	115	KW5883 KW58926D	92 92	MCPR43 MCPR431G	184 184
HA1	99	HAC326V100	104	HL908	115	KW5893	92	MCPR44	185
HA106 HA12		HAC333D100 HAC345M	104	HLAT123 HLAT12N	115	KW66015 KW6603		MCPR441G MCPR45	185 185
HA12S	94	HAC345P	109	HLAT12W	115	KW6605A	86	MCPR450	185
HA15 HA16	99	HAC346M HAC346P	109	HLAT343 HLAT34N	115	KW66515A KW66526D	86 86	MCPR46	185
HA16HD	106	HAC347P	109	HLAT34W	115	KW6653	86	MCPR47	185
HA18 HA19		HAC347PM HAC350M	109	HLAT383HLAT38N	115	KW6655A KW720C514	86 85	MCPR471G MCPR48	185 185
HA19CB	98	HAC350P	109	HLA138W	115	KW720H514	85	MCPR481G	185
HA2 HA20		HAC36 HAC440	107	HLAT5831 HLAT58N1	15, 178 15, 178	KW7803 KW78515	86 86	MCPR49 MCPR491G	185
HA20C	107	HAC4C	107	HLAT58W1	15, 178	KW78526	86	MCPR50	185
HA21 HA212RR	105	HAC635 HAC640	96	HT02059 HT02060	176 176	KW7853 KW962	86	MCPR501G MCPR51	185
HA212SR	105	HAC645	96	HT05170	179	KW980514	85	MCPR511G	185
HA21B HA21TR4		HAC650 HAC673	0.0	HT095806 HT100		KW985514	85 85	MCPSP1PM MCPSPB1	101
HA22	105	HAC7100	98	HT125SRT	174	KWSD92003 KWSL1000GV3	85	MCDSDR2	181
HA22B HA23	105 96	HAC7110 HAC737150 HAC737300 HAC737800	98 96	HT150380	162	LB1000 LB1000EE	90	MCPSPB3	181
HA234	110	HAC737300	96	HT151328 HT151374	177	LB123	88	MCPWP32 MCPWP32R MCPWP39	181
HA24 HA24CB	96 98	HAC/3/800 HAC745	96	HT151545	174	LB218 LB218234	00	MCPWP32R MCPWP39	181 181
HA25	99	HAC745	99	HT151606 HT151693	175	LB218D	88	MCPWP5	181
HA258 HA26	99	HAC86G HAC87G	113	HT152506 HT152507	171	LB218DXW	88 88	MCPWPB1	181 181
HA27	105	HAC8C	107	HT152822	166	LB218T LB218XW	88	MCPWPB3	181
HA29 HA2RM	105	HAC90G HAC946	113	HT1MH HT200	1/3	LB218XW LB2835	88 91	MCPWPB4 MCR1	10
HA2SM	105	HAD200 HAGH12320 HALB124BXKS	95	HT2089100	179	LB900	90	MCR112 MCRMTH1420	10
HA301 HA30112		HAGH1232U HALB124BXKS	98 98	HT21 HT215		LB9200L LB9200R	88 88	MCS1RK	183
HA301B	108	HALBBPBG	98	HT218	176	LB9200RLBAC218DT	88	MCSA15	180
HA301B12 HA301B22	108	HALLMBT HALTB400	101	HT225102 HT225103	1/3	LBAC218T LBES	88	MCSA50 MCSA80	180
HA301B40	108	HAMLKEY	101	HT225106	173	LKM2	95		
HA301B50 HA302	108	HAMLLDAB HAMLLP1S	100	HT225108 HT226305	1/3 173	LKV1 LKVSAQFBL	98	MCSGRKMCSP1000TC	183 183
HA303W	108	HAMLLP2S	100	HT226306	173	MA1	97	MCTR200	130
HA306H HA31	108	HAMLRPAK HAMLSP	101	HT242 HT25R	174	MA15 MA3	97	MCTW312 MI087067	1//
HA32	103	HAMLSPHAMLTPW	101	HT2MH	173	MA3008	97	MI087068	155
HA33 HA34	106	HAMLVPW HAOR124	101	HT300080 HT300789	1// 179	MA40 MA5	97 97	MI087299 MI15	155 156
HA35	106	HAQB140	98	HT304001	180	MA532	97	MI169715	155
HA35XBLKHA35XWHT	106	HAOB140HASAM1HASAM2	95 95	HT309998 HT30R	1// 174	MA605 MA800	97 97	MI169716 MI169724	155 155
HA36	106	HAIA3	10/	HT4004	174	MA8118	97	MI169/25	155
HA36106 HA37RT106 HA3RM109	., 1/8 ., 105	HATA5HI100	10/ 112	HT4006 HT4008	1 <i>7</i> 4 174	MA8287 MA8413	97 97	MI169726 MI169727	155 155
HA3RR	105	HI1250	112	HT45	177	MC1SSHD	178	MI169727 MI169728	155
HA3SMHA3SR	105 105	HI2S HI312S	112 112	HT450818 HT456237		MC1T MC606027	1/8 166	MI172257 MI172258	156
				100207			200	2200	250

MI172259 156	PAM48404515	150	PP11416	120	RA7422	116	SF10841	76
MI180096 156	PAS20061	168	PP116	120	RA7423	116	SF108A1	78
MI186405 155 MI186406 155	PAS20062PAS20086	168	PP116W PP12	120	RA7424 RA7426	116	SF108A2 SF10903	71
MI186419	PAS20087 PAS20088	168 168	PP12W PP211	120 120	RA7430 RA7432		SF10904 SF10911	71 71
MI206187	PAS20163 PAS20173	168	PP2116	120	RA7434	116	SF10912 SF1093	71
MI216326 159	PAS22011	168	PP214 PP216	120	RA7436 SC101H	20	SF10971	70
MI221584	PAS22021 PAS22053	168 168	PP34 PP58	120 120	SC112 SC112A	16, 119 16, 119	SF10973 SF1103	70 78
MI231410 158 MI231411 158	PAS22071PAS23234	168	PP71 PP7112	119	SC112DOC SC112F	124	SF1104 SF1105	78
MI231921 158	PAS24011	168	PP734	119	SC112FSQ SC112RP	123	SF11111	70
MI235628 159 MI25 156	PAS24039PAS27403	168	PP7B38 PPD210	120	SC112RP SC114	124	SF11112 SF11151	70 70
MI770237 158 MI770246 158	PAWS412AFD40 PAWS412AFD60	169	PPD222 PPPB12	120	SC1144H SC114A	123	SF11152 SF111H	70
MICWJ 165	PAWS412PAD	169	PPRC1020	120	SC114DOC	124	SF11201	70
MIT035 155 MIT045 155	PAWS412SD24 PAWS412SD36	169 169	PPRC15301 PPRC20301	120	SC114F SC114RP	124	SF11210 SF11211	83
MP193973 156 MP193975 156	PAWS412SD60 PAWS4AFD40	169	PPRC20401 PPRT10	120	SC13152 SC150FC11	123	ŠF1123 SF1125	83
MPEM180303510 156	PAWS4AFD60	169	PPRT12	120	SC165102	124	SF1127	83
MPEM250303512	PAWS4CRPAWS4SD24	169 169	PPRT16 PPRT6	120	SC165114 SC16589	124	ŠF1129 SF112B9	83
MPM1135 156 MPM1435 156	PAWS4SD36 PAWS4SD60	169	PPRT8 PPSQ10	120	SC166C SC166FC	123	SF1131 SF11310	84
MPM2150 156	PAWS7AFD40	169	PPSQ12	120	SC166S	123	SF1132	84
MPM2250 156 MPM42303515 156	PAWS7AFD60PAWS7NA	167	PPSQ201 PPSQ4	120	SC190C SC190FC	124	SF11329 SF1133	84
MPM51 156 MPM52 156	PAWS7PAD PAWS7SD24	169 169	PPSQ58 PPSQ6		SC190S SC1930	123	SF1134 SF1135	84 83
OW14112 115	PAWS7SD36	169	PPSQ6241	120	SC1938	122	SF11351	69
OW142115 OW14212115	PAWS7SD60 PAWS7T	167	PPSQ8 PS0031	26	SC1C SC2	16, 119	SF11352 SF11353	69
OW143115 OW5162115	PAWS9 PAWSBSB3518	167 171	PS003112 PS003114	26 26	SC212 SC212GAL	16, 119 16, 119	SF11354 SF1136	69 83
OW5163 115	PAWSBSB3524	171	PS004112	26	SC2375F SC250	123	SF11361	66
PA10231171 PA10232171	PAWSBSBM2PAWSBSBR24	171	PS0042 PS10A	21	SC2A	16, 119	SF11362 SF1137	83
PA158437 169 PA158453 169	PB1016 PB11	114	PS118B PS2	21 21	SC2FSQSC2GAL	123 16	SF1138 SF1139	83
PA158458 169	PB14	115	PS3 PS612	21	SC2RP	124	SF1141	8
PA1710489 PA314018170	PB1414 PB14H	115	PS806B	. 119	SC3 SC34P	119	SF11411 SF114112	51
PA322013 170 PA322016 170	PB14HD PB516		PS807B21	21	SC35B SC35BRP	9, 121	SF1142 SF11421	
PA322017 170	PBC1004	127	PS808B21	, 119	SC3A	16, 119	SF1144	8
PA322019	PBC100412 PBC100412RD	127	PS808W21 PSM2521	21	SC3GAL SC4	16, 119	SF11442 SF11444	51
PA322023 170 PA322024 170	PBC1004RD PBC1005	127 127	PSM2534 PSM2534W	21	SC4A SC4GAL	16, 119 119	SF11445 SF1145	51 8
PA322026 170	PBC1005RD	127	PSM2558	21	SC5	16, 119	SF1148	8
PA322032 170 PA322033 170	PBC1006 PBC1006RD	127	PSM25BZ PSM25W	21	SC6 SC8	16, 119	ŠF1149 SF11497	84
PA322042 170 PA322043 170	PBC1120412 PBC1120434	127 127	PSM30 PSM3058	21	SCAL8103 SCWL112	121 123	SF114A3 SF114B13	8 8
PA322047 170	PBC1120512	127	PSM30W	21	SCWL114	123	SF114B14	8
PA322048 170 PA322054 170	PBC1120558 PBC1120612	127	PSM34 PSM34W	21	SF10091 SF10101	52	SF114B4 SF114B5	8
PA326005	PBC1120634 PBC11234412	127 127	PSM40 PSM50		SF10102 SF10103	52	SF114B8 SF1151	
PA326008 170	PBC1123441212	127	PSM659B	21	SF10111	52	SF1152	8
PA326010 170 PA326011 170	PBC1123441258 PBC11234434	127	PSM7085B RA10161	. 114	SF10112 SF10113	52	SF1153 SF1154	8
PA326012 170 PA326014 170	PBC1123443434 PBC11234512	127 127	RA1016112RA101634	114	SF1012 SF10121		SF11575 SF11591	81 82
PA326015 170	PBC11234558	127	RA1051	115	SF10122	52	SF11592 SF11595	82
PA326016 170 PA326020 170	PBC11234612 PBC11234634	127	RA1055 RA1101	115	SF10132 SF10142	52	SF11596	82
PA357020 170 PA39908 169	PBC11241212 PBC11241212DM	127 127	RA1105 RA1151		SF10174 SF10192	52 52	SF11597 SF11598	82 82
PA39909	PBC11241258 PBC11243434	127	RA1155 RA14141	115	SF10282 SF1032	51	SF11610 SF11613	
PA39933 169	PBC11243458DM		RA1414112	. 114	SF10381		SF11625	8
PA39948	PBC112534DM PBC2118434	127 127	RA14141BLK RA2724		SF10382 SF10391	55	SF11626 SF11629	8
PA412FD40169	PBC2118458 PBC211851	127	RA2728 RA2732	116	SF10431 SF10432	38	SF116312 SF11633	29
PA412FD60	PBC2118534	127	RA2764	. 116	SF10461	38	SF11634	29
PA45005	PBC2118558 PBC211861	127	RA2768 RA2772	. 116	SF10462SF10463	37	SF11635 SF11671 SF11672	72
PA59204169	PBC2118634 PBC25141DM	127	RA2776 RA2808	116	SF10464	37	SF11672 SF1169	72
PA67508	PBC2534DM	127	RA2814	116	SF10465SF10466	34	SF116A3	31
PA67516	PBC261DM PBC2634DM	127 127	RA2820 RA2826	116 116	SF10491 SF10502	58 58	SF116A4 SF116A5 SF116D1	31
PA67520	PBC2634DM PBCR1000	128	RA3762 RA3764	116	CE10E02	EO	SF116D1	49
PA93551115	PBCR1004 PBCR100412	128	RA3768	116	SF1051	58	SF116D2 SF116D3	38
PA93551 115 PABD41112 171 PABD41113 171	PBCR1005	128 128	RA5005 RA5010	116 116	SF10513 SF10514	58 58	SF116E6SF116F1SF116F10	58 29
PABD411181/1	PBCR1120000	128	RA5015 RA5020	116	SF10515 SF1052	58 77	SF116F10 SF116F2	29
PABD412C	PBCR1120434	128	RA5025	. 116	SF1053	77	SF116F3	29
PABD57624	PBCR1120512	128 128	RA5030 RA5034	. 116	SF1053L SF1054	77	SF116F4SF116F5	29 29
PABL12	PBCR1120414 PBCR1120512 PBCR1120534 PBCR1120612 PBCR1120634 PBCR1120634	128 128	RA5035RA5040	116	SF10544	67	SF116F6SF116F8	29
PABL4 167	PDCR2000	120	RA5045	116	SF10545SF10546	67	SF11701	75
PABL412167 PABL5167	PBCR2118434 PBCR2118534	128 128	RA5050 RA5055	116 116	SF1054L SF10561	76	SF11711 SF11712	
PABI 7	PBCR2118534 PBCR2118634 PBT40	128 115	RA5055 RA7400 RA7402	116	SF10684	68	SF1172 SF1174 SF1176	29
PABL7C 167 PADW4714 180 PADW8500 167	PMPS22116	130	RA7404	116	SF10713 SF10715		SF1176	29
PAHS1170	PMPS22332PP111	120	RA7410 RA7412	116	SF10731 SF10732 SF10733	76 76	SF11// SF1178	29 29
PAHS34 170 PAHS78 170	PP11211	120	RA7414 RA7416	116	SF10733SF10741	76 76	SF1177 SF1178 SF1179 SF11793 SF11794	29
PAHSA170	PP11411	12Ō	RA7420	116	SF10741SF10742	76	SF11794	68

SF11841	. 79	SF1384	30	SF232	53	SF5895	64	SF6634	33
SF11842	. 79	SF138612	18	SF242	53	SF5973	68	SF6635	33
SF11843SF11844	. 79 79	SF138613 SF1387		SF243SF24B1		SF5973L SF5991	81	SF6636SF6637	33
SF11845		SF1391	30	SF26C1	53	SF5992	7	SF6638	33
SF11846	. 79	SF1392	30	SF34240	6	SF5993	7	SF6649	54
SF11851SF11852	. 79 79	SF1393SF1394		SF34365SF3447	b	SF5994SF5995	/	SF6733SF67512	31 31
SF11853	. 79	SF1395	30	SF345F	4	SF5996	7	SF67513	31
SF11854	. 77	SF1396		SF34TB		SF5997	7	SF6758	31
SF11855SF118A1	. //	SF1401SF1402		SF351SF352		SF5998SF601		SF6759SF6791	31
SF118A2	4	SF1403	30	SF361	51	SF603	75	SF6792	54
SF118A3	4	SF1404		SF362		SF603L	81	SF6793	
SF118A5 SF118E1	4	SF1405SF1406	30	SF373SF38365		SF60411SF60412	30, /5	SF681SF6811	
SF118E3	5	SF14063	33	SF3847	6	SF6046	75	SF6812	
SF118E5	5	SF14069	33	SF38T	6	SF6047	75	SF6873	39
SF118E6 SF118E9	<u>5</u>	SF1407SF1408	30	SF38TBSF4210		SF6048 SF6051	/5	SF6876SF68910	39
SF118H1	5 .61	SF140H1		SF4224	<i>7</i>	SF6052	7	SF6897	
SF118H2	. 61	SF140H2	31	SF422US	7	SF6053	7	SF6898	32
SF118H25		SF140H3		SF424	7	SF6054	7	SF6899	32
SF1191 SF1192	5	SF1443SF1453	. 84	SF429USSF4412		SF6061SF6062	7	SF6911SF6912	
SF1193	5	SF146314	. 31	SF4464	53	SF6063	7	SF6913	32
SF1202		SF146315		SF4471SF4511	53	SF6064		SF6914	32
SF1203 SF12032		SF146316 SF146317		SF4513	. 64	SF6151 SF6152		SF6916SF6917	
SF12061	. 84	SF14632		SF4521	64	SF6153	61	SF6924	32
SF1215		SF14633		SF4611	37	SF6154SF6171	61	SF6926	
SF122A1 SF12365	. 10 6	SF14634 SF1481		SF4621SF4622	60	SF6172	61	SF6928SF6929	32
SF1241	. 18	SF1482	. 80	SF466	62	SF6173	61	SF69412	32
SF1242		SF1491	. 80	SF4691	76	SF6174	61	SF69413	32
SF12461SF1247	. / 2	SF14TBSF1542	4	SF4710		SF6175SF6176	61	SF6951SF6952	
SF12471	. 72	SF1551	. 25	SF4711	64	SF6177	61	SF6953	31
SF1251	. 18	SF1552	. 25	SF4712	65	SF621	58	SF6954	31
SF125F SF1261	4 . 18	SF1553SF1554	25	SF4751SF4752		SF6231 SF6235	7	SF6955 SF6961	51 54
SF12613	. 18	SF1556	. 25	SF479	65	SF6236	7	SF6962	54
SF1263	. 31	SF156A1	. 27	SF4791SF4792	37	SF6237 SF6238	7	SF6963SF6973	54
SF126C7SF126D1	. 18	SF156A10SF156A3	. 28	SF4801	7 4 74	SF6239		SF6974	
SF1272	. 17	SF156A4	. 27	SF481	. 60	SF62510	4	SF7021	30
SF12761	. 64	SF156A5		SF481L	. 82	SF6253	4	SF7022	30
SF12793 SF1281	. 30 25	SF156A6SF15716		SF482L	60 82	SF6255SF6257	4 4	SF7023SF7072	19
SF12811		SF1581	4	SF483	. 60	SF6258	4	SF7074	19
SF12812	. 49	SF15815	4	SF483L	. 82	SF6259	4	SF7076	19
SF12813 SF12814		SF15816 SF15820	4	SF484L	60 82	SF62611SF62612		SF70D1 SF70D1L	
SF1282		SF15823	4	SF4901	. 73	SF62614	5	SF70D5	64
SF12912	. 17	SF15826	4	SF4902	. 73	SF62619		SF7151	
SF12951 SF12952		SF15827 SF1583		SF4919	27	SF6263 SF6265	2	SF7152 SF7181	
SF12953	. 35	SF15830	4	SF4971	. 77	SF6266	5	SF7191	55
SF12954	. 35	SF1586	4	SF4972	. 77	SF6269		SF7192	
SF12955SF12956	. 35 35	SF158B1 SF158B6	29	SF4991SF4992		SF6348 SF6351	3/	SF7201 SF7202	55
SF12957		SF158B7	. 29	SF5002		SF6352	35	SF721	34
SF129612	. 35	SF158B8	. 29	SF5002L	. 82	SF6353	35	SF72711	18
SF129613 SF1298	. 35 17	SF1591SF1593	29	SF5012SF5021		SF6354SF64A2	35 50	SF7279SF731	18
SF12T	6	SF1594	. 29	SF5031	. 77	SF64A3	50	SF732	34
SF12TB	4	SF1595	. 29	SF505	. 61	SF64B2	50	SF733	3 <u>4</u>
SF13004 SF13091	.51	SF1596 SF1597	29	SF5053SF5054		SF64F1SF64F3	83	SF742SF748	3/
SF13092	. 3 4	SF15F	4	SF505L		SF64F3L	81	SF7511	
SF13093	. 34	SF16043	. 20	SF506	. 61	SF64F5	66	SF7515	17
SF13094		SF16045 SF16046		SF506LSF507		SF64F5L SF64F7	81	SF7533SF7555	34 68
SF13095 SF13151	. 37	SF160L1	. 29	SF507L		SF64F7L	81	SF7555L	
SF132310	. 28	SF16421	. 55	SF508	. 61	SF64F9	66	SF7556	68
SF1325528, SF1329128	/l 33	SF16574 SF16672	. 55	SF5082SF508L	//	SF64G2 SF64G3	66	SF7556L SF78TB	
SF13296	. 33	SF16673	. 56	SF5111	. 75	SF64G4	36	SF7972	83
SF132C12	. 17	SF16682	56	SF513	. 75	SF64G5	36	SF7977	83
SF134G3 SF1361	. 68	SF16713 SF16721	50	SF516TBSF521	4	SF64G6 SF64H10	36	SF7982SF7991	83
SF13610	. 31	SF16722	. 73	SF522	50	SF64H2	69	SF7993	83
SF13611	. 31	SF16802	57	SF5251	. 80	SF64H4	69	SF801221 SF801222	
SF1362SF1363	. 31	SF170B4	110	SF52A3	50	SF64H6	69	SF801222 SF8014	6 84
SF1364		SF170B5 SF171	53	SF52A4SSF52A4SL	81	SF64H8 SF64I1	83	SF8015	83
SF1365	. 30	SF172	. 53	SF52H3	36	SF64I2	68	SE8021	83
SF1366SF1367	. 30	SF172413 SF172414	6	SF531		SF64I2L	81	SF8022 SF802711	83
SF1367SF1368		SF172427	6	SF533L6	, 82	SF64I3SF64I3L	81	SF802/15	63
SF1369	. 30	SF172428	6	SF5401	. 58	SF64I4	60	SF802/16	63
SF13710 SF137415	. 30	SF172451 SF172452	6	SF5402SF5411		SF64I5	60	SF80272	63
SF137415SF137416	5	SF172452 SF17251	6	SF5411SF5412	58	SF64L3SF64L3L	81	SF802722SF80276	63
SF137417	5	SF17252	6	SF5443	. 76	SF64L4	68	SF80278	63
SF137419 SF137420	5	SF173317	60	SF5616	66	SF64L4L	81	SF80279	63
SF1377	5	SF173318 SF17829	. 65	SF5622L	81	SF6513 SF6514	3 4 34	SF80A1SF80A10	37
SF137740	. 10	SF17833	. 65	SF5762	69	SF6533	49	SF80A11	37
SF137741	. 10	SF17835	. 65	SF5762L	81	SF6534	49	SF80A12	37
SF1378SF1379	. 30	SF17961 SF17962		SF5764SF5771		SF658SF658L	6. 82	SF80A3SF80A9	3/
SF13810	. 30	SF180613 SF180627	6	SF5772SF5773	. 69	SF6611	33	SF81212	10
SF13811	. 30	SF180627	6	SF5773	. 69	SF6612	33	SF81213	10
SF13812SF13813	. 30 . 30	SF18071 SF180713	6	SF57815	. 81	SF6613SF6614	33	SF847SF8524	51
SF13815	. 31	SF18347	5	SF581	. 38	SF6623	33	SF8526	51
SF13816	. 30	SF18348	5	SF58240	6	SF6624	33	SF8527	51
SF1381N SF1382	. 1/ . 31	SF18349 SF185510	5	SF58365SF5847	b	SF6631SF6632		SF856SF8881	
SF1383	. 30	SF231	53	SF585F	4	SF6633	33	SF88C2	58



SF88Q2	SFGD0050SFGD0051	59 59	SRST5 SRST512	27	WS150M WS152	159 175	WSFGR	174
SF894	SFGD1511 SFGD1512		SRST514 SS12G		WS152 WS156227 WS164	160 175	WSGB90H WSHB29	162
SF91046	SFGD1581 SFGD1582	67	STBF1136STBF1140	. 126	WS176 WS18R	175	WSHH1 WSHS26	160
SF91202	SFGD2282SFGD2451	67	STBF1142STBF1236	. 126	WS1G WS2001	163	WSHS3TB	177
SF9120462	SFGD2452	48	STBF1236LP	. 126	WS200M	159	WSHT3	154
SF91205	SFGD2514 SFGD2912	40	STBF1240STBF1240LP	. 126	WS2100X WS2119B	164	WSJB8265 WSKT16Y	174
SF9133473 SF9133573	SFGD3002SFGD3033	40 40	STBF1242STBF1242LP	. 126 . 126	WS21301 WS21NT	164	WSL22 WSL24	
SF9147284 SF916015	SFGD761 SFGD762	48 48	STCR36 STCR39	. 126	WS225M WS2275	159	WSL33 WSL48	154
SF916025 SF916035	SFGD991SFN0009	55	STCR42STF1	. 126	WS235626 WS235627	159	WSLC10	154
SF916045 SF916055	SFN0010SFN0016	59	STF2STF4	. 126	WS238S WS241458	175	WSLJ WSLPG200 WSM3R	154
SF916065	SFN4641	72	STF6	. 126	WS25	152	WSMP	175
SF916F4 SF92B336	SFN4642SFN4643	72	STSP1036FSTSP1048F	. 125	WS250532 WS2519B	164	WSMPLWSMTL	175
SF92B4	SFN4644SP0601		STSP1236STSP1248	. 125	WS256165 WS25NT	164	WSNG WSP750L	164
SF93336 SF93436	SP06015SP100	183	STSP36STSP40	. 125	WS2619B WS264851	164	WSP750LX WSPMOR	164
SF943	SP101 SP110	184	STSP42STTA	. 125	WS271345 WS271347	158	WSPMR WSPMW	176
SF94B11	SP1112SP1115	184	TX14112TX142	. 115	WS271348 WS2713Y6	158	WSPMY WSRL	176
SF94B332	SP1124	184	TX143	. 115	WS278S	175	WSRW1	.160, 181
SF94B432 SF94B531	SP113	184	TXFA3716BZTXFATPNTG37	. 114	WS2C200 WS2G	163	WSS20WSS30	152
SF94B631 SF94B932	SP114 SP115	184	TXFATRITOOLVC001	. 155	WS2R WS300	154	WSSH WSSHR	176
SF94C139 SF94C1139	SP1156 SP117	184 184	VC003 VC01	. 155 . 155	WS301551 WS3155	163 162	WSSSC WSSSF	176
SF94C1239 SF94C239	SP117 SP1175SP118	182 184	VC03 VC11	. 155 . 155	WS316 WS3TL	154	WSSSR WSTG	176
SF94C3	SP1190SP120	182	VC13 VC3GPN0	. 155	WS4501 WS4J	152	WSTS WSTV50	175
SF94C536	SP121	184	VC3GPN1VCGPN0	. 155	WS5002X WS50H	152	WSU200	166
SF94C6	SP12GS SP130	184	VCGPN1	. 155	WS52947	160	WSUA WSWH10	152
SF94E239 SF94E339	SP1369 SP13695	182	VCSH7436 VCSH7536	. 155	WS5DG WS674	157	WSWH20 WSWH30 WSWYPO	152
SF94E4	SP140 SP1402		VCSMC120 VCSMC1200	. 155 . 155	WS675 WS6LN		WSWYPO WT11	152 118
SF94E639 SF94F539	SP151 SP160	184	VCSMC121 VCSMC122	. 155	WS6R WS7061	172	WT110 WT112	117
SF94F6	SP1614178, SP161617178	184	VCSMC123VCSSC120	. 155	WS71157 WS73501	160	WT115 WT115G	118
SF94Q134	SP161618	184	VCSSC1200	. 155	WS73521	161	WT11G	118
SF94Q5	SP1654	184	VCSSC12000 VCSSC121	. 155	WS73571 WS73581	161	WT12 WT127	117
SF99178 SF99278	SP1657 SP180	184	VCSSC122 VCSSC123	. 155	WS74201 WS74241	161	WT12G WT13	118
SFB429 SFB629	SP1MS SP203		VCSSC500 VCSSC501	. 155	WS74271 WS74651	162	WT132 WT135	. 117, 123
SFE022S 121 SFG0010 54	SP205 SP2100	184	VCSSC502 VCSSC503		WS758113 WS76301	163 161	WT137 WT14	
SFG001154 SFG001574	SP21005 SP2102	182	WB58114 WB58116	. 168	WS76341 WS76601	161	WT2 WT217	118
SFG0019	SP2109 SP2113	182	WB58234CWB58234C6	. 168	WS76671 WS770257	161	WT231 WT232	117
SFG005	SP2132 SP2144	182	WB58234KWB58234K6	. 168	WS770280 WS79302	159	WT3 WT300	118
SFG00874	SP2154	182	WBEB1	. 168	WS79479	160	WT4	118
SFG009	SP2160SP2161	182	WR30818 WR308332	. 153	WS7CR WS817662	160	WT412	118
SFG156267 SFG159171	SP2164 SP2170	182	WR601018 WR6010332	. 153	WS817666 WS8R	160 172	WT6 WT6B	118
SFG159271 SFG163171	SP2179 SP2181		WR6010532 WR601118		WS8SC WS8SK		WT6BG WT7	
SFG163271 SFG164141	SP23H178, SP2700178		WR6011332 WR6011532	. 153	WS912L WS912X	164	WT7G WT8	118
SFG1642	SP27005 SP2712	182	WR6013116	. 153 153	WS97205	161	WT8 WT8041 WT8047	. 117, 123
SFG1763	SP27125 SP2770	182	WR6013332	. 153	WS97221 WS97305 WS97455	161	WT8049	. 117. 123
SFG189247	SP27705	182	WR/01418. WR/7014332. WR/701818. WR/7018332. WR/7018532. WRBR18. WRBR332. WRBRF18.	. 153	WSQD	172	WT9 WTCP158R WTCP178R	117
SFG1923	SP3200SP32005	182	WR7018332	. 153	WSA49RB WSA49RO WSA49RR	160	WTCP2	117
SFG206142 SFG206242	SP3879SP38795	182 182	WR7018532 WRBR18	. 153 . 157	WSA49RR WSA49RY	160 160	WTCP2 WTCP212 WTCP238R	117
SFG209142 SFG212147	SP9831SP9839	184	WRBR332 WRBRF18	. 157 . 157	WSA69RB WSA69RO	160 160	WTCP3	117 117
SFG2162	SP9848SP9889	184			WSA49RK WSA49RP WSA69RB WSA69RO WSA69RR WSA69RW WSA69RY WSAS	160	WTCP6 WW023	117 157
SFG222241 SFG2231 41	SPGP2159	182	WRCAST	153	WSA69RY	160	WW030	157
SFG2231	SPGP42	182	WS0215L	. 164	WSB120	154	WW03010SS	157
SFG226447	SPGP555	182			WSBF1	157	WW0301A	157
SFG231	SPGP30 SPGP42 SPGP55 SPGP555 SPSP2100 SPWSCGG	183	WS100	. 152	WSB62 WSBF1 WSCAP WSCB30 WSCKT130Y	152	WTCP3 WTCP4 WTCP6 WW023 WW03010 WW03010SS WW0301A WW0302FC WW030FC WW030FC	157
SFG2391	SPXL	182	WS10103	. 165	W5CR39L	159	WW035 WW03510 WW0352FC	157 157
SFG242144 SFG243244	SPXL5 SR10	. 27	WS10104 WS10C250	. 165 . 15 4	WSCR39S WSCRG	165	WW035FC	157
SFG245345 SFG25157	SR312 SR4	. 27	WS10C250 WS10C300 WS10CR	. 154 . 172	WSCS WSCSB	165	WW045XLK14S32D	157
SFG2551	SR412 SR5	. 27	WS10L WS10L45	. 159	WSE1SW	160	ZI0850ZI0855	26
SFGD001246	SR512	. 27	WS11L WS11L45	. 159	WSEG300	154	ZI1252ZI1651	26
SFGD0043	SR514 SR6	. 27	WS11R	. 172	WSEG500 WSEGM50G WSEL10	154	711652	26
SFGD0046	SR8 SRST312	. 27	WS12L WS12L45	. 159	WSEL11 WSF3003	159	ZI1655 ZI6204 ZI6300204	26 26
SFGD0048	SRST4SRST412	. 27	WS12LC160,	. 1/2	WSF3003 WSFCL	162 162	Z103UUZU4	26




Open Monday - Friday



To Place Your Order or for More Information

Phone: 800-833-9175 | 404-577-5005 Fax Orders 24 Hours /7-Days: 404-419-3490



IMS ORNAMENTAL STEEL

1425 English Street NW Atlanta, GA 30318

Toll Free Number: (800) 833-9175 Phone Number: (404) 577-5005 Fax Number: (404) 419-3490

Email: inquiry@imsgasteel.com

www.imsornamental.com



